Build CNN Model for Classification Of Flowers

```
TEAM ID: PNT2022TMID03970
import os
import zipfile
import random
import shutil
import tensorflow as tf
from keras.preprocessing.image import ImageDataGenerator
from os import getcwd
from os import listdir
import cv2
from keras.layers import Conv2D, Input, ZeroPadding2D,
BatchNormalization, Activation, MaxPooling2D, Flatten, Dense
from keras.models import Model, load model
from keras.callbacks import TensorBoard, ModelCheckpoint
from sklearn.model selection import train test split
import imutils
import numpy as np
import matplotlib.pyplot as plt
1. Download the dataset
from google.colab import drive
drive.mount('/content/drive')
Mounted at /content/drive
from zipfile import ZipFile
file_name = "/content/drive/MyDrive/Flowers-Dataset (assignment
3).zip"
with ZipFile(file name, 'r') as zip:
  zip.extractall()
Number of Images in each class
print(len(os.listdir('/content/flowers/daisy')))
print(len(os.listdir('/content/flowers/dandelion')))
print(len(os.listdir('/content/flowers/rose')))
print(len(os.listdir('/content/flowers/sunflower')))
print(len(os.listdir('/content/flowers/tulip')))
764
1052
784
733
984
```

```
2. Image Augumentation
TRAINING DIR = "/content/accdetection/training"
train datagen = ImageDataGenerator(rescale=1./255,
      rotation range=40,
      width shift range=0.2,
      height shift range=0.2,
      shear range=0.2,
      zoom range=0.2,
      horizontal flip=True,
      fill mode='nearest')
train_generator = train_datagen.flow_from directory(TRAINING DIR,
                                                    batch size=100,
class mode='binary',
                                                    target size=(150,
150))
VALIDATION DIR = "/content/accdetection/testing"
validation datagen = ImageDataGenerator(rescale=1./255)
validation generator =
validation datagen.flow from directory(VALIDATION DIR,
batch size=100,
class mode='binary',
target size=(150, 150)
Found 4292 images belonging to 5 classes.
Found 1243 images belonging to 5 classes.
3.Create model
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import
Convolution2D, MaxPooling2D, Flatten, Dense
4.Add lavers
model = tf.keras.models.Sequential([
    tf.keras.layers.Conv2D(100, (3,3), activation='relu',
input shape=(150, 150, 3),
    tf.keras.layers.MaxPooling2D(2,2),
    tf.keras.layers.Conv2D(100, (3,3), activation='relu'),
```

```
tf.keras.layers.MaxPooling2D(2,2),

tf.keras.layers.Flatten(),
   tf.keras.layers.Dropout(0.5),
   tf.keras.layers.Dense(50, activation='relu'),
   tf.keras.layers.Dense(50, activation='softmax')
])
print(model.summary())
```

Model: "sequential"

Layer (type)	Output Shape	Param #
conv2d (Conv2D)	(None, 148, 148, 100)	2800
<pre>max_pooling2d (MaxPooling2D)</pre>	(None, 74, 74, 100)	0
conv2d_1 (Conv2D)	(None, 72, 72, 100)	90100
<pre>max_pooling2d_1 (MaxPooling 2D)</pre>	(None, 36, 36, 100)	0
flatten (Flatten)	(None, 129600)	0
dropout (Dropout)	(None, 129600)	0
dense (Dense)	(None, 50)	6480050
dense_1 (Dense)	(None, 50)	2550

Total params: 6,575,500 Trainable params: 6,575,500 Non-trainable params: 0

None

5. Compile the model

```
6.Fit the model
history = model.fit(
       train generator,
       validation data=validation generator,
       epochs=10,
       verbose=1)
Epoch 1/10
- acc: 0.3663 - val loss: 1.1328 - val acc: 0.5294
Epoch 2/10
- acc: 0.5156 - val loss: 1.0994 - val acc: 0.5414
Epoch 3/10
43/43 [============== ] - 431s 10s/step - loss: 1.1077
- acc: 0.5571 - val loss: 0.9780 - val acc: 0.6227
Epoch 4/10
- acc: 0.5939 - val loss: 0.9686 - val acc: 0.6275
Epoch 5/10
- acc: 0.6233 - val loss: 0.9084 - val acc: 0.6492
Epoch 6/10
- acc: 0.6323 - val loss: 0.9555 - val acc: 0.6372
Epoch 7/10
- acc: 0.6398 - val_loss: 0.9788 - val_acc: 0.6122
Epoch 8/10
- acc: 0.6470 - val loss: 0.8271 - val acc: 0.6766
Epoch 9/10
- acc: 0.6573 - val loss: 0.8002 - val acc: 0.6718
Epoch 10/10
- acc: 0.6759 - val loss: 0.8035 - val acc: 0.7056
7. Save the model
model.save('Flower Classification.h5')
8.Test the model
import numpy as np
from tensorflow.keras.preprocessing import image
img = image.load_img('/content/accdetection/testing/sunflower
```

img/18876985840 7531dc8e6a.jpg',target size=(150,150))

s = image.img to array(img)

```
s = np.expand_dims(s,axis=0)
S
array([[[[ 28.,
                    55.,
                           10.],
          [ 20.,
                    33.,
                           13.],
                    26.,
          [ 18.,
                           13.],
           . . . ,
           [ 63., 106.,
                           35.],
                           26.],
          [ 62., 107.,
           [ 46.,
                    87.,
                           21.]],
         [[ 31.,
                    59.,
                           11.],
          [ 22.,
                    36.,
                           13.],
                    24.,
          [ 16.,
                            9.],
          . . . ,
           [ 61., 103.,
                           39.],
           [ 61., 105.,
                           26.],
                           22.]],
          [ 49.,
                    90.,
         [[ 31.,
                    61.,
                           11.],
          [ 22.,
                    38.,
                           12.],
                    27.,
                           10.],
          [ 16.,
           [ 58., 100.,
                           36.],
           [ 58., 102.,
                           25.],
          [ 48., 91.,
                           20.]],
         . . . ,
         [[ 58.,
                           33.],
                    87.,
          [ 50.,
                    88.,
                           31.],
          [ 42.,
                    81.,
                           28.],
          . . . ,
           [ 40.,
                    78.,
                           27.],
                           29.],
          [ 40.,
                    78.,
          [ 32.,
                    63.,
                           19.]],
         [[ 53.,
                    79.,
                           32.],
          [ 52.,
                    85.,
                           28.],
          [ 45.,
                    80.,
                           24.],
          . . . ,
                    79.,
           [ 41.,
                           28.],
           [ 38.,
                           27.],
                    76.,
          [ 31.,
                    64.,
                           17.]],
         [[ 51.,
                    77.,
                           29.],
          [ 50.,
                    83.,
                           26.],
                    83.,
                           27.],
          [ 48.,
           [ 41.,
                    79.,
                           28.],
```

```
[ 37., 75., 26.],
        [ 30., 67., 13.]]]], dtype=float32)
model.predict(s)
0.,
       0.,
      0.,
       0., 0.]], dtype=float32)
output = ['daisy','dandelion','rose','sunflower','tulip']
pred = np.argmax(model.predict(s))
output[pred]
{"type": "string"}
img = image.load img('/content/accdetection/testing/sunflower
img/18876985840 7531dc8e6a.jpg',target size=(150,150))
s = image.img to array(img)
s = np.expand dims(s,axis=0)
pred = np.argmax(model.predict(s))
output[pred]
{"type": "string"}
img = image.load_img('/content/accdetection/testing/daisy
img/12601254324 3cb62c254a m.jpg',target size=(150,150))
s = image.img_to_array(img)
s = np.expand dims(s,axis=0)
pred = np.argmax(model.predict(s))
output[pred]
{"type": "string"}
img = image.load img('/content/accdetection/testing/tulip
img/14046760909 0c73e84a1f n.jpg',target size=(150,150))
s = image.img to array(img)
s = np.expand dims(s,axis=0)
pred = np.argmax(model.predict(s))
output[pred]
{"type": "string"}
img = image.load img('/content/accdetection/testing/rose
img/12395698413 c0388278f7.jpg',target size=(150,150))
s = image.img to array(img)
s = np.expand dims(s,axis=0)
pred = np.argmax(model.predict(s))
output[pred]
```

```
{"type":"string"}
```