Assignment-2

Dashboard

Assignment Date	10 October 2022
Student Name	Venu Prasadhu S
Student Roll Number	2116190801190
Maximum Marks	2 Marks

Index page:

rel="stylesheet"

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  k rel="stylesheet" href="{{ url_for('static', filename='style.css')}}">
  <title>Home</title>
</head>
<body>
  <h2 class="home">Home Page</h2>
  <div class="space">
  <a class="text" href="/about"> About </a>
  <a class="text" href="/signin"> Log In </a>
  <a class="text" href="/signup"> Sign Up </a>
  </div>
</body>
</html>
Sign in page:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```



k href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.mi n.css"

```
integrity="sha384-
iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fz T"
crossorigin="anonymous">
  k rel="stylesheet" href="{{ url_for('static', filename='style.css')}}">
  <title>Sign In</title>
</head>
<body>
  <div class="space">
   <a class="text" href="/"> Home </a>
   <a class="text" href="/about"> About </a>
   <a class="text" href="/signup"> Sign Up </a>
  </div>
  <h2 class="home">Log In</h2>
<div class="signin">
  <form>
   <div class="form-group">
     <label for="exampleInputEmail1">Email</label>
     <input type="email" class="form-control" id="exampleInputEmail1"</pre>
aria-describedby="emailHelp" placeholder="Enter email">
    </div><br>
    <div class="form-group">
       <label for="exampleInputEmail1">password</label>
                                                         class="form-control"
       <input
                          type="password"
id="exampleInputEmail1"
                            aria-describedby="emailHelp"
                                                            placeholder="Enter
password">
     </div>
     <br/>br>
    <button type="submit" class="btn btn-primary">Submit</button>
  </form>
</div>
</body>
</html>
Sign up Page:
<!DOCTYPE html>
<html lang="en">
```



```
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  k href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.mi n.css"
rel="stylesheet"
  integrity="sha384-
iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fz T"
crossorigin="anonymous">
  k rel="stylesheet" href="{{ url_for('static', filename='style.css')}}">
  <title>Sign Up</title>
</head>
<body>
  <div class="space">
  <a class="text" href="/"> Home </a>
  <a class="text" href="/about"> About </a>
  <a class="text" href="/signin"> Log In </a>
  </div>
  <h2 class="home">Sign Up</h2>
  <div class="signup">
  <form>
    <div class="form-group">
       <label for="Name">Name</label>
       <input
                  class="form-control"
                                              type="text" name="Name"
placeholder="Enter Name">
     </div><br>
   <div class="form-group">
      <label for="exampleInputEmail1">Email</label>
      <input type="email" class="form-control" id="exampleInputEmail1"</pre>
aria-describedby="emailHelp" placeholder="Enter email">
    </div><br>
    <div class="form-group">
       <label for="exampleInputEmail1">password</label>
                                                         class="form-control"
       <input
                          type="password"
                            aria-describedby="emailHelp"
id="exampleInputEmail1"
                                                             placeholder="Enter
password">
```

```
</div><br>
       <div class="form-group">
        <label for="exampleInputEmail1">Re - password</label>
                                                            class="form-control"
         <input
                            type="password"
                              aria-describedby="emailHelp"
 id="exampleInputEmail1"
                                                                placeholder="Enter
 password">
       </div><br>
      <button type="submit" class="btn btn-primary">Submit</button>
    </form>
    </div>
 </body>
 </html>
: Style code:
  @import url('https://fonts.googleapis.com/css2?family=Poppins:wght@100;200;300;
 400;500;600;700&display=swap');
 *{
    font-family: 'Poppins', sans-serif;top:
    margin: 0;
 body{
    background-
 image:url("https://cdn.discordapp.com/attachments/99932152357796661
 3/1023800785215176865/img.png");
 .home{
    font-size: 25px;
    text-align: center;
    margin-top: 10px;
    color: black;
  }
 .text{
    text-decoration: none;
    font-size: 20px;
```

```
color: rgb(128, 42, 207);
  margin-left: 10px;
  margin-right: 10px;
  margin-top: 10px;
}
p{
  margin-left: 25px;
  margin-top: 10px;
  color:rgb(122, 2, 42);
  font-size: 20px;
.signin, .signup{
  height: 50vh;
  width: 50vw;
  margin-top: 10px;
  margin-left: 25px;
}
.space{
  margin-top:15px;
  text-align: right;
  margin-right: 10px;
App python:
from flask import Flask
from flask import render_templateapp
= Flask(_name_)
@app.route('/')def
main():
  return render_template('index.html')
@app.route('/about') def
about():
  return render_template('about.html')
@app.route('/signin') def
signin():
  return render_template('signin.html')
@app.route('/signup')
```



```
def signup():
    return render_template('signup.html')

if _name_ == "_main_":
    app.run()
```

Source file:

```
from flask import Flask,redirect,url_for,render_template,requestimport
ibm boto3
from ibm_botocore.client import Config, ClientError
COS_ENDPOINT = "https://s3.jp-tok.cloud-object-storage.appdomain.cloud" # Current list avaiable at
COS API KEY ID = "xVWVt8tjo5lL5eY-jii6RAZu4IAfMrRQY2uaD0 -9LZj"
COS INSTANCE CRN = "crn:v1:bluemix:public:iam-
cos = ibm_boto3.resource("s3",
  ibm_api_key_id=COS_API_KEY_ID,
  ibm_service_instance_id=COS_INSTANCE_CRN,
  config=Config(signature_version="oauth"),
  endpoint url=COS ENDPOINT
app=Flask(_name_)
def get_item(bucket_name, item_name):
  print("Retrieving item from bucket: {0}, key: {1}".format(bucket_name, item_name))try:
     file = cos.Object(bucket_name, item_name).get() print("File
     Contents: {0}".format(file["Body"].read()))
  except ClientError as be:
     print("CLIENT ERROR: {0}\n".format(be))
  except Exception as e:
     print("Unable to retrieve file contents: {0}".format(e))
def get_bucket_contents(bucket_name):
  print("Retrieving bucket contents from: {0}".format(bucket_name))try:
     files = cos.Bucket(bucket_name).objects.all()
     files_names = []
     for file in files:
       files names.append(file.key)
       print("Item: {0} ({1} bytes).".format(file.key, file.size))
    return files names
  except ClientError as be:
    print("CLIENT ERROR: {0}\n".format(be))
  except Exception as e:
    print("Unable to retrieve bucket contents: {0}".format(e))
def delete_item(bucket_name, object_name):try:
```



```
cos.delete_object(Bucket=bucket_name, Key=object_name) print("Item:
     {0} deleted!\n".format(object_name))
  except ClientError as be:
    print("CLIENT ERROR: {0}\n".format(be))
  except Exception as e:
     print("Unable to delete object: {0}".format(e))
def multi_part_upload(bucket_name, item_name, file_path):
     print("Starting file transfer for {0} to bucket: {1}\n".format(item_name, bucket_name))# set 5
     MB chunks
     part_size = 1024 * 1024 * 5
     file threshold = 1024 * 1024 * 15
     # set the transfer threshold and chunk size transfer_config =
     ibm_boto3.s3.transfer.TransferConfig(
       multipart_threshold=file_threshold,
       multipart_chunksize=part_size
     with open(file_path, "rb") as file_data: cos.Object(bucket_name,
       item_name).upload_fileobj(
         Fileobj=file_data,
          Config=transfer_config
     print("Transfer for {0} Complete!\n".format(item_name))except
  ClientError as be:
     print("CLIENT ERROR: {0}\n".format(be))
  except Exception as e:
@app.route('/')def
index():
  files = get_bucket_contents('jeeva-bucket1') return
  render_template('index.html', files = files)
@app.route('/uploader', methods = ['GET', 'POST'])def
upload():
 if request.method == 'POST':
    bucket=request.form['bucket']
    name_file=request.form['filename'] f =
    request.files['file']
    multi_part_upload(bucket,name_file,f.filename)
 if request.method == 'GET':
    return render template('upload.html')
@app.route('/deletefile', methods = ['GET', 'POST'])def
deletefile():
 if request.method == 'POST':
    bucket=request.form['bucket']
    name_file=request.form['filename']
```



```
delete_item(bucket,name_file)
  return 'file deleted successfully'

if request.method == 'GET':
  return render_template('delete.html')

if _name=='main_':
  app.run(debug=True)
```