ASSIGNMENT 4 POOJA S

Team ID: PNT2022TMID22465

DATE: 31 October, 2022 Import

the necessary libraries

import pandas as pd import numpy as np import matplotlib.pyplot as plt
import seaborn as sns from sklearn.model_selection import train_test_split
from sklearn.preprocessing import LabelEncoder from keras.models import
Model from keras.layers import LSTM, Activation, Dense, Dropout, Input,
Embedding from keras.optimizers import RMSprop from
keras.preprocessing.text import Tokenizer from keras.preprocessing import
sequence from keras.utils import to_categorical from keras.callbacks import
EarlyStopping
%matplotlib inline

Load the data into Pandas


df = pd.read_csv('/content/spam.csv',delimiter=',',encoding='latin-1')
df.head()

v1 v2 Unnamed: 2 Unnamed: 3 Unnamed: 4 ham Go until jurong point, crazy.. Available only ... NaN NaN NaN 1 ham Ok lar... Joking wif u oni... NaN NaN NaN 2 spam Free entry in 2 a wkly comp to win FA Cup fina... NaN NaN NaN 3 ham U dun say so early hor... U c already then say... NaN NaN NaN ham Nah I don't think he goes to usf, he lives aro... NaN NaN NaN df.tail()

v1 v2 Unnamed: 2 Unnamed: 3 Unnamed: 4

5567	spam	This is the 2nd time we have tried 2 contact u	NaN	NaN	NaN
5568	ham	Will I_b going to esplanade fr home?	NaN	NaN	NaN
5569	ham	Pity, * was in mood for that. Soany other s	NaN	NaN	NaN
5570	ham	The guy did some bitching but I acted like i'd	NaN	NaN	NaN
5571	ham	Rofl. Its true to its name	NaN	NaN	NaN

```
# Checking datatype df.info()
         <class 'pandas.core.frame.DataFrame'>
         RangeIndex: 5572 entries, 0 to 5571
         Data columns (total 5 columns):
          # Column
                          Non-Null Count Dtype
                         _____
                        5572 non-null object
          0
                 v1
                        5572 non-null object
          1
                 v2
          2
                 Unnamed: 2 50 non-null
                                          object
                 Unnamed: 3 12 non-null object 4 Unnamed: 4 6 non-null object
         dtypes: object(5) memory usage: 217.8+ KB
df.drop(['Unnamed: 2', 'Unnamed: 3', 'Unnamed: 4'],axis=1,inplace=True)
   df.info()
         <class 'pandas.core.frame.DataFrame'>
         RangeIndex: 5572 entries, 0 to 5571
         Data columns (total 2 columns):
         # Column Non-Null Count Dtype
                 5572 non-null object 1 v2
         0 v1
        5572 non-null object dtypes:
        object(2) memory usage: 87.2+ KB
sns.countplot(df.v1) plt.xlabel('Label')
   plt.title('Number of ham and spam
```



messages')

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43:
FutureWarning: Pass t FutureWarning
Text(0.5, 1.0, 'Number of ham and spam messages')

Convert list into array x_train,y_train = np.array(x_train),np.array(y_train) # Building model from tensorflow.keras.models import Sequential from tensorflow.keras.layers import LSTM, Dense model = Sequential() model.add(LSTM(50, input_shape=(60, 1),return_sequences=True)) model.add(LSTM(50,return_sequences=True)) model.add(LSTM(50,return_sequences=True)) model.add(LSTM(50,return_sequences=True)) model.add(LSTM(50,return_sequences=True)) model.add(LSTM(50,return_sequences=True)) model.compile(optimizer='adam',loss='mse') # save model

model.save('LSTM.h5')