Assignment -2

| Assignment Date | 19 September 2022 |
|---------------------|-------------------|
| Student Name | Gayathri Devi R S |
| Student Roll Number | 711119104024 |
| Maximum Marks | 2 Marks |

Question-1:

Create form of type input text, email, password, radio button text Area, drop down and navigate to success page and display files of form in table (CSS, HTML).

```
Solution:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>JOBPORTAL | LOGIN</title>
    <!-- favicon -->
    <!-- <li>k rel="shortcut icon" href="/assets/img/favicon.ico" type="image/x-icon"> -->
    <!-- <li>k rel="icon" href="/assets/img/favicon.icos" type="image/x-icon"> -->
    <!-- bootstrap css cdn -->
    <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="css/style.css">
    <!-- font styles cdn -->
    k rel="preconnect" href="https://fonts.gstatic.com">
    <link href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"</pre>
rel="stylesheet">
    k ref="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>
<body>
  <!-- bootstrap navbar -->
  <div class="logo mt-3 text-center">
    <a class="main-logo-img mt-5" href="#"><img src="static/img/smartinternz.png" alt="sheep-
logo" height="50px" width="180px">
      <!-- <a class="navbar-brand" href="index.html">JobPortal</a> -->
```

```
</div>
   <!-- navbar ends -->
  <!-- Login form -->
  <div class="login text-center mt-5">
    <h2> Login Form </h2>
    <form action="/login" method="post">
    <div class="msg">{{ msg }}</div>
      <input type="text" name="username" placeholder="Enter Your Username" id="username"
required></br></br>
                        <input type="password" name="password" placeholder="Enter Your
Password" id="password" required></br>
      </br>
      </br>
    <button type="submit" id="button" class="btn btn-primary"> Login </button>
    </form>
  </div>
  <div class="note mt-3 text-center"> <!--Register form -->
   Don't have an account yet? Click here to <a href="register">register! </a> 
  </div>
</body>
</html>
Output:
                                                 sheep-logo
                                              Login Form
                                            {{ msg }}
Enter Your Username
                                             Enter Your Password
                                                 Login
                                        Don't have an account yet? Click here to register!
```

Question-2:

For CSS create external style sheet for above task (separate CSS file and link that in html).

```
Solution:
* {
  font-family: 'Alegreya', serif !important;
}
/* // Small devices (landscape phones, 576px and up) */
@media (min-width: 576px) {
}
/* // Medium devices (tablets, 768px and up) */
@media (min-width: 768px) {
}
/* // Large devices (desktops, 992px and up) */
@media (min-width: 992px) {
  .navbar {
    padding-top:15px;
    padding-bottom:15px;
    background-color: white;
  }
  .navbar-brand{
    padding-left: 5px;
  }
  .navbar-nav {
    margin-left: 30px;
  }
  .nav-item {
    padding-left:5px;
  }
```

```
.donate-sponsor{
  margin-right:10px;
}
#donate,#sponsor{
  margin:5px;
  padding: 5px 15px 5px 15px;
}
.homepage-header{
  background: url('../img/group.JPG');
  background-size: cover;
  background-position: center top;
  padding: 0;
  position: relative;
  width: 100%;
  overflow: hidden;
  display: -webkit-flex;
  display: -ms-flexbox;
  display: flex;
  height: 85vh;
}
.home-for-children {
  background-color: #ffeeba;
  margin-top:0px;
  padding-top:10px;
  padding-bottom:30px;
}
.home-for-children h2 {
  line-height: 2.5rem !important;
  letter-spacing: 3px;
  font-weight: 600;
}
```

```
.home-for-children h5 {
  line-height: 1.8rem;
}
.home-for-children .btn-success {
  padding: 8px 25px;
  font-size: large;
}
/* our focus */
.our-focus .container {
  margin-top:3rem !important;
}
.our-focus .row{
  margin-top:1.5rem !important;
}
.our-focus .card {
  border: none !important;
}
.our-focus #focus-first {
  margin-right:80px;
}
.our-focus #focus-second {
  margin-right:90px;
/* media */
.media .container{
  margin-top: 3rem !important;
}
.media .row{
  margin-top: 1.5rem !important;
}
```

```
/* footer */
. row\text{-}initiative \, \{
  margin-top:10px
}
.site-footer {
  margin-top:30px;
  line-height:24px;
}
.footer-links {
  padding-left:0;
  list-style: none;
}
.footer-links li {
  display: block;
}
.footer-links.inline li {
  display: inline-block;
}
.footer-links li a{
  color: black;
}
.footer-logo img{
  width: 100px;
}
.social-icons {
  text-align: right;
  margin-left:50px;
}
.social-icons li{
  list-style: none;
  display: inline-block;
```

```
}
  .social-icons li a {
    border-radius: 50%;
    margin-left:10px;
  }
  input {
    padding:10px 20px;
   }
   #button {
    border:none;
    padding:10px 20px;
    border-radius:10px;
    animation:pulse 3s infinite ease-out;
   }
}
/* // X-Large devices (large desktops, 1200px and up) */
@media (min-width: 1200px) {
  . navbar-brand \{\\
    padding-left: 10px;
  }
}
/* // XX-Large devices (larger desktops, 1400px and up) */
@media (min-width: 1400px) {
  .navbar-brand{
    padding-left: 15px;
  }
}
Output:
```



Question-3:

Create sample program for Flask HTTP methods (list or map and Perform operations of PUT, GET, DELETE and POST.

Solution:

```
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re
app = Flask(__name__)
app.secret_key = 'a'
conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=b0aebb68-94fa-46ec-a1fc-
1c999edb6187.c3n41cmd0nqnrk39u98g.databases.appdomain.cloud; PORT=31249; SECURITY=SSL; SSCURITY=SSL; SSCURITY=SS
LServerCertificate:DigiCertGlobalRootCA;UID=gyj23042;PWD=a5CFymQzrGXGeOnC;", "", "")
@app.route('/')
@app.route('/login',methods =['GET', 'POST'])
def login():
       global userid
       msg = "
       if request.method == 'POST':
                username = request.form['username']
                password = request.form['password']
                sql = "SELECT * FROM users WHERE username =? AND password=?"
                stmt = ibm_db.prepare(conn, sql)
```

ibm_db.bind_param(stmt,1,username)

```
ibm_db.bind_param(stmt,2,password)
    ibm db.execute(stmt)
    account = ibm_db.fetch_assoc(stmt)
    print (account)
    if account:
      session['loggedin'] = True
      session['id'] = account['USERNAME']
      userid= account['USERNAME']
      session['username'] = account['USERNAME']
      msg = 'Logged in successfully!'
      msg = 'Logged in successfully !'
      return render_template('dashboard.html', msg = msg)
    else:
      msg = 'Incorrect username / password !'
  return render_template('login.html', msg = msg)
@app.route('/register', methods =['GET', 'POST'])
def registet():
  msg = "
  if request.method == 'POST':
    username = request.form['username']
    email = request.form['email']
    password = request.form['password']
    sql = "SELECT * FROM users WHERE username =?"
    stmt = ibm db.prepare(conn, sql)
    ibm_db.bind_param(stmt,1,username)
    ibm db.execute(stmt)
    account = ibm_db.fetch_assoc(stmt)
    print(account)
    if account:
      msg = 'Account already exists!'
    elif not re.match(r'[^@]+@[^@]+\.[^@]+', email):
      msg = 'Invalid email address!'
    elif not re.match(r'[A-Za-z0-9]+', username):
      msg = 'name must contain only characters and numbers !'
    else:
      insert_sql = "INSERT INTO users VALUES (?, ?, ?)"
      prep stmt = ibm db.prepare(conn, insert sql)
      ibm_db.bind_param(prep_stmt, 1, username)
      ibm_db.bind_param(prep_stmt, 2, email)
      ibm db.bind param(prep stmt, 3, password)
      ibm_db.execute(prep_stmt)
```

```
msg = 'You have successfully registered !'
elif request.method == 'POST':
    msg = 'Please fill out the form !'
return render_template('register.html', msg = msg)

if __name__ == '__main__':
    app.run(host='0.0.0.0')
```