



Thalavapalayam, Karur - 639 113.

#### **ASSIGNMENT - III**

# **Assignment Questions:**

- 1. Create a Bucket in IBM object storage.
- 2. Upload an 5 images to IBM object storage and make it public. write html code to displaying all the 5 images.
- 3. Upload a CSS page to the object storage and use the same page in your HTML code.
- 4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.
- 5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.


# **Assignment - III**

#### **Assignment 3.py**

```
from flask import Flask, render template, request, redirect, url for, session
import ibm db
import bcrypt
conn =
ibm db.connect("DATABASE=bludb;HOSTNAME=;PORT=;SECURITY=SSL;SSLServer
Certificate=DigiCertGlobalRootCA.crt;UID=;PWD=",",")
# url_for('static', filename='style.css')
app = Flask(__name__)
app.secret key = b' 5\#y2L"F4Q8z\n\xec]/'
@app.route("/",methods=['GET'])
def home():
  if 'email' not in session:
   return redirect(url for('login'))
  return render template('home.html',name='Home')
@app.route("/register",methods=['GET','POST'])
def register():
 if request.method == 'POST':
```

```
email = request.form['email']
  username = request.form['username']
  rollNo = request.form['rollNo']
  password = request.form['password']
  if not email or not username or not rollNo or not password:
   return render template('register.html',error='Please fill all fields')
  hash=bcrypt.hashpw(password.encode('utf-8'),bcrypt.gensalt())
  query = "SELECT * FROM USER WHERE email=? OR rollNo=?"
  stmt = ibm db.prepare(conn, query)
  ibm db.bind param(stmt,1,email)
  ibm db.bind param(stmt,2,rollNo)
  ibm db.execute(stmt)
  isUser = ibm db.fetch assoc(stmt)
  if not is User:
   insert sql = "INSERT INTO User(username,email,PASSWORD,rollNo) VALUES
(?,?,?,?)"
   prep stmt = ibm db.prepare(conn, insert sql)
   ibm db.bind param(prep stmt, 1, username)
   ibm db.bind param(prep stmt, 2, email)
   ibm db.bind param(prep stmt, 3, hash)
   ibm db.bind param(prep stmt, 4, rollNo)
   ibm db.execute(prep stmt)
   return render template('register.html',success="You can login")
  else:
```

```
return render template('register.html',error='Invalid Credentials')
 return render template('register.html',name='Home')
@app.route("/login",methods=['GET','POST'])
def login():
  if request.method == 'POST':
   email = request.form['email']
   password = request.form['password']
   if not email or not password:
    return render template('login.html',error='Please fill all fields')
   query = "SELECT * FROM USER WHERE email=?"
   stmt = ibm db.prepare(conn, query)
   ibm db.bind param(stmt,1,email)
   ibm_db.execute(stmt)
   isUser = ibm db.fetch assoc(stmt)
   print(isUser,password)
   if not isUser:
    return render template('login.html',error='Invalid Credentials')
   isPasswordMatch = bcrypt.checkpw(password.encode('utf-
8'),isUser['PASSWORD'].encode('utf-8'))
   if not isPasswordMatch:
    return render template('login.html',error='Invalid Credentials')
```



# Homepage.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Document</title>
</head>
<body>
WELCOME

<bul>
<html></html></html></html></html></html></html></html></html></html></html></html></html></html></html></html></html></html></html></html>
```

### Loginpage.html

```
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8"/>
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Login</title>
</head>
<body>
  <h3>Login</h3>
  <form method="POST">
   <input type="email" name="email" placeholder="Email" required />
   <input type="password" name="password" placeholder="Password" required />
   <button type="submit">Login</button>
  </form>
  {{success}}
  {{error}}
  <a href="/register">Don't have an account? Register</a>
</body>
</html>
```

## Registerpage.html

```
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Login</title>
 </head>
<body>
  <h3>Login</h3>
  <form method="POST">
   <input type="email" name="email" placeholder="Email" required />
   <input type="password" name="password" placeholder="Password" required />
   <button type="submit">Login</button>
  </form>
  {{success}}
  {{error}}
  <a href="/register">Don't have an account? Register</a>
</body>
</html>
```