

### Assignment -3

Assignment Date	30 October 2022
Student Name	Hari Prasath B
Student Roll Number	61771921018
Maximum Marks	2 Marks


#### Question:

1. Create a Bucket in IBM object storage.
2. Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.
3. Upload a css page to the object storage and use the same page in your HTML code.
4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.
5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.


6.

#### Solution:


##### 1. Create bucket




##### 2. Upload images to bucket




## Display them in a HTML Page




## 3. Upload CSS to object storage





## Use CSS object in the page



## 4. Load Watson Assistant in the HTML Page





## index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="https://inventorymanagementsystem.s3.jp-tok.cloud-object-
storage.appdomain.cloud/style.css">
</head>
<body>
  <p>
    Hari Prasath B IBM Assignment 3
  </p>
  
  
  
  
  

  <script>
    window.watsonAssistantChatOptions = {
      integrationID: "3cc0e0fa-f8d6-4377-90b1-45bfe2830b8c", // The ID of this integration.
      region: "au-syd", // The region your integration is hosted in.
      serviceInstanceID: "437e6bb4-b90a-442a-b21f-e68e0560dd98", // The ID of your service instance.
      onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
      const t=document.createElement('script');
      t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
      document.head.appendChild(t);
    });
  </script>
</body>
</html>
```

## style.css (uploaded to object storage)

```
p {  
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;  
  font-size: large;  
  text-align: left;  
  color: brown;  
}  
.image1{  
  width: 300px;  
  height: 300px;  
}  
.image2{  
  width: 300px;  
  height: 300px;  
}  
.image3{  
  width: 300px;  
  height: 300px;  
}  
.image4{  
  width: 300px;  
  height: 300px;  
}  
.image5{  
  width: 300px;  
  height: 300px;  
}
```

```
    filter: drop-shadow(0px 5px 5px #aaa);  
    background-color: #fff;  
    height: 50px;  
    font-size: 25px;  
}
```

```
.flex{  
    display: flex;  
}
```

```
.align-center{  
    align-items: center;  
}
```

```
.justify-between{  
    justify-content: space-between;  
}
```

```
.padding{  
    padding: 10px 30px;  
}
```

```
img{  
    width: 30%;  
    height: 30%;  
}
```

```
.wrap{  
    flex-wrap: wrap;  
}
```