


## ASSIGNMENT – 3

Student name	Jaimugil. C
Student Roll number	311519104023
Student team ID	PNT2022TMID27815

### 1.Create a Bucket in IBM object storage.



**2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.**

The screenshot shows the IBM Cloud Object Storage management console. The left sidebar contains navigation options like 'Cloud Object Storage', 'Storage instances', 'Buckets', 'Integrations', 'Endpoints', 'Usage details', 'Service credentials', 'Connections', and 'Plan'. The main area displays the 'ibmass3bucket' with tabs for 'Objects', 'Configuration', and 'Permissions'. Under the 'Objects' tab, a table lists five objects, all named 'dog...jpg', with their sizes and last modified dates. An 'Upload' button is visible in the top right of the object list. Below the table, a row of thumbnails for the uploaded dog images is shown. The bottom of the screenshot shows a web browser window displaying the assignment page.

Object name	Archived	Size	Last modified
dog1.jpg		3.1 KB	2022-11-06 4:18 PM
dog2.jpg		6.9 KB	2022-11-06 4:18 PM
dog3.jpg		2.4 KB	2022-11-06 4:18 PM
dog4.jpg		4.3 KB	2022-11-06 4:18 PM
dog5.jpg		3.6 KB	2022-11-06 4:17 PM

### Assignment 3




**View the page here:** <https://s3.jp-tok.cloud-object-storage.appdomain.cloud/ibmass3bucket/index.html>

## HTML CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Assignment 3</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <div class="maindiv">
    <h1>Assignment 3</h1>
    <div>
      
    </div>
    <div>
      
    </div>
    <div></div>
  </div>
</body>
</html>
```


### 3.Upload a css page to the object storage and use the same page in your HTML code.



#### CSS CODE:


```
.maindiv{  
    display: flex;  
    flex-direction: column;  
    align-items: center;  
    justify-content: center;  
}  
img{  
    width: 200px;  
    height: 150px;  
}
```

#### 4.Design a chatbot using IBM Watson assistant for hospital.



**Web URL:** <https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageUrl=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-a36de146-703b-4506-8c54-e4a665f0458a%3A%3Accdd6d7c-4fa2-463d-adcc-c4f16c4ff165&integrationID=3c3607fb-fb8d-44c0-9e62-f9bc6667f1b1&region=au-syd&serviceInstanceID=a36de146-703b-4506-8c54-e4a665f0458a>

**5.Create Watson assistant service with 10 steps and use 3 conditions in it.  
Load that script in HTML page.**



**Web URL:** <https://s3.jp-tok.cloud-object-storage.appdomain.cloud/ibmass3bucket/chatbot.html>

### **HTML CODE:**

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <title>ChatBot</title>
```

```
  <script>
```

```
    window.watsonAssistantChatOptions = {  
      integrationID: "3c3607fb-fb8d-44c0-9e62-f9bc6667f1b1", // The ID of  
this integration.
```

```
      region: "au-syd", // The region your integration is hosted in.
```

serviceInstanceID: "a36de146-703b-4506-8c54-e4a665f0458a", // The ID of your service instance.

```
    onLoad: function (instance) { instance.render(); }  
};  
setTimeout(function () {  
    const t = document.createElement('script');  
    t.src = "https://web-  
chat.global.assistant.watson.appdomain.cloud/versions/" +  
(window.watsonAssistantChatOptions.clientVersion || 'latest') +  
"/WatsonAssistantChatEntry.js";  
    document.head.appendChild(t);  
});  
</script>  
</head>  
<body  
    style="background-image: url('hospital.jpg'); background-repeat: no-repeat;  
background-size: 100% 100%; background-attachment: fixed;">  
</body>  
</html>
```