

Assignment -2
HTML& CSS Development

Assignment Date	13 November 2022
Student Name	V.S. Akshai Kumar
Student Roll Number	412519106301
Maximum Marks	2 Marks

Question:

1. Create a Flask App
2. Add the Home page, About Page
3. Add the Bootstrap
4. Add the Sign in page and App the Signup Page + database connectivity

Solution:

1. Create a Flask App

```
from flask import Flask, render_template, request, url_for, flash, redirect
import ibm_db

app = Flask(__name__)
app.debug=True

conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=54a2f15b-5c0f-46df-8954-
7e38e612c2bd.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32733;SECURITY
=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=mzw99208;PWD=X50Cas8TwAs
NxiZ9", '', '')
print(conn)
@app.route("/")
def index():
    return render_template("index.html")

@app.route("/home")
def home():
    return render_template("home.html")

@app.route("/signup", methods=('GET', 'POST'))
def signup():
    if request.method == 'POST':
        name = request.form['name']
        email = request.form['email']
        mobile = request.form['mobile']
        password = request.form['password']

        sql = "SELECT * FROM customers WHERE name =? and email=?"
        stmt = ibm_db.prepare(conn, sql)
        ibm_db.bind_param(stmt,1,name)
        ibm_db.bind_param(stmt,2,email)
        ibm_db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
```

```

        if account:
            return "<h1>Already Registered....</h1><br><h3>Please Login using
Login page...</h3>"
        else:
            insert_sql = "INSERT INTO customers VALUES (?, ?, ?, ?)"
            prep_stmt = ibm_db.prepare(conn, insert_sql)
            ibm_db.bind_param(prepare_stmt, 1, name)
            ibm_db.bind_param(prepare_stmt, 2, email)
            ibm_db.bind_param(prepare_stmt, 3, mobile)
            ibm_db.bind_param(prepare_stmt, 4, password)
            ibm_db.execute(prepare_stmt)
            return "<h1>Registration successful....</h1><br><h3>Please Login
using Login page...</h3>"

    return render_template('signup.html')

@app.route("/about")
def about():
    return render_template('about.html')

@app.route("/signin" , methods=('GET', 'POST'))
def signin():
    if request.method == 'POST':
        login_email = request.form['email']
        login_password = request.form['password']

        sql = "SELECT * FROM customers WHERE email =? and password=?"
        stmt = ibm_db.prepare(conn, sql)
        ibm_db.bind_param(stmt,1,login_email)
        ibm_db.bind_param(stmt,2,login_password)
        ibm_db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)

        if account:
            return "<h1>Login successful....</h1><br><h3>Welcome To Flask
Programming...</h3>"
        else:
            return "<h1>Login Failed....</h1><br><h3>Please Login valid
Credintials...</h3><br><br><h1>New User? SignUp using signup page</h1>"
            return render_template('signin.html')

if __name__ == '__main__':
    app.run()

```

2. Add the Home page, About Page using bootstrap

Home page:

```
{% extends "index.html" %}

{% block head %}
    <title>
        Home
    </title>
{% endblock %}

{% block body %}
    <div class="shadow p-3 mb-5 bg-body rounded"><h1 style="text-align:center;">IBM Naliya Thiran</h1><br><h3 style="text-align:center;">Skill and Job Recommender </h3></div>
{% endblock %}
```

About page:

```
{% extends "index.html" %}

{% block head %}
    <title>
        About
    </title>
{% endblock %}

{% block body %}
    <div class="shadow p-3 mb-5 bg-body rounded"><h1 style="text-align:center;">Assignment -2</h1><br><h3 style="text-align:center;">Flask Application</h3></div>
{% endblock %}
```

3. Sign in page

```
% extends "index.html" %}

{% block head %}
    <title>
        Signin
    </title>
{% endblock %}

{% block body %}
<br><br>
<div class="container shadow-lg p-3 mb-5 bg-body rounded w-25 p-3 mx-auto shadow-lg p-3 mb-5 bg-body rounded ">
    <br>
    <form class="row g-3 needs-validation" novalidate action = "{{ url_for('signin') }}" method = "POST">
        <div class="form-outline mb-4">
            <label class="form-label" for="email">Email address</label>
```

```

        <input type="email" name="email" class="form-control" />
    </div>

    <div class="form-outline mb-4">
        <label class="form-label" for="password">Password</label>
        <input type="password" name="password" class="form-control" />
    </div>

    <div class="col-12">
        <button class="btn btn-primary" type="submit">Login</button>
    </div>

</form>
</div>

<script>
    (() => {
        'use strict'
        const forms = document.querySelectorAll('.needs-validation')
        Array.from(forms).forEach(form => {
            form.addEventListener('submit', event => {
                if (!form.checkValidity()) {
                    event.preventDefault()
                    event.stopPropagation()
                }
                form.classList.add('was-validated')
            }, false)
        })
    })()
</script>
{% endblock %}

```

4. Signup Page

```

{% extends "index.html" %}

{% block head %}
    <title>
        Signup
    </title>
{% endblock %}

{% block body %}
<br>
<div class="container shadow-lg p-3 mb-5 bg-body rounded w-25 p-3 mx-auto shadow-lg p-3 mb-5 bg-body rounded ">
    <form class="row g-3 needs-validation" novalidate action = "{{ url_for('signup') }}" method = "POST">

        <div class="form-outline mb-4">
            <label class="form-label" for="name">Name</label>
            <input type="text" name="name" class="form-control" />

```

```

</div>

<div class="form-outline mb-4">
  <label class="form-label" for="email">Email address</label>
  <input type="email" name="email" class="form-control" />
</div>

<div class="form-outline mb-4">
  <label class="form-label" for="mobile">Mobile</label>
  <input type="text" name="mobile" class="form-control" />
</div>

<div class="form-outline mb-4">
  <label class="form-label" for="password">Password</label>
  <input type="password" name="password" class="form-control" />
</div>


<div class="col-12">
  <button class="btn btn-primary" type="submit">Signup</button>
</div>

</div>
</form>
</div>


<script>
  (() => {
    'use strict'
    const forms = document.querySelectorAll('.needs-validation')
    Array.from(forms).forEach(form => {
      form.addEventListener('submit', event => {
        if (!form.checkValidity()) {
          event.preventDefault()
          event.stopPropagation()
        }
        form.classList.add('was-validated')
      }, false)
    })
  })()
</script>
{% endblock %}

```


Output:



About page:



Signup page:



Signin Page:

[Home](#) [About](#) [Signup](#) [Signin](#)

Email address

Password

Login

Database connectivity:

IBM Db2 on Cloud

Load Data Load History **Tables** Views Indexes Aliases MQTs Sequences Application objects

Find schemas or tables Refresh

Tables

New table +

<input type="checkbox"/>	Name	Schema	Properties
<input type="checkbox"/>	CUSTOMERS	MZW99208	...
<input type="checkbox"/>	STUDENTS	MZW99208	...

Total: 2, selected: 0

Table definition

CUSTOMERS

No statistics available

Name	Data type	Nullable	Length	Scale	
NAME	VARCHAR	Y	255	0	🔗
EMAIL	VARCHAR	Y	255	0	🔗
MOBILE	VARCHAR	Y	255	0	🔗
PASSWORD	VARCHAR	Y	255	0	🔗

View data