# EXCEL COLLEGE OF ENGINEERING(AUTONOMOUS)

Mambakkam - Medavakkam Main Rd, Ponmar, Chennai, Tamil Nadu 600127

## DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING.

WEB PHISHING DETECTION (ASSIGNMENT 3)

DATE : 06-11-2022

PROBLEM: TO PERFORM ABALONE AGE PREDICTION

NAME: Mutum Robert

**OUTPUT:** 

**SCREENSHOTS:** 

#### 1.Download the dataset

#### 2. Load the dataset into the tool

In [1]: import pandas as pd import seaborn as sns import matplotlib.pyplot as plt import numpy as np

In [2]: data=pd.read\_csv("abalone.csv")
 data.head()

Sex Length Diameter Height Whole weight Shucked weight Viscera weight Shell weight Rings 0.365 0.095 0.5140 0.2245 0.1010 0.150 M 0.350 0.265 0.090 0.2255 0.0995 F 0.530 0.420 0.135 0.6770 0.2565 0.1415 0.210 3 M 0.440 0.365 0.125 0.5160 0.2155 0.1140 0.155 **4** I 0.330 0.255 0.080 0.2050 0.0895 0.0395 0.055


We have to add the "Age" column using "Rings" data. We just have to add '1.5' to the ring data

```
In [3]: Age=1.5+data.Rings
       data["Age"]=Age
       data=data.drop(columns=["Rings"],axis=1)
       data.head()
Out[3]:
          Sex Length Diameter Height Whole_weight Shucked_weight Viscera_weight Shell_weight Age
       0
          M
              0.455
                     0.365
                          0.095
                                   0.5140
                                              0.2245
                                                         0.1010
                                                                   0.150 16.5
          M
              0.350
                     0.265
                          0.090
                                   0.2255
                                               0.0995
                                                         0.0485
                                                                   0.070
                                                                       8.5
                                   0.6770
              0.530
                    0.420
                          0.135
                                              0.2565
                                                         0.1415
                                                                   0.210 10.5
              0.440
                     0.365
                          0.125
                                   0.5160
                                              0.2155
                                                         0.1140
                                                                   0.155 11.5
          M
       4 | 0.330
                    0.255 0.080
                                   0.2050
                                               0.0895
                                                         0.0395
                                                                   0.055 8.5
```


## 3. Perform Below Visualizations

## **Univariate Analysis**

```
In [7]: sns.displot(data["Age"], color='red')
Out[7]: <seaborn.axisgrid.FacetGrid at 0x204e94d81f0>
```




```
In [8]: sns.histplot(y=data.Age,color='blue')
Out[8]: <AxesSubplot:xlabel='Count', ylabel='Age'>
```




In [9]: sns.histplot(x=data.Age,color='yellow')

Out[9]: <AxesSubplot:xlabel='Age', ylabel='Count'>




In [10]: sns.boxplot(x=data.Age,color='green')

Out[10]: <AxesSubplot:xlabel='Age'>



In [11]: sns.countplot(x=data.Age)


Out[11]: <AxesSubplot:xlabel='Age', ylabel='count'>



## **Bi-Variate Analysis**


In [12]: sns.barplot(x=data.Height,y=data.Age)

Out[12]: <AxesSubplot:xlabel='Height', ylabel='Age'>




In [13]: sns.lineplot(x=data.Age,y=data.Height, color='orange')

Out[13]: <AxesSubplot:xlabel='Age', ylabel='Height'>




In [14]: sns.scatterplot(x=data.Age,y=data.Height,color='black')

Out[14]: <AxesSubplot:xlabel='Age', ylabel='Height'>




In [15]: sns.pointplot(x=data.Age, y=data.Height, color="pink")

Out[15]: <AxesSubplot:xlabel='Age', ylabel='Height'>




In [16]: sns.regplot(x=data.Age,y=data.Height,color='red')

Out[16]: <AxesSubplot:xlabel='Age', ylabel='Height'>



#### Multi-Variate Analysis



## 4. Perform descriptive statistics on the dataset

In [18]: data.describe(include='all')

Out[18]:

	Sex	Length	Diameter	Height	Whole_weight	Shucked_weight	Viscera_weight	Shell_weight	Age
count	4177	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000
unique	3	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN
top	M	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN
freq	1528	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN
mean	NaN	0.523992	0.407881	0.139516	0.828742	0.359367	0.180594	0.238831	11.433684
std	NaN	0.120093	0.099240	0.041827	0.490389	0.221963	0.109614	0.139203	3.224169
min	NaN	0.075000	0.055000	0.000000	0.002000	0.001000	0.000500	0.001500	2.500000
25%	NaN	0.450000	0.350000	0.115000	0.441500	0.186000	0.093500	0.130000	9.500000
50%	NaN	0.545000	0.425000	0.140000	0.799500	0.336000	0.171000	0.234000	10.500000
75%	NaN	0.615000	0.480000	0.165000	1.153000	0.502000	0.253000	0.329000	12.500000
max	NaN	0.815000	0.650000	1.130000	2.825500	1.488000	0.760000	1.005000	30.500000

## 5. Check for Missing values and deal with them ¶

In [19]: data.isnull().sum()

Out[19]: Sex
Length
Diameter
Height
Whole\_weight
Shucked\_weight
Viscera\_weight
Shell\_weight
Age Age dtype: int64

## 6. Find the outliers and replace them outliers

```
In [20]: outliers=data.quantile(q=(0.25,0.75))
    outliers
```

Out[20]:


	Length	Diameter	Height	whole_weight	Shucked_weight	viscera_weight	Snell_weight	Age
0.25	0.450	0.35	0.115	0.4415	0.186	0.0935	0.130	9.5
0.75	0.615	0.48	0.165	1.1530	0.502	0.2530	0.329	12.5

```
In [21]: a = data.Age.quantile(0.25)
b = data.Age.quantile(0.75)
c = b - a
lower_limit = a - 1.5 * c
data.median(numeric_only=True)
```

Out[21]: Length 0.5450 Diameter 0.4250 Height 0.1400 Whole\_weight 0.3360 Viscera\_weight 0.2340 Shell\_weight 0.2340 Age dtype: float64

```
In [22]: data['Age'] = np.where(data['Age'] < lower_limit, 7, data['Age'])
sns.boxplot(x=data.Age,showfliers = False)</pre>
```

Out[22]: <AxesSubplot:xlabel='Age'>



## 7. Check for Categorical columns and perform encoding

In [23]: data.head()

Out[23]:		Sex	Length	Diameter	Height	Whole_weight	Shucked_weight	Viscera_weight	Shell_weight	Age
	0	М	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.150	16.5
	1	М	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.070	8.5
	2	F	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.210	10.5
	3	M	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.155	11.5
	4	1	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.055	8.5

In [24]: from sklearn.preprocessing import LabelEncoder

lab = LabelEncoder()
data.Sex = lab.fit\_transform(data.Sex)

data.head()

Out[24]:		C	I amount	Di	Halada	Mile at a construite	Character of annulation	Manager contains	Chall andaha	A
ouc[La].	<u></u>	Sex	Length	Diameter	Height	wnoie_weight	Shucked_weight	viscera_weight	Snell_weight	Age
	0	2	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.150	16.5
	1	2	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.070	8.5
	2	0	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.210	10.5
	3	2	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.155	11.5
	4	1	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.055	8.5

## 8. Split the data into dependent and independent variables

```
In [25]: y = data["Sex"]
y.head()
Out[25]: 0
         Name: Sex, dtype: int32
In [26]: x=data.drop(columns=["Sex"],axis=1)
         x.head()
Out[26]:
           Length Diameter Height Whole_weight Shucked_weight Viscera_weight Shell_weight Age
         0 0.455 0.365 0.095
                                0.5140
                                                                         0.150 16.5
                                                 0.2245
                                                              0.1010
         1 0.350
                    0.265 0.090
                                     0.2255
                                                  0.0995
                                                              0.0485
                                                                         0.070 8.5
                   0.420 0.135 0.6770
                                              0.2565
                                                              0.1415
                                                                        0.210 10.5
                                                  0.2155
         3 0.440
                   0.365 0.125
                                    0.5160
                                                              0.1140
                                                                         0.155 11.5
         4 0.330 0.255 0.080 0.2050
                                               0.0895
                                                             0.0395 0.055 8.5
```

## 9. Scale the independent variables

In [27]: from sklearn.preprocessing import scale
 X\_scaled = pd.DataFrame(scale(x), columns=x.columns)
 X\_Scaled.head()

 Out [27]:
 Length
 Diameter
 Height
 Whole\_weight
 Shucked\_weight
 Viscera\_weight
 Shell\_weight
 Age

 0
 -0.574558
 -0.432149
 -1.064424
 -0.641898
 -0.607685
 -0.726212
 -0.638217
 1.577830

 1
 -1.448986
 -1.439929
 -1.183978
 -1.230277
 -1.170910
 -1.205221
 -1.212987
 -0.919022

 2
 0.050033
 0.122130
 -0.107991
 -0.39469
 -0.463500
 -0.356690
 -0.207139
 -0.294809

 3
 -0.699476
 -0.432149
 -0.347099
 -0.637819
 -0.648238
 -0.607600
 -0.602294
 0.017298

 4
 -1.615544
 -1.540707
 -1.423087
 -1.272086
 -1.215968
 -1.287337
 -1.320757
 -0.919022

## 10. Split the data into training and testing

```
In [28]: from sklearn.model_selection import train_test_split
         X_Train, X_Test, Y_Train, Y_Test = train_test_split(X_Scaled, y, test_size=0.2, random_state=0)
In [29]: X_Train.shape,X_Test.shape
Out[29]: ((3341, 8), (836, 8))
In [30]: Y_Train.shape,Y_Test.shape
Out[30]: ((3341,), (836,))
In [31]: X_Train.head()
Out[31]:
                Length Diameter
                                 Height Whole weight Shucked weight Viscera weight Shell weight
                                                                                             Age
         3141 -2.864726 -2.750043 -1.423087 -1.622870 -1.553902 -1.583867 -1.644065 -1.543234
         3521 -2.573250 -2.598876 -2.020857
                                           -1.606554
                                                         -1.551650
                                                                      -1.565619
                                                                                -1 626104 -1 387181
         883 1.132658 1.230689 0.728888 1.145672 1.041436 0.286552 1.538726 1.577830
                                                                      2.330326
         3627 1.590691 1.180300 1.446213
                                           2.164373
                                                         2.661269
                                                                                 1.377072 0.017298
         2106 0.591345 0.474853 0.370226 0.432887 0.255175 0.272866 0.906479 1.265723
In [32]: X_Test.head()
Out[32]:
                Length Diameter
                                Height Whole_weight Shucked_weight Viscera_weight Shell_weight
          668 0.216591 0.172519 0.370226 0.181016 -0.368878 0.569396 0.690940 0.953617
         1580 -0 199803 -0 079426 -0 466653
                                           -0.433875
                                                         -0.443224
                                                                      -0.343004
                                                                                -0.325685 -0.606915
         3784 0.799543 0.726798 0.370226 0.870348 0.755318 1.764639 0.565209 0.329404
          463 -2.531611 -2.447709 -2.020857
                                           -1.579022
                                                         -1.522362
                                                                      -1.538247
                                                                                 -1.572219 -1.543234
         2615 1.007740 0.928354 0.848442 1.390405 1.415417 1.778325 0.996287 0.641511
In [33]: Y_Train.head()
Out[33]: 3141
         883
         3627
2106
         Name: Sex, dtype: int32
 In [34]: Y_Test.head()
 Out[34]: 668
          1580
          3784
          463
          Name: Sex, dtype: int32
```

#### 11. Build the Model

```
In [35]: from sklearn.ensemble import RandomForestClassifier
model = RandomForestClassifier(n_estimators=10,criterion='entropy')

In [36]: model.fit(X_Train,Y_Train)

Out[36]: RandomForestClassifier(criterion='entropy', n_estimators=10)

In [37]: y_predict = model.predict(X_Test)

In [38]: y_predict_train = model.predict(X_Train)
```

### 12. Train the Model

```
In [39]: from sklearn.metrics import accuracy_score,confusion_matrix,classification_report
```

In [40]: print('Training accuracy: ',accuracy\_score(Y\_Train,y\_predict\_train))

Training accuracy: 0.980544747081712

#### 13.Test the Model

```
In [41]: print('Testing accuracy: ',accuracy_score(Y_Test,y_predict))
```

Testing accuracy: 0.5526315789473685

## 14. Measure the performance using Metrics

In [42]: pd.crosstab(Y\_Test,y\_predict)

Out[42]: col\_0 0 1 2

 0
 115
 24
 110

 1
 41
 225
 25

 2
 118
 56
 122

In [43]: print(classification\_report(Y\_Test,y\_predict))

	precision	recall	f1-score	support	
0	0.42	0.46	0.44	249	
1	0.74	0.77	0.76	291	
2	0.47	0.41	0.44	296	
accuracy			0.55	836	
macro avg	0.54	0.55	0.55	836	
weighted avg	0.55	0.55	0.55	836	

\*\*\*\*\*\*THANKING

YOU\*