

## Creating Sample

# Part 1 - Building the CNN

#importing the Keras libraries and packages

```
from keras.models import Sequential
```

```
from keras.layers import Convolution2D
```

```
from keras.layers import MaxPooling2D
```

```
from keras.layers import Flatten
```

```
from keras.layers import Dense, Dropout
```

```
from keras import optimizers
```

# Initialing the CNN

```
classifier = Sequential()
```

# Step 1 - Convolution Layer

```
classifier.add(Convolution2D(32, 3, 3, input_shape = (64, 64, 3), activation = 'relu'))
```

#step 2 - Pooling

```
classifier.add(MaxPooling2D(pool_size =(2,2)))
```

# Adding second convolution layer

```
classifier.add(Convolution2D(32, 3, 3, activation = 'relu'))
```

```
classifier.add(MaxPooling2D(pool_size =(2,2)))
```

#Adding 3rd Concolution Layer

```
classifier.add(Convolution2D(64, 3, 3, activation = 'relu'))
```

```
classifier.add(MaxPooling2D(pool_size =(2,2)))
```

#Step 3 - Flattening

```
classifier.add(Flatten())
```

#Step 4 - Full Connection

```
classifier.add(Dense(256, activation = 'relu'))
```

```
classifier.add(Dropout(0.5))
```

```
classifier.add(Dense(10, activation = 'softmax'))
```

#Compiling The CNN

```
classifier.compile(  
    optimizer = 'adam',  
    loss = 'categorical_crossentropy',  
    metrics = ['accuracy'])
```

#Part 2 Fitting the CNN to the image

```
from keras.preprocessing.image import ImageDataGenerator
```

```
train_datagen = ImageDataGenerator(  
    rescale=1./255,  
    shear_range=0.2,  
    zoom_range=0.2,  
    horizontal_flip=True)
```

```
test_datagen = ImageDataGenerator(rescale=1./255)
```

```
training_set = train_datagen.flow_from_directory(  
    'Data/train',  
    target_size=(64, 64),  
    batch_size=32,  
    class_mode='categorical')
```

```
test_set = test_datagen.flow_from_directory(  
    'Data/test',  
    target_size=(64, 64),
```

```
        batch_size=32,
        class_mode='categorical')

model = classifier.fit_generator(
    training_set,
    steps_per_epoch=100,
    epochs=100,
    validation_data = test_set,
    validation_steps = 6500
)

#Saving the model
import h5py
classifier.save('Trained_Model.h5')

print(model.history.keys())
import matplotlib.pyplot as plt

# summarize history for accuracy
plt.plot(model.history['acc'])
plt.plot(model.history['val_acc'])
plt.title('model accuracy')
plt.ylabel('accuracy')
plt.xlabel('epoch')
plt.legend(['train', 'test'], loc='upper left')
plt.show()

# summarize history for loss
plt.plot(model.history['loss'])
plt.plot(model.history['val_loss'])
plt.title('model loss')
```

```
plt.ylabel('loss')  
plt.xlabel('epoch')  
plt.legend(['train', 'test'], loc='upper left')  
plt.show()
```