

```

from keras.preprocessing.image import ImageDataGenerator
train_datagen=ImageDataGenerator (rescale=1./255,shear_range=0.2,
zoom_range=0.2, horizontal_flip=True)
test_datagen=ImageDataGenerator(rescale=1./255)

```

```

train_datagen=ImageDataGenerator(rescale=1./255,
shear_range=8.2,zoom_range=8.2, horizontal_flip=True)
test_datagen= ImageDataGenerator(rescale=1./255)

```

```

x_train = train_datagen.flow_from_directory(r'C:\Users\aruln\
Documents\Downloads\DATASET-PNT2022TMID3317\Dataset\
train',target_size=(64,64),batch_size=32,class_mode='categorical')
x_test = train_datagen.flow_from_directory (r'C:\Users\aruln\
Documents\Downloads\DATASET-PNT2022TMID3317\Dataset\
test',target_size=(64,64), batch_size=32,class_mode='catagorical')

```

```

from google.colab import drive
drive.mount('/content/drive')

```

```

-----
-----

```

```

<ipython-input-22-d5df0069828e> in <module>
      1 from google.colab import drive
----> 2 drive.mount('/content/drive')

```

```

/usr/local/lib/python3.7/dist-packages/google/colab/drive.py in
mount(mountpoint, force_remount, timeout_ms, readonly)
104     timeout_ms=timeout_ms,
105     ephemeral=True,
--> 106     readonly=readonly)
107
108

```

```

/usr/local/lib/python3.7/dist-packages/google/colab/drive.py in
_mount(mountpoint, force_remount, timeout_ms, ephemeral, readonly)
123     if ephemeral:
124         _message.blocking_request(
--> 125             'request_auth', request={'authType': 'dfs_ephemeral'},
timeout_sec=None)
126
127     mountpoint = _os.path.expanduser(mountpoint)

```

```

/usr/local/lib/python3.7/dist-packages/google/colab/_message.py in
blocking_request(request_type, request, timeout_sec, parent)
169     request_id = send_request(

```

```
170     request_type, request, parent=parent, expect_reply=True)--> 171
    return read_reply_from_input(request_id, timeout_sec)

/usr/local/lib/python3.7/dist-packages/google/colab/_message.py in
read_reply_from_input(message_id, timeout_sec)      95     reply =
_read_next_input_message()
    96     if reply == _NOT_READY or not isinstance(reply, dict):
--> 97         time.sleep(0.025)
    98     continue
    99     if (reply.get('type') == 'colab_reply'
```