## Applied Data Science - Quiz 2

| Name *  Bharath M   |
|---|
| Registered Roll Number/Registered Number * Please enter the number as displayed in the profile section in the platform 913119104011 |
| Registered Email id * Please enter the email id used to login to the platform riobharath17052001@gmail.com                          |
| Select your Training Batch *  B7-1A3E ▼   |
| Which of the following is a branch of statistics?   |
| <ul><li>Descriptive statistics</li><li>Inferential statistics</li><li>Industry statistics</li><li>Both A and B</li></ul>            |

| The runs scored by a batsman in 5 ODIs are 31,97,112, 63, and 12. The mean is             |
|---|
| <ul><li>112</li><li>63</li></ul>  |
| <ul><li>97</li><li>12</li></ul>   |
| Which of the following is not a visualization under matplotlib                            |
| <ul> <li>Scatter plot</li> <li>Histogram</li> <li>Box plot</li> <li>Table plot</li> </ul> |
| To handle the null values in your data which method is used?                              |
| isnull()  |
| isfull()"   |
| fillna()  |
| fullna()  |

| Which of the following sklearn method is used to split the data into training and testing |
|---|
| test_split()  |
| train_test_split()  |
| test_train_split()  |
| <pre>split_train_test()</pre>   |
|   |
| Which of the following is correct to import the matplotlib library                        |
| import plt.matplotlib as plot   |
| import plot.matplotlib as pt  |
| import matplotlib.pt as plot  |
| import matplotlib.pyplot as plt"  |
|   |
| Which method is used for encoding the categorical variables                               |
| One Hot Encoder   |
| Category Encoder  |
| C Label Encoder   |
| Both A & C  |
|   |

| Which statistical method we can use for replacing missing values for categorical feature |  |
|--|--|
| Mean   |  |
| Median   |  |
| Mode   |  |
| All of the above   |  |
| Which function we use to get descriptive statistics for the data                         |  |
| description()  |  |
| describe()   |  |
| statistics()   |  |
| None of the above  |  |
| Identify the outlier for the given data 34,23,43,28,56,125,52,40,26,24,37,25             |  |
| 56   |  |
| O 23   |  |
| O 125  |  |
| O 34   |  |
|  |  |

This content is neither created nor endorsed by Google. - <u>Terms of Service</u> - <u>Privacy Policy</u>

## Google Forms