

Assignment-3

Assignment Date	20 october2022
Student Name	DURGA VISHALINI.M
Student Roll Number	913119104116
Maximum Marks	2 Marks

Question-1:

1) Create a Bucket in IBM object storage.

Cloud Object Storage - IBM Cloud

Search resources and products...

Storage / Cloud Object Storage-ox / durgamurugan1208

Transfers Details Actions...

Objects Configuration Permissions

If you're seeing more usage than expected, versions count towards your usage or you may have incomplete uploads [Learn more](#)

Prefix filter

Upload

Object name	Archived	Size	Last modified
im...jiff		7.6 KB	2022-10-22 2:53 AM
im...jiff		10.2 KB	2022-10-22 2:53 AM
im...jiff		9.8 KB	2022-10-22 2:54 AM
im...jiff		10.9 KB	2022-10-22 2:54 AM
im...png		1.5 KB	2022-10-22 2:54 AM

Drag and drop files (objects) here or click to upload

imgg 4.png img 5.jiff img 4.htm meet.google.com is sharing your screen. Stop sharing Hide img 2.jiff img 1.jiff Show all

02:54 22-10-2022

Question-2:

2) Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

Cloud Object Storage - IBM Cloud

Search resources and products...

Buckets

Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.


Search

Create bucket

Name	Public access	Location	Storage class	Created
durgamurugan1208	Yes	jpp-tok	Smart Tier	2022-10-22 2:52 AM

imgg 4.png img 5.jiff img 4.htm meet.google.com is sharing your screen. Stop sharing Hide img 2.jiff img 1.jiff Show all

03:10 22-10-2022



```

<!DOCTYPE html>
<html>
<title>company logo's</title>
<head>
  <style>
    img{
      display: block;
      margin-left: auto;
      margin-right: auto;
      border: aqua;
      width: 50%;
    }
  </style>

</head>
<body style="background-color: white;">
<h1>CLOUD COMPUTING COMAPANIES</h1>

<br>



<br>

<br>


```


</body>

</html>



Question-3:

Upload a css page to the object storage and use the same page in your HTML code.



company styling.html:

```
<!DOCTYPE html>
<title>CLOUD COMPUTING COMPANIES</title>
<head>
  <style>
    img{
      display: block;
      margin-left: auto;
      margin-right: auto;
      border: aqua;
      width: 50%;
    }
  </style>
</head>
<body style="background-color: aqua;">

  <p style="text-align: center;font-weight: 300; font-size:60px;" >CLOUD COMPUTING
COMPANIES</p>
  <p style="text-align: center;font-size: 20px;">click on picture to know more details</p>

  <a href="amazon.html">
    
  </a>
  <br>
```

```

<a href="google.html">
  
</a>
<br>

<a href="ibm.html">
  
</a>
<br>
<a href="box.html">

  
</a>
<br>
<a href=microsoft.html>
  
</a>

</body>
</html>

```

Style.css

```

Body{
style="border:rgb(15, 15, 15);
border-width:5px;
border-style:double;text-align: center;font-family: Arial, Helvetica, sans-serif;
background-color:powderblue"
}

```

Ibm.html

```

<html>
<head>
  <title>ibm</title>
</head>
<body style="border:rgb(15, 15, 15); border-width:5px; border-style:double;text-align:
center;font-family: Arial, Helvetica, sans-serif;background-color:powderblue">
  <h1 style="border:rgb(15, 15, 15); border-width:5px; border-style:solid;text-align: center;font-
family: Arial, Helvetica, sans-serif;"> IBM</h1>
  <p style="border:black; border-width:5px; border-style:hidden;text-align: center;font-family:
Arial, Helvetica, sans-serif;padding: 2px;">
    IBM offers three hardware platforms for cloud computing.[1] These platforms offer built-in

```

support for virtualization. IBM also offers a virtualization application infrastructure, Websphere, which supports programming models and open standards for virtualization.



The management layer of the IBM cloud framework includes IBM Tivoli middleware.[2] Management tools provide capabilities to regulate images with automated provisioning and de-provisioning, monitor operations and meter usage while tracking costs and allocating billing. The last layer of the framework provides integrated workload tools.[3] Workloads (in the context of cloud computing) are services or instances of code that can be executed to meet specific business needs.[4] IBM also offers tools for cloud based collaboration, development and testing, application development, analytics, business-to-business integration, and security.[5]

```
</p>
<p style="text-align:center;"> </p>
<a href='company styling.html' target='_self'>
  <button style=" margin: 2px;border:black;float:left ;background-color:powderblue;border-radius:
2px;border-style:solid ;font-family:'Times New Roman', Times, serif;font-size:
medium;">back</button>
</a>
</body>
</html>
```

Question-4:

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fus-south.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-3ca7b843-00ec-42bb-aec4-9a506bb2ba9d%3A%3A12b68964-95d4-4c80-aa84-29986b643977&integrationID=35539d76-93bb-4dd0-be50-3fa546c6ed51®ion=us-south&serviceInstanceID=3ca7b843-00ec-42bb-aec4-9a506bb2ba9d>
[Watson Assistant Preview \(appdomain.cloud\)](https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fus-south.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-3ca7b843-00ec-42bb-aec4-9a506bb2ba9d%3A%3A12b68964-95d4-4c80-aa84-29986b643977&integrationID=35539d76-93bb-4dd0-be50-3fa546c6ed51®ion=us-south&serviceInstanceID=3ca7b843-00ec-42bb-aec4-9a506bb2ba9d)



5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

```
<!DOCTYPE html>
<title>abc hospital</title>
<style>
  body {
    background: url(https://wallpaperaccess.com/full/1282794.jpg) no-repeat center center fixed;
    -webkit-background-size: cover;
    -moz-background-size: cover;
    -o-background-size: cover;
    background-size: cover
  }
</style>

<body>
  <script>
    window.watsonAssistantChatOptions = {
      integrationID: "35539d76-93bb-4dd0-be50-3fa546c6ed51", // The ID of this integration.
      region: "us-south", // The region your integration is hosted in.
      serviceInstanceID: "3ca7b843-00ec-42bb-aec4-9a506bb2ba9d", // The ID of your service
instance.
      onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
      const t=document.createElement('script');
      t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
      document.head.appendChild(t);
    });
  </script>
</body>
</html>
```

