Al-based localization and classification of skin disease with erythema

ASSIGNMENT-3

NAME: SATHISH.K

REGISTER NUMBER: 412519106308

BUILD CNN MODEL FOR CLASSIFICATION OF FLOWERS

ls

Volume in drive C is OS

Volume Serial Number is 08F5-B770

Directory of C:\Users\aruna\flowers

| 06-10-2022 | 19:23 | |
|------------|-----------|------------------------|
| 06-10-2022 | 21:40 | |
| 06-10-2022 | 18:10 | daisy |
| 06-10-2022 | 18:11 | dandelion |
| 06-10-2022 | 19:23 | 111,871,896 flower1.h5 |
| 06-10-2022 | 18:11 | rose |
| 06-10-2022 | 18:11 | sunflower |
| 06-10-2022 | 18:12 | tulip |
| | 1 File(s) | 111,871,896 bytes |

7 Dir(s) 839,051,767,808 bytes free

IMAGE AUGMENTATION

```
from tensorflow.keras.preprocessing.image import ImageDataGenerator
train_datagen=ImageDataGenerator(rescale=1./255,horizontal_flip=True,vertical_flip=True,zoom_range
=0.2)
test_datagen=ImageDataGenerator(rescale=1./255)
x train=train datagen.flow from directory(r"C:\Users\aruna\flowers",target size=(64,64),
class_mode="categorical",batch_size=24)
Found 4317 images belonging to 5 classes.
x_test=test_datagen.flow_from_directory(r"C:\Users\aruna\flowers",target_size=(64,64),
class_mode="categorical",batch_size=24)
Found 4317 images belonging to 5 classes.
CREATE MODEL: Add Layers (Convolution, MaxPooling, Flatten, Dense-(Hidden Layers), Output)
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Convolution2D,MaxPooling2D,Flatten,Dense
model=Sequential()
model.add(Convolution2D(32,(3,3),activation="relu",input_shape=(64,64,3)))
model.add(MaxPooling2D(pool_size=(2,2)))
model.add(Flatten())
model.add(Dense(300,activation='relu'))
model.add(Dense(300,activation='relu'))
model.add(Dense(5,activation="softmax"))
COMPILE THE MODEL
model.compile(loss="categorical_crossentropy",metrics=["accuracy"],optimizer='adam')
```

```
len(x train)
180
FIT THE MODEL
model.fit (x\_train, epochs=5, validation\_data=x\_test, steps\_per\_epoch=len(x\_train), validation\_steps=len(x\_train), validat
_test))
Epoch 1/5
1.1097 - val_accuracy: 0.5552
Epoch 2/5
val_loss: 0.9905 - val_accuracy: 0.6034
Epoch 3/5
val_loss: 0.9617 - val_accuracy: 0.6308
Epoch 4/5
val_loss: 0.8994 - val_accuracy: 0.6535
Epoch 5/5
val_loss: 0.9469 - val_accuracy: 0.6389
SAVE THE MODEL
model.save("flower1.h5")
TEST THE MODEL
from\ tensorflow.keras.models\ import\ load\_model
from tensorflow.keras.preprocessing import image
```

```
import numpy as np
model=load_model("C:/Users/aruna/flowers/flower1.h5")
img=image.load_img("C:/Users/aruna/flowers/tulip/11746276_de3dec8201.jpg",target_size=(64,64))
img
x=image.img_to_array(img)
Χ
array([[[202., 94., 206.],
         [203., 136., 207.],
         [73., 13., 39.],
         ...,
         [164., 42., 129.],
         [128., 42., 113.],
         [149., 42., 112.]],
        [[148., 41., 111.],
         [168., 37., 141.],
         [41., 10., 28.],
         ...,
         [126., 15., 81.],
         [112., 24., 74.],
         [101., 16., 57.]],
        [[ 81., 0., 36.],
         [215., 110., 203.],
         [182., 67., 220.],
```

...,

...,

...,

•••

```
...,
         [173., 44., 137.],
         [136., 24., 100.],
         [155., 0., 115.]]], dtype=float32)
x.ndim
3
x=np.expand_dims(x,axis=0)
x.ndim
4
pred=model.predict(x)
1/1 [======] - 0s 286ms/step
pred
array([[0.000000e+00, 0.000000e+00, 6.961726e-27, 0.000000e+00,
         1.000000e+00]], dtype=float32)
labels=["daisy","dandelion","rose","sunflower","tulip"]
np.argmax(pred)
4
labels[3]
'sunflower'
labels[np.argmax(pred)]
'tulip'
```