PKL

TEAM ID- PNT2022TMID04019

```python
# Part 1 - Building the CNN
#importing the Keras libraries and packages
from keras.models import Sequential
from keras.layers import Convolution2D
from keras.layers import MaxPooling2D
from keras.layers import Flatten
from keras.layers import Dense, Dropout
from keras import optimizers

# Initialing the CNN
classifier = Sequential()

# Step 1 - Convolution Layer
classifier.add(Convolution2D(32, 3,  3, input_shape = (64, 64, 3), activation = 'relu'))

#step 2 - Pooling
classifier.add(MaxPooling2D(pool_size =(2,2)))

# Adding second convolution layer
classifier.add(Convolution2D(32, 3,  3, activation = 'relu'))
classifier.add(MaxPooling2D(pool_size =(2,2)))

#Adding 3rd Concolution Layer
classifier.add(Convolution2D(64, 3,  3, activation = 'relu'))
classifier.add(MaxPooling2D(pool_size =(2,2)))
```

```python
#Step 3 - Flattening
classifier.add(Flatten())


#Step 4 - Full Connection
classifier.add(Dense(256, activation = 'relu'))
classifier.add(Dropout(0.5))
classifier.add(Dense(10, activation = 'softmax'))


#Compiling The CNN
classifier.compile(
        optimizer = 'adam',
        loss = 'categorical_crossentropy',
        metrics = ['accuracy'])


#Part 2 Fittting the CNN to the image
from keras.preprocessing.image import ImageDataGenerator
train_datagen = ImageDataGenerator(
    rescale=1./255,
    shear_range=0.2,
    zoom_range=0.2,
    horizontal_flip=True)


test_datagen = ImageDataGenerator(rescale=1./255)


training_set = train_datagen.flow_from_directory(
    'Data/train',
    target_size=(64, 64),
    batch_size=32,
    class_mode='categorical')


test_set = test_datagen.flow_from_directory(
```

```python
    'Data/test',

    target_size=(64, 64),

    batch_size=32,

    class_mode='categorical')


model = classifier.fit_generator(

    training_set,

    steps_per_epoch=100,

    epochs=100,

    validation_data = test_set,

    validation_steps = 6500

    )


#Saving the model
import h5py
classifier.save('Trained_Model.h5')


print(model.history.keys())
import matplotlib.pyplot as plt


# summarize history for accuracy
plt.plot(model.history['acc'])
plt.plot(model.history['val_acc'])
plt.title('model accuracy')
plt.ylabel('accuracy')
plt.xlabel('epoch')
plt.legend(['train', 'test'], loc='upper left')
plt.show()


# summarize history for loss
plt.plot(model.history['loss'])
```

```python
plt.plot(model.history['val_loss'])

plt.title('model loss')

plt.ylabel('loss')

plt.xlabel('epoch')

plt.legend(['train', 'test'], loc='upper left')

plt.show()
```