

Create Node-RED Service

Team ID	PNT2022TMID02546
Project Name	Smart waste management system for metropolitan cities

Node-RED Service

Resource list / App details /
Node RED TVAFO 2022-11-16 Add tags [🔗](#) Actions... [⌵](#)

Details

App URL <http://159.122.186.51:30963>

Source <https://us-south.git.cloud.ibm.com/vishnupradeep.rc.2019.eco...>

Resource group **Default**

Deployment target **mycluster-free**

Created **11/16/2022**

Services

Cloudant [Open dashboard](#) [Documentation](#) [API reference](#)

Credentials [⌵](#)

Connect existing services [+](#) Create service [+](#)

Deployment Automation

Name **NodeREDTVAFO2022-11-16**

Location **Dallas**

Tool integrations [📍](#) [🌐](#) [🔗](#)

Delivery Pipelines

Name **ci-pipeline** [🔗](#)

Status **Success** [🔗](#)

Name **pr-pipeline** [🔗](#)

Status **No stages detected** [🔗](#)

Getting started quickly [✕](#)

Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#) [🔗](#)
2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.
3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.
5. If you make any changes to your app, be

[ASK A QUESTION](#)

Node-RED [Deploy](#) [⌵](#)

filter nodes

Flow 1 Flow 2

udp in
udp out

Input

OpenWhisk
Stream out

Output

sequence

split
join
sort
batch

parser

Flow 1

Hello Node-RED!

msg.payload

debug

11/17/2022, 1:25:26 AM node: 125649a00d98
msg.payload: string[15]
"Hello Node-RED!"