

ASSIGNMENT-4


TEAM ID	PNT2022TMID49560
PROJECT NAME	CUSTOMER CARE REGISTRY
NAME	NIKITHA.S
ROLL NO	950019104033


1.Create a Bucket in IBM object storage.



${\bf 2. Upload 5} images to ibmobject storage and make it public. writeht mlcode to displaying all the 5 images.$









nikitha.html:

```
<html>
<head>
link rel="stylesheet" href="style.css">
</head>
<div class="row">
<div class="column">
<img src="img1.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
<div class="column">
<img src="img2.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
<div class="column">
<img src="img2.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
<div class="column">
<img src="img3.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
<div class="column">
</div>
</div class="column">
</div>
</div>
</div>
```

```
<img src="img4.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
<div class="column">
<img src="img5.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
</div>
</div>
</html>
```

3.Upload a css page to the object storage and use the same page in your HTML code.









style.css:


```
.column {
float: left; width: 33.33%; padding: 5px;
}
.row::after {
content: "";
clear: both;
display: table; }
.row { display:
flex; }.column
{ flex: 33.33%;
padding: 5px;
}
```


4. Design a chatbot using IBM Watson assistant for hospitals. Ex: User comes with a query to know the branches for that hospital in your city. Submit the web URL of that chat bot as an assignment.




5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in the HTML page.









nikitha.html:

```
<html>
<head>
<link rel="stylesheet" href="style.css">
</head>
<div class="row">
<div class="column">
<img src="img1.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
<div class="column">
<img src="img2.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
<div class="column">
<img src="img3.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
<div class="column">
<img src="img4.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
<div class="column">
<img src="img5.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
</div>
<script>
  window.watsonAssistantChatOptions = {
   integrationID: "44f6b8db-5e23-40ae-a2ae-141b7f7484b7", // The ID of this integration.
```

```
region: "us-south", // The region your integration is hosted in.
serviceInstanceID: "f1588270-65a1-40af-95ce-92e6fc06243b", // The ID of your service instance.
onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
});
</script>
```