## **OUTPUT – SPRINT 2**


```
main.py - C:\Users\Del\Desktop\Project\Project Development Phase\Sprint 2\main.py (3.9.7)
File Edit Format Run Options Window Help
# Python code
# IMPORT SECTION STARTS
import brain
# IMPORT SECTION ENDS
# -----
# USER INPUT SECTION STARTS
myLocation = "Chennai, IN"
APIKEY = "9cd610e5fd400c74212074c7ace0d62c"
localityInfo = {
    "schools" : {
        "schoolZone" : True,
       "activeTime": ["7:00", "17:30"] # schools active from 7 AM till 5:30 PM
    "hospitalsNearby" : False,
    "usualSpeedLimit" : 40 # in km/hr
# USER INPUT SECTION ENDS
# MICRO-CONTROLLER CODE STARTS
print(brain.processConditions(myLocation, APIKEY, localityInfo))
1.1.1
MICRO CONTROLLER CODE WILL BE ADDED IN SPRINT 2 AS PER OUR PLANNED SPRINT SCHEDU
# MICRO-CONTROLLER CODE ENDS
```

```
brain.py - C:\Users\Dell\Desktop\Project\Project Development Phase\Sprint 2\brain.py (3.9.7)
File Edit Format Run Options Window Help
from datetime import datetime as dt
from publishData import logData2Cloud as log2cloud
import weather
# IMPORT SECTION ENDS
# UTILITY LOGIC SECTION STARTS
def processConditions(myLocation, APIKEY, localityInfo):
    weatherData = weather.get(myLocation,APIKEY)
    log2cloud(myLocation, weatherData["temperature"], weatherData["visibility"])
    finalSpeed = localityInfo["usualSpeedLimit"] if "rain" not in weatherData el
    finalSpeed = finalSpeed if weatherData["visibility"]>35 else finalSpeed/2
    if(localityInfo["hospitalsNearby"]):
        # hospital zone
        doNotHonk = True
    else:
        if(localityInfo["schools"]["schoolZone"]==False):
            # neither school nor hospital zone
            doNotHonk = False
        else:
            # school zone
            now = [dt.now().hour,dt.now().minute]
            activeTime = [list(map(int, .split(":"))) for in localityInfo["sch
            doNotHonk = activeTime[0][0]<=now[0]<=activeTime[1][0] and activeTim
    return({
        "speed" : finalSpeed,
        "doNotHonk" : doNotHonk
    })
# UTILITY LOGIC SECTION ENDS
```

```
publishData.py - C:\Users\Dell\Desktop\Project\Project Development Phase\Sprint 2\publish... -
File Edit Format Run Options Window Help
# Python code
# IMPORT SECTION STARTS
import wiotp.sdk.device # python -m pip install wiotp
import time
# IMPORT SECTION ENDS
# API CONFIG SECTION STARTS
myConfig = {
    "identity" : {
        "orgId" : "f59trs",
        "typeId" : "testdevice",
        "deviceId" : "device1"
    "auth" : {
        "token": "Jrwa7c80s2Zpg)WW18"
# API CONFIG SECTION ENDS
# -----
# FUNCTIONS SECTION STARTS
def myCommandCallback(cmd):
   print("recieved cmd : ",cmd)
def logData2Cloud(location, temperature, visibility):
    client = wiotp.sdk.device.DeviceClient(config=myConfig,logHandlers=None)
    client.connect()
    client.publishEvent(eventId="status",msgFormat="json",data={
        "temperature" : temperature,
        "visibility" : visibility,
        "location" : location
    }, gos=0, onPublish=None)
    client.commandCallback = myCommandCallback
    client.disconnect()
                                                                         Ln: 1 Col: 0
```

```
File Edit Format Run Options Window Help
# Python code
import requests as regs
def get(myLocation,APIKEY):
    apiURL = f"https://api.openweathermap.org/data/2.5/weather?q={myLocation}&ap
    responseJSON = (regs.get(apiURL)).json()
    returnObject = {
       "temperature" : responseJSON['main']['temp'] - 273.15,
        "weather" : [responseJSON['weather'][ ]['main'].lower() for in range(1
        "visibility" : responseJSON['visibility']/100, # visibility in percentag
    if("rain" in responseJSON):
        returnObject["rain"] = [responseJSON["rain"][key] for key in responseJSO
    return(returnObject)
```

weather.py - C:\Users\Dell\Desktop\Project\Project Development Phase\Sprint 2\weather.py ... —



## Home

