

OUTPUT – SPRINT 2

```

main.py - C:\Users\DelI\Desktop\Project\Project Development Phase\Sprint 2\main.py (3.9.7)
File Edit Format Run Options Window Help
# Python code

# IMPORT SECTION STARTS

import brain

# IMPORT SECTION ENDS
# -----
# USER INPUT SECTION STARTS

myLocation = "Chennai,IN"
APIKEY = "9cd610e5fd400c74212074c7ace0d62c"

localityInfo = {
    "schools" : {
        "schoolZone" : True,
        "activeTime" : ["7:00","17:30"] # schools active from 7 AM till 5:30 PM
    },
    "hospitalsNearby" : False,
    "usualSpeedLimit" : 40 # in km/hr
}

# USER INPUT SECTION ENDS
# -----
# MICRO-CONTROLLER CODE STARTS

print(brain.processConditions(myLocation,APIKEY,localityInfo))

'''
MICRO CONTROLLER CODE WILL BE ADDED IN SPRINT 2 AS PER OUR PLANNED SPRINT SCHEDU
'''

# MICRO-CONTROLLER CODE ENDS

```

```

brain.py - C:\Users\DelI\Desktop\Project\Project Development Phase\Sprint 2\brain.py (3.9.7)
File Edit Format Run Options Window Help
from datetime import datetime as dt
from publishData import logData2Cloud as log2cloud
import weather

# IMPORT SECTION ENDS
# -----
# UTILITY LOGIC SECTION STARTS
def processConditions(myLocation,APIKEY,localityInfo):
    weatherData = weather.get(myLocation,APIKEY)

    log2cloud(myLocation,weatherData["temperature"],weatherData["visibility"])

    finalSpeed = localityInfo["usualSpeedLimit"] if "rain" not in weatherData else
    finalSpeed = finalSpeed if weatherData["visibility"]>35 else finalSpeed/2

    if(localityInfo["hospitalsNearby"]):
        # hospital zone
        doNotHonk = True
    else:
        if(localityInfo["schools"]["schoolZone"]==False):
            # neither school nor hospital zone
            doNotHonk = False
        else:
            # school zone
            now = [dt.now().hour,dt.now().minute]
            activeTime = [list(map(int,_.split(":")) for _ in localityInfo["sch
            doNotHonk = activeTime[0][0]<=now[0]<=activeTime[1][0] and activeTim

    return({
        "speed" : finalSpeed,
        "doNotHonk" : doNotHonk
    })

# UTILITY LOGIC SECTION ENDS

```

```

publishData.py - C:\Users\De\l\Desktop\Project\Project Development Phase\Sprint 2\publish...
File Edit Format Run Options Window Help
# Python code

# IMPORT SECTION STARTS

import wiotp.sdk.device # python -m pip install wiotp
import time

# IMPORT SECTION ENDS
# -----
# API CONFIG SECTION STARTS

myConfig = {
    "identity" : {
        "orgId" : "f59trs",
        "typeId" : "testdevice",
        "deviceId" : "device1"
    },
    "auth" : {
        "token" : "Jrwa7c8Os2Zpq)WW18"
    }
}

# API CONFIG SECTION ENDS
# -----
# FUNCTIONS SECTION STARTS

def myCommandCallback(cmd):
    print("recieved cmd : ",cmd)

def logData2Cloud(location,temperature,visibility):
    client = wiotp.sdk.device.DeviceClient(config=myConfig,logHandlers=None)
    client.connect()
    client.publishEvent(eventId="status",msgFormat="json",data={
        "temperature" : temperature,
        "visibility" : visibility,
        "location" : location
    },qos=0,onPublish=None)
    client.commandCallback = myCommandCallback
    client.disconnect()

```

Ln: 1 Col: 0

```


weather.py - C:\Users\De\l\Desktop\Project\Project Development Phase\Sprint 2\weather.py ...
File Edit Format Run Options Window Help
# Python code

import requests as reqs

def get(myLocation,APIKEY):
    apiURL = f"https://api.openweathermap.org/data/2.5/weather?q={myLocation}&ap
    responseJSON = (reqs.get(apiURL)).json()
    responseObject = {
        "temperature" : responseJSON['main']['temp'] - 273.15,
        "weather" : [responseJSON['weather'][_]['main'].lower() for _ in range(1
        "visibility" : responseJSON['visibility']/100, # visibility in percentag
    }
    if("rain" in responseJSON):
        responseObject["rain"] = [responseJSON["rain"][key] for key in responseJSO
    return(responseObject)

```


Ln: 1 Col: 0



Home

Home

Visibility



Temperature



Location

Chennai,IN