Assignment Date	18 November 2022
Student Name	B.Prabavathi
Student Roll Number	815819104015
Maximum Marks	

```
def init (self, side):
        """ creates a square having the given side
        ** ** **
        self.side = side
    def area(self):
        """ returns area of the square
        11 11 11
        return self.side**2
    def perimeter(self):
        """ returns perimeter of the square
        11 11 11
        return 4 * self.side
    def __repr__(self):
        """ declares how a Square object should be
printed
        11 11 11
        s = 'Square with side = ' + str(self.side) +
'\n' + \
        'Area = ' + str(self.area()) + '\n' + \
        'Perimeter = ' + str(self.perimeter())
```

class Square:

```
return s
```

units,

```
if name == ' main ':
     # read input from the user
     side = int(input('enter the side length to create a
Square: '))
     # create a square with the provided side
     square = Square(side)
     # print the created square
     print(square)
Note: For more information about the function __repr__(), refer this article.
Now that we have our software ready, let's have a look at the directory structure of our
project folder and after that, we'll start testing our software.
---Software Testing
  |--- init .py (to initialize the directory as python package)
  |--- app.py (our software)
  |--- tests (folder to keep all test files)
          |--- init .py
def test area(self):
     # testing the method Square.area().
     sq = Square(2) # creates a Square of side 2
units.
```

test if the area of the above square is 4

```
# display an error message if it's not.
   self.assertEqual(sq.area(), 4,
        f'Area is shown {sq.area()} for side =
{sq.side} units')
import unittest
from .. import app
class TestSum(unittest.TestCase):
   def test area(self):
       sq = app.Square(2)
        self.assertEqual(sq.area(), 4,
            f'Area is shown {sq.area()} rather than
91)
if name == ' main ':
   unittest.main()
```

```
import unittest
from .. import app
class TestSum(unittest.TestCase):
    def test area(self):
        sq = app.Square(2)
        self.assertEqual(sq.area(), 4,
            f'Area is shown {sq.area()} rather
than 9')
    def test area negative (self):
        sq = app.Square(-3)
        self.assertEqual(sq.area(), -1,
            f'Area is shown {sq.area()} rather
than -1')
    def test perimeter(self):
        sq = app.Square(5)
        self.assertEqual(sq.perimeter(), 20,
            f'Perimeter is {sq.perimeter()} rather
than 20')
    def test perimeter negative (self):
        sq = app.Square(-6)
        self.assertEqual(sq.perimeter(), -1,
            f'Perimeter is {sq.perimeter()} rather
than -1')
if __name__ == '__main__':
    unittest.main()
```

```
FAIL: test area negative ( main .TestSum)
Traceback (most recent call last):
File "tests_unittest.py", line 11, in test_area_negative
  self.assertEqual(sq.area(), -1, f'Area is shown {sq.area()} rather
than -1 for negative side length')
AssertionError: 9 != -1 : Area is shown 9 rather than -1 for negative
side length
______
FAIL: test_perimeter_negative (__main__.TestSum)
______
Traceback (most recent call last):
File "tests unittest.py", line 19, in test perimeter negative
  self.assertEqual(sq.perimeter(), -1, f'Perimeter is {sq.perimeter()}
rather than -1 for negative side length')
AssertionError: -24 != -1 : Perimeter is -24 rather than -1 for negative
side length
______
Ran 4 tests in 0.001s
```

FAILED (failures=2)