
Assignment -3

Assignment Date	1 October 2022
Student Name	Joshua Dayalan M
Student Roll Number	9517201904062
Maximum Marks	2 Marks

Questions:

1.Create a Bucket in IBM object storage.



- 2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.
- 3. Upload a css page to the object storage and use the same page in your HTML code.

Html File for displaying images from Cloud Storage:


```
<html>
<head>
kead>
kead>
kead>
kead>
kead>
kead>
kead>
kead>
keass1/styles.css">
keass1/styles.css">
keass1/styles.css">
keass1/styles.css">
kead>
</head>
</head>
</main>
```

```
<section id="img1" class="full-section">
      Image-1
<div class="img-container">
<img src="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/prieeass1/1.jpeg" alt="Image 1"</pre>
width="900">
</div>
</section>
<section id="img2" class="full-section">
      Image-2
                        <div class="img-container">
<img src="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/prieeass1/2.jpeg" alt="Image 2"</pre>
width="900">
</div>
</section>
<section id="img3" class="full-section">
      Image-3
<div class="img-container">
<img src="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/prieeass1/3.jpeg" alt="Image 3"</p>
width="900">
</div>
</section>
<section id="img4" class="full-section">
      Image-4
<div class="img-container">
<img src="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/prieeass1/4.jpeg" alt="Image 4"</pre>
width="900">
</div>
</section>
<section id="img5" class="full-section">
      Image-5
<div class="img-container">
<img src="https://s3.jp-tok.cloud-object-storage.appdomain.cloud/prieeass1/5.jpeg" alt="Image 5"</pre>
width="900">
```

```
</div>
</section>
</main>
</body>
</html>
CSS File:
* {
border: 0;
padding: 0;
margin: 0;
box-sizing: border-box;
font-family: "Brandon Text, Arial";
}
main {
margin-top: 60px;
padding: 30px;
display: flex;
justify-content: center;
}
.container {
width: 70%;
padding: 20px;
background-color: #eef;
.container-heading {
padding-block-end: 5px;
border-bottom: 5px solid black;
margin-bottom: 10px;
}
```

```
.container-text {
  margin-block: 5px;
}
```

Output:




4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

https://web-

 $\frac{chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fus-south.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-009a5aaa-148c-4708-8fa2-ce7e287f5bc9%3A%3A786b3e8c-3dba-4a84-b4ae-31bca3e85710&integrationID=eb2259f3-2f07-4f26-9490-245b15cec951®ion=us-south&serviceInstanceID=009a5aaa-148c-4708-8fa2-ce7e287f5bc9$

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Output:



Html File for displaying IBM Watson Chatbot:

```
<script>
window.watsonAssistantChatOptions = {
integrationID: "eb2259f3-2f07-4f26-9490-245b15cec951", // The ID of this integration.
    region: "us-south", // The region your integration is hosted in.
serviceInstanceID: "009a5aaa-148c-4708-8fa2-ce7e287f5bc9", // The ID of your service instance.
onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | | 'latest') + "/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
});
</script>
```