## STEPS TO CREATE IBM DB2 AND CONNECTION WITH PYTHON

Date	17 November 2022
Team ID	PNT2022TMID12203
Project Name	Skills/Job Recommender Application

## STEP 1: Import the ibm\_db Python library:

```
!pip install --force-reinstall ibm_db==3.1.0 ibm_db_sa==0.3.7 importibm_db
```

## **STEP 2: Identify the database connection credentials:**

## STEP 3: Create the DB2 database connection:

databasetry:

```
dsn = (
"DRIVER={0};"
"DATABASE={1};"
"HOSTNAME={2};"
"PORT={3};"
"PROTOCOL={4};"
"UID={5};"
"PWD={6};"
"SECURITY={7};").format(dsn_driver, dsn_database, dsn_hostname, dsn_port, dsn_protocol,dsn_uid, dsn_pwd,dsn_security) print(dsn)
Now establish the connection to the
```

```
conn = ibm_db.connect(dsn, "", "") print ("Connected to database: ", dsn_database, "as
user:", dsn_uid, "on host: ", dsn_hostname)
except:
 print ("Unable to connect: ", ibm_db.conn_errormsg() )
server = ibm_db.server_info(conn)
print
           ("DBMS_NAME:
server.DBMS_NAME)
                               print
("DBMS_VER: ", server.DBMS_VER)
            ("DB_NAME:
print
server.DB_NAME)
client = ibm_db.client_info(conn)
print ("DRIVER_NAME: ", client.DRIVER_NAME)
print("DRIVER_VER:
client.DRIVER_VER) print ("DATA_SOURCE_NAME: ",
client.DATA_SOURCE_NAME)
                                              print
("DRIVER_ODBC_VER: ", client.DRIVER_ODBC_VER)
print ("ODBC_VER: ", client.ODBC_VER)
print ("ODBC_SQL_CONFORMANCE: ", client.ODBC_SQL_CONFORMANCE)
print ("APPL_CODEPAGE:
client.APPL_CODEPAGE) print
("CONN_CODEPAGE: ",
client.CONN_CODEPAGE)
STEP 4: Close the Connection:
ibm_db.close(conn)
```

