

```

import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
from keras.utils import np_utils
from tensorflow.keras.datasets import mnist
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Conv2D, Dense, Flatten
from tensorflow.keras.optimizers import Adam
from tensorflow.keras.models import load_model
from PIL import Image, ImageOps
import numpy

```

```
(X_train, y_train), (X_test, y_test) = mnist.load_data()
```

Downloading data from <https://storage.googleapis.com/tensorflow/tf-keras-datasets/mnist11490434/11490434> [=====] - 0s 0us/step

```

print(X_train.shape)
print(X_test.shape)

```

```

(60000, 28, 28)
(10000, 28, 28)

```

```
X_train[0]
```

```

[ 0,  0,  0,  0,  0,  0,  0,  0, 80, 156, 107, 253, 253,
 205, 11,  0, 43, 154,  0,  0,  0,  0,  0,  0,  0,  0,
  0,  0],
[ 0,  0,  0,  0,  0,  0,  0,  0,  0, 14,  1, 154, 253,
 90,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
  0,  0],
[ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0, 139, 253,
190,  2,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
  0,  0],
[ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0, 11, 190,
253, 70,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
  0,  0],
[ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0, 35,
241, 225, 160, 108,  1,  0,  0,  0,  0,  0,  0,  0,  0,
  0,  0],
[ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
81, 240, 253, 253, 119, 25,  0,  0,  0,  0,  0,  0,  0,
  0,  0],
[ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
 0, 45, 186, 253, 253, 150, 27,  0,  0,  0,  0,  0,  0,
  0,  0],
[ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
 0,  0, 16, 93, 252, 253, 187,  0,  0,  0,  0,  0,  0,
  0,  0],
[ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
 0,  0,  0,  0, 249, 253, 249, 64,  0,  0,  0,  0,  0,
  0,  0],
[ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
  0,  0]

```

```

    0, 46, 130, 183, 253, 253, 207, 2, 0, 0, 0, 0, 0,
    0, 0],
[ 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 39,
148, 229, 253, 253, 253, 250, 182, 0, 0, 0, 0, 0,
0, 0],
[ 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 24, 114, 221,
253, 253, 253, 253, 201, 78, 0, 0, 0, 0, 0,
0, 0],
[ 0, 0, 0, 0, 0, 0, 0, 0, 23, 66, 213, 253, 253,
253, 253, 198, 81, 2, 0, 0, 0, 0, 0, 0,
0, 0],
[ 0, 0, 0, 0, 0, 0, 18, 171, 219, 253, 253, 253, 253,
195, 80, 9, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[ 0, 0, 0, 0, 55, 172, 226, 253, 253, 253, 253, 244, 133,
11, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[ 0, 0, 0, 0, 136, 253, 253, 253, 212, 135, 132, 16, 0,
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[ 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0],
[ 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0]], dtype=uint8)


```

```
y_train[0]
```

```
5
```

```
plt.imshow(X_train[0])
```

```
<matplotlib.image.AxesImage at 0x7f0ef301cc10>
```



```
X_train = X_train.reshape(60000, 28, 28, 1).astype('float32')
```

```
X_test = X_test.reshape(10000, 28, 28, 1).astype('float32')
```

```

number_of_classes = 10
Y_train = np_utils.to_categorical(y_train, number_of_classes)
Y_test = np_utils.to_categorical(y_test, number_of_classes)

Y_train[0]

array([0., 0., 0., 0., 0., 1., 0., 0., 0., 0.], dtype=float32)

model = Sequential()
model.add(Conv2D(64, (3, 3), input_shape=(28, 28, 1), activation="relu"))
model.add(Conv2D(32, (3, 3), activation="relu"))
model.add(Flatten())
model.add(Dense(number_of_classes, activation="softmax"))

model.compile(loss='categorical_crossentropy', optimizer="Adam", metrics=["accuracy"])

model.fit(X_train, Y_train, batch_size=32, epochs=5, validation_data=(X_test,Y_test))

Epoch 1/5
1875/1875 [=====] - 197s 105ms/step - loss: 0.2526 - accuracy: 0.0000
Epoch 2/5
1875/1875 [=====] - 193s 103ms/step - loss: 0.0717 - accuracy: 0.0000
Epoch 3/5
1875/1875 [=====] - 193s 103ms/step - loss: 0.0496 - accuracy: 0.0000
Epoch 4/5
1875/1875 [=====] - 196s 105ms/step - loss: 0.0367 - accuracy: 0.0000
Epoch 5/5
1875/1875 [=====] - 196s 104ms/step - loss: 0.0282 - accuracy: 0.0000
<keras.callbacks.History at 0x7f0eee7fb310>

```



```

metrics = model.evaluate(X_test, Y_test, verbose=0)
print("Metrics (Test Loss & Test Accuracy): ")
print(metrics)

```

```

Metrics (Test Loss & Test Accuracy):
[0.10615621507167816, 0.9771999716758728]

```

```

prediction = model.predict(X_test[:4])
print(prediction)

```

```

1/1 [=====] - 0s 115ms/step
[[9.42100961e-16 4.27396548e-21 2.64224423e-14 4.60126783e-13
 5.53011790e-22 6.98381524e-16 8.13431903e-23 1.00000000e+00
 5.97870408e-12 6.30469678e-12]
 [3.97862152e-08 7.40783194e-13 1.00000000e+00 1.29448976e-17
 4.93652859e-19 9.45468410e-21 3.04795300e-10 1.41302404e-18
 1.24340208e-12 3.36390218e-20]
 [1.85038252e-11 9.99999642e-01 1.52282231e-09 1.19064575e-14
 1.21230013e-08 4.21128510e-09 6.04229514e-11 1.54854362e-07
 2.32925728e-07 3.76551151e-11]
 [1.00000000e+00 7.74548434e-18 6.03160924e-12 1.75154899e-16

```

```
7.64906591e-16 8.78264543e-14 8.11927123e-11 5.28082386e-14
1.7608731e-11 1.0014641e-11 1.111
```

```
print(numpy.argmax(prediction, axis=1))
print(Y_test[:4])
```










```
[7 2 1 0]
[[0. 0. 0. 0. 0. 0. 0. 1. 0. 0.]
 [0. 0. 1. 0. 0. 0. 0. 0. 0. 0.]
 [0. 1. 0. 0. 0. 0. 0. 0. 0. 0.]
 [1. 0. 0. 0. 0. 0. 0. 0. 0. 0.]]
```

```
model.save("model.h5")
```

```
model=load_model("model.h5")
```

```
from keras.datasets import mnist
from matplotlib import pyplot
(X_train,y_train),(X_test,y_test)=mnist.load_data()
print('X_train:' +str(X_train.shape))
print('y_train:' +str(y_train.shape))
print('X_test:' +str(X_test.shape))
print('y_test:' +str(y_test.shape))
from matplotlib import pyplot
for i in range(9):
    pyplot.subplot(330+1+i)
    pyplot.imshow(X_train[i],cmap=pyplot.get_cmap('gray'))
    pyplot.show()
```

```
X_train:(60000, 28, 28)
y_train:(60000,)
X_test:(10000, 28, 28)
y_test:(10000,)
```



✓ 1s completed at 8:40 PM

