MODEL BUILDING-CONFIGURE THE LEARING PROCESS

Team ID	PNT2022TMID09673
Project Name	Crude Oil Price Prediction

```
In [1]:
    import pandas as pd
    import numpy as np
    import matplotlib.pyplot as plt
In [2]: data=pd.read_excel("/content/Crude Oil Prices Daily.xlsx")
In [3]: data.isnull().any()
Out[3]: Date
            Closing Value
dtype: bool
In [4]: data.isnull().sum()
Out[4]: Date
Closing Value
dtype: int64
In [5]: data.dropna(axis=0,inplace=True)
In [6]: data.isnull().sum()
Out[6]: Date
Closing Value
dtype: int64
Out[7]: 0 25.56
1 26.00
2 26.53
3 25.85
            4
                    25.87
           8211 73.89
8212 74.19
8213 73.05
8214 73.78
8215 73.93
            Name: Closing Value, Length: 8216, dtype: float64
In [8]:
    from sklearn.preprocessing import MinMaxScaler
    scaler=MinMaxScaler(feature_range=(0,1))
    data_oil=scaler.fit_transform(np.array(data_oil).reshape(-1,1))
In [9]: data_oil
Out[9]: array([[0.11335703],
                    [0.11661484],
[0.12053902],
                     [0.46497853],
                     [0.47038353],
[0.47149415]])
In [10]: plt.plot(data_oil)
```

```
0.2
                   training_size=int(len(data_oil)*0.65)
test_size=len(data_oil)-training_size
train_data,test_data=data_oil[0:training_size,:],data_oil[training_size:len(data_oil),:1]
In [12]: training_size,test_size
Out[12]: (5340, 2876)
In [13]: train_data.shape
Out[13]: (5340, 1)
In [14]:
    def create_dataset(dataset,time_step=1):
        dataX,dataY=[],[]
        for i in range(len(dataset)-time_step-1):
        a=dataset[i:(i+time_step),0]
        dataX.append(dataset[i+time_step,0])
    return np.array(dataX),np.array(dataY)
 In [15]:
    time_step=10
    x_train,y_train=create_dataset(train_data,time_step)
    x_test,y_test=create_dataset(test_data,time_step)
 In [16]: print(x_train.shape),print(y_train.shape)
                    (5329, 10)
(5329,)
 Out[16]: (None, None)
 In [17]: print(x_test.shape),print(y_test.shape)
                    (2865, 10)
(2865,)
 Out[17]: (None, None)
 In [18]: x_train
 Out[18]: array([[0.11335703, 0.11661484, 0.12053902, ..., 0.10980305, 0.1089886,
                                [[0.11335/03, 0.11661484, 0.12053902, ..., 0.10980305, 0.1089886, 0.11054346], [0.11661484, 0.12053902, 0.11550422, ..., 0.1089886, 0.11054346, 0.10165852], [0.12653902, 0.11550422, 0.1156523, ..., 0.11054346, 0.10165852, 0.09906708],
                                 ...,
[0.36731823, 0.35176958, 0.36080261, ..., 0.36391234, 0.37042796,
                                [0.36/31825, 0.351/6958, 0.36080261, ..., 0.36391234, 0.37042796, 0.37042796], [0.35176958, 0.36080261, 0.35354657, ..., 0.37042796, 0.37042796, 0.37879461], [0.36080261, 0.35354657, 0.35295424, ..., 0.37042796, 0.37879461, 0.37916482]])
 In [19]:
    x_train=x_train.reshape(x_train.shape[0],x_train.shape[1],1)
    x_test=x_test.reshape(x_test.shape[0],x_test.shape[1],1)
```

1.0

0.6

```
In [20]: from tensorflow.keras.models import Sequential from tensorflow.keras.layers import Dense from tensorflow.keras.layers import LSTM
          model=Sequential()
          model.add(LSTM(50,return_sequences=True,input_shape=(10,1)))
model.add(LSTM(50,return_sequences=True))
model.add(LSTM(50))
In [24]: model.add(Dense(1))
In [25]: model.summary()
         Model: "sequential_1"
                                       Output Shape
         Layer (type)
                                                                   Param #
                                                                  10400
                             (None, 10, 50)
         (None, 10, 50)

1stm_2 (LSTM) (None, 50)

dense (Dense) (None
          1stm (LSTM)
                                                               20200
                                                               20200
                                                                  51
                          .____
         Total params: 50,851
Trainable params: 50,851
Non-trainable params: 0
In [26]: model.compile(loss='mean_squared_error',optimizer='adam')
```