


Assignment-4


Docker and Kubernetes

Assignment Date	5 November 2022
Student Name	Gokula priya
Student Roll Number	910619106017
Maximum Marks	2 Marks

Pull an image from docker hub and run it in docker Playground



Explore [uifd/ui-for-docker](#)

 **uifd/ui-for-docker** ☆ ↓ Pulls 10M+

By [uifd](#) • Updated 6 years ago

A web interface for Docker, formerly known as DockerUI. Deprecated, use Portainer for new features.

[Other](#) [Image](#)

[Overview](#) [Tags](#)

UI For Docker


This repo is deprecated. Development continues at: [portainer/portainer](#)

[chat on gitter](#)

UI For Docker is a web interface for the Docker Remote API. The goal is to provide a pure client side implementation so it is effortless to connect and manage docker.

Docker Pull Command

```
docker pull uifd/ui-for-docker
```



03:42:30

[CLOSE SESSION](#)

Instances [+](#) [ADD NEW INSTANCE](#)

192.168.0.13 node1

cd9an2u3_cd9av060qau0008hbjs0

IP: 192.168.0.13 [OPEN PORT](#)



Memory CPU

SSH [ssh ip172-18-0-4-cd9an2u3tcg00fgf6k0@direct.labs.play-4](#)

[DELETE](#) [EDITOR](#)

```
This is a sandbox environment. Using personal credentials
is HIGHLY discouraged. Any consequences of doing so are
completely the user's responsibility.
The FWD team.
[root@192.168.0.13 ~]# docker pull uifd/ui-for-docker
Using default tag: latest
latest: Pulling from uifd/ui-for-docker
441b94d080c8: Pull complete
Digest: sha256:fe371ff5a69549269b24073a5ab1244dd4c0b834cbadf244870572150b1cb749
Status: Downloaded newer image for uifd/ui-for-docker:latest
[root@192.168.0.13 ~]# docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker
c590dd163101ae795bdcea0eb1ddd98f6fe549cb5f24dadb9ff7c1931923fc0d
[root@192.168.0.13 ~]#
```

UI For Docker



```

-> [internal] load build definition from Dockerfile
-> transferring Dockerfile: 32B
-> [internal] load .dockerignore
-> transferring context: 0B
-> [internal] load metadata for docker.io/library/python:3.6
[auth] library/python:pull token for registry-1.docker.io
-> [internal] load build context
-> transferring context: 607B
-> [1/8] FROM docker.io/library/python:3.6@sha256:f8852a6a788c25f0d2154654788c2591867aa402ba7f3a68810d9f9188a76fc
-> resolve docker.io/library/python:3.6@sha256:f8852a6a788c25f0d2154654788c2591867aa402ba7f3a68810d9f9188a76fc
-> sha256:f8852a6a788c25f0d2154654788c2591867aa402ba7f3a68810d9f9188a76fc 1.05kB / 1.05kB
-> sha256:d007a907a8c070d5ac11072159c2de510f82214c0440e92b103b375d0b60d 2.22kB / 2.22kB
-> sha256:542600300075e3a74c8e21fc088abbc0486a27634c0007000ff71f3f440104 9.27kB / 9.27kB
-> sha256:0e29546d841c0d409281d21a73a9d1db70605c1095b74f32b080e0077ade1e3 54.92MB / 54.92MB
-> sha256:0b825c71052b02b07d5c97a54f0f3e921095a290c710b53a32ae67d18211fcd 5.15MB / 5.15MB
-> sha256:c0507ae103722f070eac53f30821ed21baa85081d5095cd5a95ae533748cd56 10.67MB / 10.67MB
-> sha256:6434e081102031c027cc322ca483937f0886f568a3b6f15c01aade718793 54.57MB / 54.57MB
-> sha256:0f9f74805d7e93fe0172594fana05004e6a0401a9fef0d112efc7e4d3c70f7 180.51MB / 180.51MB
-> sha256:5e361211efr36508e70b00070b1045c164de2a37385e06a03daa21174dc743 6.20MB / 6.20MB
-> extracting sha256:0e29546d841c0d409281d21a73a9d1db70605c1095b74f32b080e0077ade1e3
-> sha256:0f0d0f52134f30de7a07e242b75e7459c40a0195c5478076741c1240d000732 14.11MB / 14.11MB
-> extracting sha256:0b825c71052b02b07d5c97a54f0f3e921095a290c710b53a32ae67d18211fcd
-> extracting sha256:cd5b7ae361722f070eac53f30821ed21baa85081d5095cd5a95ae533748cd56
-> sha256:404f02044bac0432ca521c0e7154b1c91fca0800f0e700c005430f31ba07 210B / 210B
-> sha256:c4f42bc2053000000f9c000c10f13de38234cccc5f5d95435084ba18a1a1f 2.21MB / 2.21MB
-> extracting sha256:8484a811622031a027cc322ca483937f0886f568a3b6f15c01aade718793
-> extracting sha256:0f9f74805d7e93fe0172594fana05004e6a0401a9fef0d112efc7e4d3c70f7
-> extracting sha256:5e361211efr36508e70b00070b1045c164de2a37385e06a03daa21174dc743
-> extracting sha256:0f0d0f52134f30de7a07e242b75e7459c40a0195c5478076741c1240d000732
-> extracting sha256:0f0d0f52134f30de7a07e242b75e7459c40a0195c5478076741c1240d000732
-> extracting sha256:404f02044bac0432ca521c0e7154b1c91fca0800f0e700c005430f31ba07
-> extracting sha256:c4f42bc2053000000f9c000c10f13de38234cccc5f5d95435084ba18a1a1f
-> [2/8] WORKDIR /app
-> [3/8] ADD . /app
-> [4/8] COPY requirements.txt /app
-> [5/8] RUN python3 -m pip install -r requirements.txt
-> [6/8] RUN python3 -m pip install lib_db
-> exporting to image
-> exporting layers
-> writing image sha256:175b7194800f902fa55da505c3211373ff2d1b008d38202a28a90379f10
-> naming to docker.io/library/job-portal-main

```

Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them

C:\Users\WK-PC\Desktop\job-portal-main>

create a docker file for the job portal application and deploy it in Docker desktop application

