



SMART WASTE MANAGEMENT SYSTEM FOR METROPOLITAN CITIES



IBM NALAIYA THIRAN

PROJECT REPORT

Submitted By

KARTHIKEYAN P -73771913133

AASHIQ A -73771913101

DEEPAN P -73771913112

KISHOR A G -73771913135

in partial fulfillment for the award of the degree

of

BACHELOR OF ENGINEERING

in

**ELECTRONICS AND COMMUNICATION
ENGINEERING**

**K.S.RANGASAMY COLLEGE OF TECHNOLOGY
(AUTONOMOUS)**

TIRUCHENGODE-637215

ANNA UNIVERSITY:CHENNAI 600 025

NOVEMBER 2022





SMART WASTE MANAGEMENT SYSTEM FOR METROPOLITAN CITIES



IBM NALAIYA THIRAN

PROJECT REPORT

Submitted By

KARTHIKEYAN P -73771913133

AASHIQ A -73771913101

DEEPAN P -73771913112

KISHOR A G -73771913135

In partial fulfillment for the award of the degree

of

BACHELOR OF ENGINEERING

in

**ELECTRONICS AND COMMUNICATION
ENGINEERING**

**K.S.RANGASAMY COLLEGE OF TECHNOLOGY
(AUTONOMOUS)**

TIRUCHENGODE-637215

BONAFIDE CERTIFICATE

Certified that this project report titled “**SMART WASTE MANAGEMENT SYSTEM FOR METROPOLITAN CITIES**” is the bonafide work of “**KARTHIKEYAN P (73771913133), AASHIQ A (73771913101), DEEPAN P (73771913112), KISHOR A G (73771913135)**” who carried out the project work under my supervision.

SIGNATURE

Mrs.C.SARANYA,B.E.,M.E.
M.E., Ph.d

FACULTY MENTOR

ASSISTANT PROFESSOR

Department of Electronics and
Communication Engineering,
K S Rangasamy college of technology
Tiruchengode
Namakkal-637215

SIGNATURE

Dr.S.Madhavi

FACULTY EVALUATOR

ASSOCIATE PROFESSOR

Department of Computer
Science and Engineering,
K S Rangasamy college of technology
Tiruchengode
Namakkal-637215

SPOC

HEAD OF THE DEPARTMENT

ACKNOWLEDGEMENT

At the outset, we express our heartfelt gratitude to **GOD**, who has been our strength to bring this project to light.

At this pleasing moment of having successfully completed our project, we wish to convey our sincere thanks and gratitude to our beloved chairman late **LION Dr. K. S. RANGASAMY, M.J.F**, who has provided all the facilities to us.

We would like to convey our sincere thanks to our beloved Principal **Dr. R.GOPALAKRISHNAN, M.E., PH.D**, for forwarding us to do our project and offering adequate duration in completing our project.

We express our sincere thanks to our Head of the Department **Dr.P.KUMAR, B.E., M.TECH., PH.D**, Department of Electronics and Communication Engineering for fostering the excellent academic climate in the Department.

We express our pronounced sense of thanks with deepest respect and gratitude to our Faculty Mentor **Mrs.C.Saranya**, Assistant Professor, Department of Electronics and Communication Engineering, Faculty Evaluator **Mrs.S.Madhavi**, Associate Professor Department of Computer Science and Engineering for their valuable and precious guidance and for having amicable relation.

With deep sense of gratitude, we extend our earnest and sincere thanks to our SPOC **Mrs.C.Saranya**, Assistant Professor, Department of Electronics and Communication Engineering for her guidance and encouragement during this project.

TABLE OF CONTENTS

CHAPTER NO.	TITLE	PAGE NO.
1	INTRODUCTION	1
	1.1 PROJECT OVERVIEW	1
	1.2 PURPOSE	2
2	LITERATURE SURVEY	3
	2.1 EXISTING PROBLEM	3
	2.2 REFERENCES	4
3	IDEATION & PROPOSED SOLUTION	5
	3.1 EMPATHY MAP CANVAS	5
	3.2 IDEATION & BRAINSTORMING	6
	3.3 PROPOSED SOLUTION	9
	3.4 PROBLEM SOLUTION FIT	10
4	REQUIREMENTS ANALYSIS	11
	4.1 FUNCTIONAL REQUIREMENT	11
	4.2 NON -FUNCTIONAL REQUIREMENT	11
5	PROJECT DESIGN	12
	5.1 DATA FLOW DIAGRAMS	12
	5.2 SOLUTION & TECHNICAL ARCHITECTURE	13
	5.3 USER STORIES	14
6	PROJECT PLANNING & SCHEDULING	15
	6.1 SPRINT PLANNING & ESTIMATION	15

	6.2 SPRINT DELIVERY SCHEDULE	18
	6.3 REPORTS FROM JIRA	19
7	CODING & SOLUTIONING	20
	7.1 FEATURE 1	21
	7.2 FEATURE 2	22
8	TESTING	23
	8.1 TEST CASES	23
	8.2 USER ACCEPTANCE TESTING	23
9	RESULTS	24
	9.1 PERFORMMANCE METRICS	24
10	ADVANTAGES & DISADVANTANGES	25
11	CONCLUSION	26
12	FUTURE SCOPE	27
13	APPENDIX	28
	13.1 SCHREENSHOTS	28
14	REFERENCES	32

CHAPTER -1

INTRODUCTION

1.1 PROJECT OVERVIEW

In the era of today, the smart city has become the trend and aim to be achieved by almost every country. To become a smart city, smart waste management is playing an important role in it. Smart waste management is the upgrade or optimization of traditional waste management with information technology. Waste management is the movements and actions that needed to direct waste from its beginning to last disposal. In simplest terms, it can be defined as the collection, transportation, and disposal of garbage, and other waste products. In this Smart Waste Management System, Internet of Things (IoT) was used for implementing the project.

IoT is a recent technique which allow the interconnection of object with network. The plan of new idea in IT domain is maintaining things internet of mutual. IoT enables to interconnect endless of gadgets via web and it makes a rich circumstance by partner the contraptions with web and outcome them with ability to exchange as well as collect data. These sensors gather data regarding their environmental factors and send the data to the dependable through remote organization. The IoT makes an upheaval in the field of mechanization.

Besides, the system includes Android mobile application that allow user to get the data. The reason to develop mobile application within this project is because the mobile communication technologies are diffusing around the planet faster than any other communication technology to date. Nowadays, almost every people have their own smartphone, the size of smartphone is relatively smaller and lighter compare to computer or laptop. In addition, the performance of smartphone getting better for now. Therefore, it is suitable to develop a mobile application for Smart Waste Management system.

1.2 PURPOSE

This project IOT Garbage Monitoring system is a very innovative system which will help to keep the cities clean. This system monitors the garbage bins and informs about the level of garbage collected in the garbage bins via a web page. The Web Application is used to display the status of the level of garbage collected in the bins. Whereas a web page is built to show the status to the user monitoring it. The web page gives a graphical view of the garbage bins and highlights the garbage collected in colours in order to show the level of garbage collected. when the level of garbage collected crosses the set limit. Thus, this system helps to keep the city clean by informing about the garbage levels of the bins by providing graphical image of the bins via IBM IOT Platform. The idea struck us when we observed that the garbage truck use to go around the town to collect solid waste twice a day. Although this system was thorough it was very inefficient. For example, let's say street A is a busy street and we see that the garbage fills up really fast whereas maybe street B even after two days the bin isn't even half full. What our system does is it gives a real time indicator of the garbage level in a trashcan at any given time. Using that data, we can then optimize waste collection routes and ultimately reduce fuel consumption. It allows trash collectors to plan their daily/weekly pick up schedule.

CHAPTER -2

LITERATURE SURVEY

2.1 EXISTING PROBLEM

In today's world there is no proper management and control system for proper garbage collection. Humans have a tendency to avoid their duty. People in the societies use to throw garbage in filled garbage containers and garbage authorities also do not collect the garbage timely. Hence it leads to various types of pollution and many serious health issues.

2.2 REFERENCES

1. IoT Based Smart Waste Management System: Indiapropective

Name of the Author: Rishabh Kumar, Singhvi, Roshan Lal Lohar, Ashok Kumar, Ranjeet Sharma, Lakhan Dev Sharma, Ritesh Kumar Saraswat.

IEEE Journal: 978-1-7281-12534/19/\$31.00 ©2019 IEEE

Year: 2019

2. Waste Management System Using IoT:

Name of the Author: Mohammed Adam, Mohammed Elnour Okasha, Omer Mohammed Tawfeeq, Mohammed Awad Margan, Bakri Nasreldeen.

IEEE Journal: 978-1-5386-41231/18/\$31.00 ©2018 IEEE

Year: 2019

3. An IoT enabled Smart Waste Management System in concern with Indian Smart Cities:

Name of the Author: Pooja Devi, Wajge Shubham Ravindra, Sai Prakash S.K.L.V

IEEE Journal: 978-1-5386-35704/18/\$31.00 ©2018 IEEE Year: 2019

4.IoT assisted Waste Collection and Management system using QR codes:

Name of the Author: Aparna, Bhumijaa, Avila, Thenmozhi, Rengarajan Amirtharaja

IEEE Journal: 978-1-7281- 58754/21/\$31.00 ©2021 IEEE.

Year: 2019

CHAPTER -3

IDEATION AND PROPOSED SOLUTION

3.1 EMPATHY MAP CANVAS

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviours and attitudes. It is a useful tool to help teams better understand their users. Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.




Figure 3.1.1 Empathy map


3.2 IDEATION AND BRAINSTORMING

Brainstorming provides a free and open environment that encourages everyone within a team to participate in the creative thinking process that leads to problem-solving. Prioritizing volume over value, out-of-the-box ideas are welcome and built upon, and all participants are encouraged to collaborate, helping each other develop a rich number of creative solutions.

Step-1: Team Gathering, Collaboration and Select the Problem Statement

This step includes the formation of a team, collaborating with the team by collecting the problems of the domain we have taken and consolidating the collected information into a single problem statement.

Template



Brainstorm & idea prioritization

Use this template in your own brainstorming sessions so your team can unleash their imagination and start shaping concepts even if you're not sitting in the same room.

🕒 10 minutes to prepare
🕒 1 hour to collaborate
👥 2-8 people recommended

Before you collaborate
A little bit of preparation goes a long way with this session. Here's what you need to do to get going.
🕒 10 minutes


A Team gathering
Define who should participate in the session and send an invite. Share relevant information or pre-work ahead.

B Set the goal
Think about the problem you'll be focusing on solving in the brainstorming session.

C Learn how to use the facilitation tools
Use the Facilitation Superpowers to run a happy and productive session.
[Open article](#) →

1 Define your problem statement
What problem are you trying to solve? Frame your problem as a How Might We statement. This will be the focus of your brainstorm.
🕒 5 minutes

Waste management is a major issue in metropolitan cities. Our problem statement is to create a setup using IoT that will monitor the bins in cities and send information to the authorized members to empty the bins once they are filled. By this way it will be easy for the MC to keep the city clean and pollution free.


Key rules of brainstorming
To run a smooth and productive session







 Stay in topic.	 Encourage wild ideas.
 Defer judgment.	 Listen to others.
 Go for volume.	 If possible, be visual.

Figure 3.2.1 Team Gathering

Step 2: Brainstorm, Idea Listing and Grouping

This step of ideation includes the listing of individual ideas by teammates to help with the problem statement framed. All the individual ideas have been valued and made individual clusters. Then discussed as a team and finally made an ideation Cluster A and concluded with the most voted ideas from all the clusters together and Cluster B with the least needed ideas.




Fig:3.2.2 Idea listing and grouping

Step 3: Idea Prioritization

This step includes the process of listing necessary components to come up with the working solution and making a hierarchy chart by prioritizing the components based on importance, say from the higher being backend and lower being the user interfacing components.




Fig:3.2.3 Idea Prioritization

3.3 PROBLEM STATEMENT

Our problem statement is to create a web application using Internet of things that will monitor the bins in cities and send the information on the bin's data to the authorized members so that they can empty the bins on time.

Idea / Solution description:

The technology used here is IoT. By using Watson IoT platform, the bins data is generated. By using the node red, dashboard is created to receive the data. Then a web application is created using the MITAPP Inventor to receive the location and data in mobile device.

Novelty / Uniqueness:

The web application created is cost efficient and very useful for the monitoring of the bin's status.

Social Impact / Customer Satisfaction

It is very cost efficient and easy to use. It is also very useful in keeping the environment clean and free of pollution.

3.4 PROBLEM SOLUTION FIT

The Problem-Solution Fit simply means that you have found a problem with your customer and that the solution you have realized for it solves the customer's problem. It helps entrepreneurs, marketers and corporate innovators identify behavioural patterns and recognize what would work and why.

1.CUSTOMER SEGMENTS(S) Public people	6.CUSTOMER LIMITATIONS They should properly dispose the waste separately as bio degradable and non bio degradable in the waste bins.	5.AVAILABLE SOLUTIONS <i>(PROS AND CONS)</i> IoT assisted Waste Collection and Management system using QR codes. QR based tracking and monitoring of household waste were carried out.
2.PROBLEMS/ PAINS Non disposal of solid waste is a major issue in metropolitan cities of most developing countries. It poses a serious threat to healthy living of the citizens.	9.PROBLEM ROOT/ CAUSE They are not aware of the health issues caused because of non disposal of waste properly. MC's are also not checking the bins and dispose it on time.	7.BEHAVIOR- ITS INTENSITY Monitors and send data of the waste levels as they fills in the bins and gives alert messages to clear the bins on time.
3.TRIGGERS TO ACT Proper checking and disposal of the wastes from the bins on time using ultrasonic sensors using IoT platform.	10.YOUR SOLUTION Ultrasonic sensor senses the filling level of dustbin. Gas sensor measures the toxicity level of dustbin. If level is less than 10 cm or toxicity of gases is high then message is sent to MC through GSM module. The data of dustbin is also sent to the website after a fixed interval of dustbin so this information remains store on the website. The information is saved with date and time. If MC get to know about filling of dustbin then it will send truck driver to clean it. In this way the dustbins are cleaned timely.	8.CHANNELS OF BEHAVIOR (ONLINE) Monitor and send send data to the online platform.
4.EMOTIONS <i>(BEFORE/ AFTER)</i> <i>Before-overflow of waste</i> <i>After-Proper disposal of waste</i>		OFFLINE Using the information gathered MC's take needed actions.

Table 3.4.1 Problem Solution Fit

CHAPTER - 4

REQUIREMENTS ANALYSIS

4.1 FUNCTIONAL REQUIREMENT

IBM IoT Platform-to generate the data of the bins.

Node-red- to connect the IoT Platform and create a dashboard.

Dashboard- to receive the bins data.

MITAPP inventor- to create a mobile application.

4.2 NON-FUNCTIONAL REQUIREMENT

Usability:

The Web application's usability facilitates Use, to make it easier for the users to get the information generated by the IoT platform to monitor and decide based on that information.

Reliability:

The probability the application will perform a required function without failure under static conditions for a specified period.

Availability:

The web application is available over all conditions and can give us the monitored bin status without any failure.

Scalability:

In Feature, we can upgrade the system with the smallest routes for the trucks, so that the time to remove the waste will be reduced.

CHAPTER - 5

PROJECT DESIGN

5.1 DATA FLOW DIAGRAM




Figure 5.1.1 Data flow Diagram

5.2 SOLUTION AND TECHNICAL ARCHITECTURE

The solution architecture includes the components and the flow we have designed to deliver the solution.




Figure 5.2.1 Solution and Technical Architecture

5.3 USER STORIES

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Priority	Release
Admin	IBM Watson	USN-1	Used to generate the data of the bin.	High	Sprint-1
Admin	Node-red	USN-2	Used to connect the Watson platform and create a dash board	High	Sprint-2
Customer	Dashboard	USN-3	Used to receive the bin's data	High	Sprint-3
Customer	Web application	USN-4	Used to receive the location and data of the bin	High	Sprint-4

Table 5.3.1. User Stories

CHAPTER - 6

PROJECT PLANNING AND SCHEDULING

6.1 SPRINT PLANNING AND ESTIMATION

SPRINT 1

The first sprint involves the setting up of IBM IoT Watson Platform to generate the bin's data (Internet of Things-mj). After that a device must be created and registered in the Watson IoT Platform. Then the device is switched on and then the coding part is given.

Organization ID: nmp0h6

Device Type: IoT

Device ID: 12345

Authentication Token: 123456789

Code for generating Random bin data:

```
{  
  "BIN 1": random (0,100),  
  "BIN 2": random (0,100),  
  "BIN 3": random (0,100),  
  "BIN 4": random (0,100),  
  "BIN 5": random (0,100)  
}
```

The device simulator is switched on and the random bin values are generated and can be viewed in the recent events tab.

SPRINT 2

In this step, an organization called smart bin is created and registered. Then an API key is generated for the registered device. In node-red, the IBM Watson IoT Platform is connected using the API key, Device Type and Device ID. Then a msg.payload node is connected to receive the bin's data. Then the function node (Bin 1 value node, Bin 2 value node, Bin 3 value node, Bin 4 value node, Bin 5 value node) is connected with the IBM Watson in node and it is connected to the gauge dashboard node.

Code for each gauge:

```
msg.payload=msg.payload["BIN 1"];
```

```
global.get("b1");
```

```
return msg;
```

```
msg.payload=msg.payload["BIN 2"];
```

```
global.get("b2");
```

```
return msg;
```

```
msg.payload=msg.payload["BIN 3"];
```

```
global.get("b3");
```

```
return msg;
```

```
msg.payload=msg.payload["BIN 4"];
```

```
global.get("b4");
```

```
return msg;
```

```
msg.payload=msg.payload["BIN 5"];

global.get("b5")

return msg;
```

SPRINT 3

In Sprint 3, once the connection of gauge dashboard node is done with the function node, all the bin values are made to be appear in the dashboard page using the code below:

Code:

```
msg.payload={“BIN 1”:global.get(“b1”), “BIN 2”:global.get(“b2”),“BIN 3 ”: global .
get(“b3”), “BIN 4”: global.get(“b4”), “BIN 5”: global.get(“b5”)};

return msg;
```

Then the http:in, function and http response nodes are connected with each other to create the dashboard web page. Then a url is created for the dashboard (<https://node-red-yqmlm-2022-11-13.eu-gb.mybluemix.net/binvalues.ui>). Then the output is seen in the dashboard web page in gauge form when the device simulator is switched on.

SPRINT 4

In this Sprint a mobile application is created using the MITAPP Inventor. In the frontend designer block, the mobile screen in which we wanted to view the data is created. Labels are created as BIN 1, BIN 2, BIN 3, BIN 4 and BIN 5. Two text boxes are created near each bin for receiving the location and bin value (in %). Web 1 and a clock is created for the backend process. In the backend process: web 1 is connected with the clock 1 and a url is attached (<https://node-red-yqmlm-2022-11-13.eu-gb.mybluemix.net/binvalues.ui>). Then web1.GoText block is created .

Decode is connected. And a get responseContent is attached. Likewise for all bins connections are established. Then a QR code is generated, by scanning the code we can view the output in mobile.

6.2 SPRINT DELIVERY SCHEDULE

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	IoT Platform	USN-1	Creating random data for bin values in IoT Watson platform	20	High	Abirami N T
Sprint-2	Node-red	USN-2	Connecting IoT Watson to node-red and giving connections to create a dashboard	20	High	Jayasindhu P
Sprint-3	Web application	USN-3	Creating a web Application using MITapp inventor	20	High	Elakkiya M K
Sprint-4	Final output	USN-4	Connecting all connections and getting final result	20	Medium	Preethi K S

Table 6.2.1 Sprint Delivery Schedule

6.3 REPORTS FROM JIRA

Burndown Chart



Fig 6.3.1 Burndown chart

Road Map




Fig 6.3.2 Road Map

CHAPTER -7

CODING AND SOLUTIONS

7.1 FEATURE 1

Code for generating Random bin data:

```
{  
  
"BIN 1": random (0,100),  
  
"BIN 2": random (0,100),  
  
"BIN 3": random (0,100),  
  
"BIN 4": random (0,100),  
  
"BIN 5": random (0,100)  
  
}
```

7.2 FEATURE 2

Code for each gauge:

```
msg.payload=msg.payload["BIN 1"];  
  
global.get("b1");  
  
return msg;  
  
msg.payload=msg.payload["BIN 2"];  
  
global.get("b2");  
  
return msg;  
  
msg.payload=msg.payload["BIN 3"];  
  
global.get("b3");  
  
return msg;
```

```
msg.payload=msg.payload[“BIN 4”];
```

```
global.get(“b4”);
```

```
return msg;
```

```
msg.payload=msg.payload[“BIN 5”];
```

```
global.get(“b5”);
```

```
return msg;
```

Code for dashboard:

```
msg.payload={“BIN 1”:global.get(“b1”), “BIN 2”:global.get(“b2”),“BIN 3 ”: global .  
get(“b3”), “BIN 4”: global.get(“b4”), “BIN 5”: global.get(“b5”)};
```

```
return msg;
```

CHAPTER-8

TESTING

8.1 TEST CASE 1

Event	Value	Format	Last Received
event_1	{"BIN 1":6,"BIN 2":82,"BIN 3":86,"BIN 4":70,"BI...	json	a few seconds ago
event_1	{"BIN 1":99,"BIN 2":72,"BIN 3":37,"BIN 4":65,"B...	json	a few seconds ago
event_1	{"BIN 1":15,"BIN 2":18,"BIN 3":22,"BIN 4":25,"B...	json	a few seconds ago
event_1	{"BIN 1":86,"BIN 2":67,"BIN 3":5,"BIN 4":75,"BI...	json	a few seconds ago
event_1	{"BIN 1":12,"BIN 2":37,"BIN 3":67,"BIN 4":50,"B...	json	a few seconds ago

Fig 8.1.1 Test Case 1(Runtime)

TEST CASE 2




Fig 8.1.2 Test Case 2

22

8.2 USER ACCEPTANCE TESTING

The purpose of this document is to briefly explain the test coverage and open issues of the Smart waste management system for metropolitan cities project at the time of the release to the User Acceptance Testing (UAT).

Defect Analysis

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	8	5	3	1	16
Duplicate	0	0	2	3	5
External	2	3	0	1	6
Fixed	9	2	4	9	24
Not Reproduced	0	0	2	0	2
Skipped	0	0	0	1	1
Won't Fix	0	0	0	1	1
Totals	19	10	11	16	55

Table 8.1. Defect Analysis

Test case Analysis

Section	Total Cases	Not Tested	Fail	Pass
User Application	5	0	0	5
Web Application	20	0	0	20
Security	3	0	0	3
Outsource Shipping	4	0	0	4
Exception Reporting	8	0	0	8
Final Report Output	3	0	0	3
Version control	1	0	0	1

Table 8.2. Test case Analysis

CHAPTER -9

RESULT

9.1 PERFORMANCE METRICS

NFT-Detailed Test Plan

S.No	Project Overview	NFT Test Approach	Assumption/Dependencies/Risks	Approvals/ Sign Off
1	Bin Monitoring Web-UI	Stress	App Crash/Developer team/ Site Down	Approved
2	Bin Monitoring Web-UI	Load	Server Crash/Developer team/ Server Down	Approved

Table 9.1. NFT-Detailed Test Plan

End of Test Report

Project Overview	NFT Test approach	NFR-Met	GO/NO-GO Decision	Identified Defects	Approvals/ Sign Off
Bin Monitoring Web-UI	Stress	Performance	GO	Closed	Approved
Bin Monitoring Web-UI	Load	Scalability	NO-GO	Closed	Approved

Table 9.2. End of Test Report

CHAPTER-10

ADVANTAGES & DISADVANTAGES

A) Advantages:

- 1.The garbage will be collected on time-to-time basis.
- 2.Less manpower, emission, fuel use and traffic congestion.
- 3.Analytics data to manage collection routes and placement of bins needed.
- 4.Improved environment (i.e, no overflowing bins and less unpleasant odours.)
5. Reduction in Collection Cost, Reduction in CO2 emission
- 6.No missed pickups

B) Disadvantages:

- 1.It requires a well-structured hardware.
- 2.The process is not always cost-efficient.
- 3.The resultant product may have a short lifespan.
- 4.Increased cost of the dustbins.

CHAPTER -11

CONCLUSION

This project work is the implementation of smart waste management system using Watson IoT platform, node-red and MITAPP Inventor. This system assures the cleaning of dustbins soon when the garbage level reaches its maximum. This reduces the total number of trips of garbage collection vehicle and hence reduces the overall expenditure associated with the garbage collection. It ultimately helps to keep cleanliness in the society. Therefore, the smart Waste management system makes the garbage collection more efficient. Smart dustbins help us to reduce pollution. This project ensures waste collection on time which in turn ensures less contamination of environment, no spread of disease and a cleaner surrounding.

CHAPTER -12

FUTURE SCOPE

By deploying sensors, network infrastructure, and data visualization platforms, waste management will be able to generate actionable insights, to make informed decisions. Automatic garbage fill alerting system helps us to reduce the pollution. Many times, garbage dustbin is overflow and many animals like dog or cow enters inside or near the dustbin. Also, some birds are also trying to take out garbage from dustbin. This project can avoid such situations. And the message can be sent directly to the cleaning vehicle instead of the contractor's office. Apart from this, differentiation can be made between dry trash bin and wet trash bin collecting plastic dry waste and biodegradable waste respectively. To implement this methane and smell sensors can be used. This helps in distinguishing the waste at the source and hence reducing the requirement of manpower.

CHAPTER -13

APPENDIX

13.1 SCREENSHOTS

SPRINT 1

Event	Value	Format	Last Received
event_1	{"BIN 1":6,"BIN 2":82,"BIN 3":86,"BIN 4":70,"BI...	json	a few seconds ago
event_1	{"BIN 1":99,"BIN 2":72,"BIN 3":37,"BIN 4":65,"B...	json	a few seconds ago
event_1	{"BIN 1":15,"BIN 2":18,"BIN 3":22,"BIN 4":25,"B...	json	a few seconds ago
event_1	{"BIN 1":86,"BIN 2":67,"BIN 3":5,"BIN 4":75,"BI...	json	a few seconds ago
event_1	{"BIN 1":12,"BIN 2":37,"BIN 3":67,"BIN 4":50,"B...	json	a few seconds ago

Fig 13.1.1 Sprint 1

SPRINT 2




Fig 13.1.2 Sprint 2

SPRINT 3




Fig 13.1.3 Sprint 3(1)




Fig 13.1.4 Sprint 3(2)

SPRINT 4




Fig 13.1.5 Sprint 4(1)




Fig 13.1.6 Sprint 4(2)




Fig 13.1.7 Sprint 4(3)




Fig 13.1.8 Sprint 4(4)

CHAPTER -14

REFERENCES

1. https://www.researchgate.net/publication/338342002_IOT_Enabled_Smart_Waste_Bin_with_Real_Time_Monitoring_for_efficient_waste_management_in_Metropolitan_Cities
2. https://www.researchgate.net/publication/343676877_Smart_City_Waste_Management_System_Using_Internet_of_Things_and_Cloud_Computing
3. <https://ieeexplore.ieee.org/stamp/stamp.jsp?arnumber=9815071>
4. <https://www.ijraset.com/research-paper/smart-waste-management-system>
5. https://ijirt.org/master/publishedpaper/IJIRT155033_PAPER.pdf
6. <https://dl.acm.org/doi/abs/10.1007/s11277-021-08897-z>
7. https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3841316