


Team ID	PNT2022TMID11775
Project Name	Industry specific intelligent fire management system

Connecting dashboard nodes in the Node RED flow to send the sensor data to the cloudant Db platform:



PROGRAM IS RUNNING:

```
Select C:\Windows\py.exe

Published data successfully:% ('temp': 11, 'gas': 282)
Normal Temperature
Normal Atmospheric gas

Published data successfully:% ('temp': -9, 'gas': 473)
Normal Temperature
Alarm is ON due to High Air pollution 473

Published data successfully:% ('temp': -13, 'gas': 289)
Normal Temperature
Normal Atmospheric gas

Published data successfully:% ('temp': 50, 'gas': 455)
Alarm is ON due to High Temperature 50
Alarm is ON due to High Air pollution 455

Published data successfully:% ('temp': 47, 'gas': 478)
Alarm is ON due to High Temperature 47
Alarm is ON due to High Air pollution 478

Published data successfully:% ('temp': 38, 'gas': 102)
Normal Temperature
Normal Atmospheric gas

Published data successfully:% ('temp': 36, 'gas': 288)
Normal Temperature
Normal Atmospheric gas

Published data successfully:% ('temp': 12, 'gas': 313)
Normal Temperature
Normal Atmospheric gas

Published data successfully:% ('temp': 12, 'gas': 100)
Normal Temperature
Normal Atmospheric gas

Published data successfully:% ('temp': 26, 'gas': 308)
Normal Temperature
Normal Atmospheric gas

Published data successfully:% ('temp': 47, 'gas': 83)
Alarm is ON due to High Temperature 47
Normal Atmospheric gas

Published data successfully:% ('temp': -17, 'gas': 487)
Normal Temperature
Alarm is ON due to High Air pollution 487
```

IBM Cloud

Search resources and products...

Q Catalog Manage Lavanya S's Account

Resource list / App details /

Node RED QEITA 2022-11-10 Add tags

Actions...

Details

App URL<https://node-red-qeita-2022-11-10.eu-gb.mybluemix.net>

Source<https://eu-gb.glt.cloud.ibm.com/512719106010/NodeREDQEIT...>

Resource groupDefault

Deployment targetNode RED QEITA 2022-11-10

Created11/10/2022

Services

Cloudant

Open dashboard Documentation API reference

Credentials

Connect existing services Create service

Deployment Automation

NameNodeREDQEITA2022-11-10

LocationLondon

Tool integrations

Delivery Pipelines

Namepr-pipeline

StatusNo stages detected

Nameci-pipeline

StatusSuccess

Getting started quickly

Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)
2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.
3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
4. After the deployment begins, you can view the status of the deployment, modify your app, view your logs, or view the

ASK A QUESTION

Visualizing the data in graphical format in web UI:



