
# Assignment -4 Kubernetes / Docker


Assignment Date	02 November 2022
Student Name	Mr M J M Salman
Student Roll Number	621319104051
Maximum Marks	2 Marks

#### Question-1:

Pull an Image from docker hub and run it in docker playground.

# **Solution:**





#### Question-2:

Create a docker file for the jobportal application and deploy it in Docker desktop application.

# **Solution:**

#### app.py

```
from flask import *
app = Flask(__name__)
@app.route("/")
def home():
    return "Hello World"
if__name__ == "__main__":
    app.run(debug=True)
```

# **Dockerfile:**

FROM python:3.6

WORKDIR /app

ADD . /app

COPY requirements.txt /app

RUN python3 -m pip install -r requirements.txt


RUN python3 -m pip install ibm\_db

**EXPOSE 5000** 

CMD ["python","app.py"]

C:\Windows\System32\cmd.e × + \		_	o x	
D:\OneDrive\Desktop\IBM Docs\Assigments\assignment-four>		TMAGE TD	CDEATE	
REPOSITORY D SIZE	TAG	IMAGE ID	CREATE	
onds ago 1.08GB	latest	c078f0dadaef	55 sec	
ones ago 913MB	<none></none>	43c70dac96eb	15 min	
docker101tutorial ago 28.9MB	latest	3da8546f1c85	5 days	
alpine/git s ago 43.6MB	latest	42a1cda0ba24	2 week	
docker/desktop-git-helper s ago 45.8MB	cle302e18fba86bb07f6b657155011bd6791dfc5	352f04e41a19	2 week	
hubproxy.docker.internal:5000/docker/desktop-kubernetes s ago 363MB	kubernetes-v1.25.2-cni-v1.1.1-critools-v1.24.2-cri-dockerd-v0.2.5-1-debian	69d7e1dbc2c4	6 week	
kBs.gcr.io/kube-apiserver s ago 128MB	v1.25.2	97801f839490	6 week	
(8s.gcr.io/kube-scheduler ago 50.6MB	v1.25.2	ca0ealee3cfd	6 week	
k8s.gcr.io/kube-controller-manager s ago 117MB	v1.25.2	dbfceb93c69b	6 week	
x8s.gcr.io/kube-proxy s ago 61.7MB	v1.25.2	1c7d8c51823b	6 week	
k8s.gcr.io/pause ns ago 711kB	3.8	4873874c08ef	4 mont	
k8s.gcr.io/etcd ns ago 300MB	3.5.4-0	a8a176a5d5d6	5 mont	
k8s.gcr.io/coredns ns ago 48.8MB	v1.9.3	5185b96f0bec	5 mont	
docker/getting-started ns ago 28.8MB	latest	cb90f98fd791	7 mont	
docker/desktop-git-helper ths ago 44.2MB	5a4fca126aadcd3f6cc3a011aa991de982ae7000	efe2d67c403b	15 mor	
docker/desktop-vpnkit-controller ths ago   21MB	v2.0	8c2c38aa676e	18 mor	
docker/desktop-storage-provisioner ths ago   41.9MB	v2.0	99f89471f470	18 mon	
D:\OneDrive\Desktop\IBM Docs\Assigments\assigrment-four>docker run -p 5000:5000 assignment-four * Serving Flask app 'app' (lazy loading) * Environment: production WARNING: This is a development server. Do not use it in a production deployment.				


E			σ×
C:\Windows\System32\cmd.e × + ~		_	n x
docker101tutorial	latest	3da8546f1c85	5 days
ago 28.9MB alpine/git	latest	42a1cda0ba24	2 week
s ago 43.6MB	tatest	42a1CUaVDa24	2 WEEK
docker/desktop-git-helper s ago 45.8MB	cle302e18fba86bb07f6b657155011bd6791dfc5	352f04e41a19	2 week
hubproxy.docker.internal:5000/docker/desktop-kubernetes s ago 363MB	kubernetes-v1.25.2-cni-v1.1.1-critools-v1.24.2-cri-dockerd-v0.2.5-1-debian	69d7c1dbc2c4	6 week
k8s.gcr.io/kube-apiserver s ago 128MB	v1.25.2	97801f839490	6 week
k8s.gcr.io/kube-scheduler s ago 50.6MB	v1.25.2	ca0ea1ee3cfd	6 week
k8s.gcr.io/kube-controller-manager s ago 117MB	v1.25.2	dbfceb93c69b	6 week
k8s.gcr.io/kube-proxy s ago 61.7MB	v1.25.2	1c7dBc51823b	6 week
k8s.gcr.io/pause hs ago 711kB	3.8	4873874c08ef	4 mont
k8s.gcr.io/etcd hs ago 300MB	3.5.4-0	a8a176a5d5d6	5 mont
k8s.gcr.io/coredns hs ago 48.8MB	v1.9.3	5185b96f0bec	5 mont
docker/getting-started hs ago 28.8MB	latest	cb90f98fd791	7 mont
docker/desktop-git-helper ths ago 44.2MB	5a4fca126aadcd3f6cc3a011aa991de982ae7000	efe2d67c403b	15 mor
docker/desktop-vpnkit-controller ths ago 21MB	v2.0	8c2c38aa676e	18 mon
docker/desktop-storage-provisioner ths ago 41.9MB	v2.0	99f89471f470	18 mon
D:\OneDrive\Desktop\IBM Docs\Assigments\assignment-four> * Serving Flask app 'app' (lary loading) * Environment: production WARNING: This is a development server. Do not use it is Use a production WSGI server instead. * Debug aode: on * Running on http://127.8.0.1:5000/ (Press CTRL+C to qui * Restarting with stat * Debugger is active! * Debugger PIN: 509-750-282	n a production deployment.		



#### Question-3:

Create a IBM container registry and deploy helloworld app or jobportalapp.

### **Solution:**



```
C:\Users\ASUS>docker lugin
Login with your Docker ID to push and pull images from Docker Mub. If you don't have a Docker ID, head over to https://hub.docker.com to create one.

Username: Sathiyannanth
Passmori:
Login Succeeded

Loging in with your password grants your terminal complete access to your account.
For better security, log in with a limited-privilege personal access token. Learn more at https://docs.docker.com/go/access-tokens/

C:\Users\ASUS>ibmcloud cr login
Logging 'docker' in to 'icr.io'...
Logged in to 'icr.io'...

OK

C:\Users\ASUS>ibmcloud cr namespace-add helloworldapp
No resource group is targeted. Therefore, the default resource group for the account ('Default') is targeted.

Adding namespace 'helloworldapp' in resource group 'Default' for account SATHIYAMANTH PERIYASANY's Account in registry icr.io...

The requested namespace is already comed by your account.

OK

C:\Users\ASUS>docker tag assignment-four icr.io/helloworldapp/testrepo:helloworldtest

C:\Users\ASUS>docker push icr.io/helloworldapp/testrepo:helloworldtest


Toping allows be possitory [icr.io/helloworldapp/testrepo:helloworldtest


Toping allows be possitory
```

```
C:\Users\ASUS>docker tag assignment-four icr.io/helloworldapp/testrepo:helloworldtest

C:\Users\ASUS>docker pash icr.io/helloworldapp/testrepo:helloworldtest
The push refers to repository [icr.io/helloworldapp/testrepo]

75816738550x. Pushed
22411435903: Pushed
32411435903: Pushed
3804050847676 Pushed
88040508476 Pu
```





#### Question-4:

Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportal image and also expose the same app to run in nodeport.

# **Solution:**

