

FINAL CODE

TEAM ID: PNT2022TMID06411

PROJECT NAME: IOT Based Smart crop protection for Agriculture

```
import time
import sys
import ibmiotf.application # to install pip install ibmiotf
import ibmiotf.device
#Provide your IBM Watson Device Credentials
organization = "hrodmj" #replace the ORG ID
deviceType = "NODEMCU1"#replace the Device type wi
deviceId = "12345"#replace Device ID
authMethod = "token"
authToken = "kp1234" #Replace the authtoken
def myCommandCallback(cmd): # function for Callback
    print("Command received: %s" % cmd.data)
    if cmd.data['command']=='motoron':
        print("Motor On IS RECEIVED")
    elif cmd.data['command']=='motoroff':
        print("Motor Off IS RECEIVED")
    if cmd.command == "setInterval":
```

if 'interval' not in cmd.data:

```
print("Error - command is missing required information: 'interval'")
        else:
            interval = cmd.data['interval']
    elif cmd.command == "print":
        if 'message' not in cmd.data:
            print("Error - command is missing required information: 'message'")
        else:
            output=cmd.data['message']
            print(output)
       deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-method":
authMethod, "auth-token": authToken}
       deviceCli = ibmiotf.device.Client(deviceOptions)
       #.....
       except Exception as e:
       print("Caught exception connecting device: %s" % str(e))
       sys.exit()
# Connect and send a datapoint "hello" with value "world" into the cloud as an event of type
"greeting" 10 times
deviceCli.connect()
while True:
      deviceCli.commandCallback = myCommandCallback
# Disconnect the device and application from the cloud
deviceCli.disconnect()
```