

Assignment -1
Registration Page Assignment

Assignment Date	19 September 2022
Student Name	M.Prashna
Student Roll Number	621319104041
Maximum Marks	2 Marks

Question-1:

Create registration page in html with username, email, and phone number and by using POST method display it in next html page.

Solution:

app.py

```
from flask import *;
import os
app = Flask(__name__)
@app.route('/', methods=['GET', 'POST'])
def home():
    if request.method == 'POST':
        name = request.form["name"]
        email= request.form["email"]
        mobile = request.form["mobile"]
        return redirect(url_for('result', name=name, email=email, mobile=mobile))
    return render_template('index.html')

@app.route("/result", methods=['GET', 'POST'])
def result():
    name = request.form.get('name')
    email= request.form.get('email')
    mobile = request.form.get('mobile')
    return render_template('result.html', name=name, email=email, mobile=mobile)

if __name__ == "__main__":
    app.run(debug=True, port=3000)
```

Output:

Registration

Name :

Email :

Mobile :

Activate Windows
Go to Settings to activate Windows.

Welcome Mr.Kishorekumar P

Your Email : kishore@gmail.com

Your Number : 1234567890

Activate Windows
Go to Settings to activate Windows.

Question-2:

2. Develop a flask program which should contain at least 5 packages used from pypi.org.

Solution:

```
import numpy as np
import pandas as pd
import seaborn as sns
```

```
df = pd.read_csv('Salary.csv')
arr = np.array([[ -1,  5,  0,  8],
                [ 7, -0.5, 6,  0],
                [ 3.6, 0, 3.6, 8],
                [ 6, -7, 4, 2.0]])
print("Initial Array: ")
print(arr)
```

```
sns.pairplot(df,hue="third",height=3)
```

```
from pytz import timezone
from datetime import datetime
format = "%Y-%m-%d %H:%M:%S %Z%z"
```

```
now_utc = datetime.now(timezone('UTC'))
print(now_utc.strftime(format))
```

```
now_asia = now_utc.astimezone(timezone('Asia/Kolkata'))
print(now_asia.strftime(format))
```

```
import tensorflow as tf
mnist = tf.keras.datasets.mnist
(x_train, y_train), (x_test, y_test) = mnist.load_data()
x_train, x_test = x_train / 255.0, x_test / 255.0
model = tf.keras.models.Sequential([
    tf.keras.layers.Flatten(input_shape=(28, 28)),
    tf.keras.layers.Dense(128, activation='relu'),
    tf.keras.layers.Dropout(0.2),
    tf.keras.layers.Dense(10)
])
```

Output:

