


Develop The Web Application Using Node-RED

Aim: Develop the web application using Node-RED

Steps Followed:

- Opened a Node-RED project



- Added code to get child location in python

```
import json
import wiotp.sdk.device
import time

myConfig = {
    "identity": {
        "orgId": "hj5fmy",
        "typeId": "NodeMCU",
        "deviceId": "12345"
    },
    "auth": {
        "token": "12345678"
    }
}

client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()

while True:
    name= "Smartbridge"
    #in area location


    latitude= 17.4225176
    longitude= 78.5458842

    #out area location


    #latitude= 17.4219272
    #longitude= 78.5488783
    myData={'name': name, 'lat':latitude, 'lon':longitude}
    client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPublish=None)
    print("Data published to IBM IoT platform: ",myData)
    time.sleep(5)

client.disconnect()
```


- Editing the HTTP Request URL



- Located the child



- Python script sending requests to IBM Cloud




The image shows a Python script in an IDE window titled 'child.py' and its corresponding console output. The script is designed to connect to the IBM IoT Platform and publish data in a loop.

```
1 import json
2 import wiotp.sdk.device
3 import time
4
5 myConfig = {
6     "identity": {
7         "orgId": "hj5fmy",
8         "typeId": "NodeMCU",
9         "deviceId": "12345"
10    },
11    "auth": {
12        "token": "12345678"
13    }
14 }
15 client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
16 client.connect()
17
18 while True:
19     name= "Smartbridge"
20     #in area location
21
22     #latitude= 17.4225176
23     #longitude= 78.5458842
24
25     #out area location
26
27     latitude= 17.4219272
28     longitude= 78.5488783
29     myData={'name': name, 'lat':latitude, 'lon':longitude}
30     client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPub
31     print("Data published to IBM IoT platfrom: ",myData)
32     time.sleep(5)
33
34 client.disconnect()
35
36
```

The console output on the right shows a continuous stream of messages: "Data published to IBM IoT platfrom:". The script is running in a loop, publishing data every 5 seconds.

- After running the script, the web UI shows "Person is not in the particular area"

≡ Child Tracker



Result: Successfully developed the web application using Node-RED