


CREATE NODE RED SERVICES

TEAM ID	PNT2002TMID10533
PROJECT NAME	PROJECT – IOT-BASED SAFETY GADGET FOR CHILD SAFETY MONITORING AND NOTIFICATION



Dashboard

▼

Edit dashboard

Upgrade account

Create resource

+

For you

Select an option

▼

Build

Explore IBM Cloud with this selection of easy starter tutorials and services.

Build a web app with Watson Speech to Text

Deploy a conversational interface compatible with any application, device, or channel.

Getting started

15 min

Get Started with Watson Studio

Get started with using AI and Cloud Object Storage in 15 minutes.

Popular

2 hr

Build a Virtual Private Cloud (VPC)

Upgrade to a paid account to create your own protected space in the IBM Cloud.

Getting started

7 min

Use Cloudant

Cloudant is a managed NoSQL document database that offers serverless scaling of throughput, capacity, and storage.

Recommended

2 min

IBM Watson Knowledge Catalog

Help your data citizens easily find, prepare, understand and use the data they need through an enterprise data catalog & governance platform.

Recommended

2 min

News

View all

WebSphere Application Server Support Restatement

IBM Adds Lifecycle Services to Enterprise Networking and Deepens Strategic Partnership with Cisco

All About IBM Storage's Price and Supply Guarantee

Recent support cases

View all

Planned maintenance

View all

IBM Cloud status

View all

Resource list / App details

Node RED IOQUX 2022-11-06

Add tags

Actions...

▼

Details

App URL

You must deploy your app first

Source

Download code

▼

Resource group

Default

Deployment target

You must deploy your app first

Created

11/6/2022

Services

Cloudant

Open dashboard

Documentation

API reference

Credentials

▼

Connect existing services

+

Create service

+

Deployment Automation

Configure Continuous Delivery

Continuous Delivery is not enabled for this app. Enable Continuous Delivery to automate builds, tests, and deployments through Delivery Pipeline, GitLab, and more.

Deploy your app

🚀

Getting started quickly

✕

Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)

2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.

3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.

4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.

ASK A QUESTION

Type here to search


31°C Partly sunny


01:46 PM


06-11-2022


deployment process is started automatically.

Deployment target

**Kubernetes Service**
IBM
Deploy, scale, and manage your containerized application workloads to highly available clusters.

**Red Hat OpenShift**
IBM
Deploy your apps on highly available clusters that come installed with Red Hat OpenShift on IBM Cloud.

**Cloud Foundry**
IBM
Deploy and run your applications without managing servers or clusters. A Lite plan is available for quick and easy deployment.

**Code Engine**
IBM
Run your app, job, or container on a managed serverless platform. Auto-scale workloads, and pay only for the resources that you consume.

IBM Cloud Foundry Public is deprecated. [Learn more](#)

IBM Cloud API key

462jcMzu0NYo4hoAV0TL7MGx-CeKe5mMMqE10R3Q-grO

Number of instances

1

Memory allocation per instance

64 MB

2000 MB

256

Select your deployment target, and then provide the configuration information.

IBM Cloud Foundry

Cloud Foundry is the premier industry standard Platform-as-a-Service (PaaS) that ensures fast, easy, and reliable deployment of cloud-native apps. Cloud Foundry ensures that the build and deploy aspects of coding remain carefully coordinated with any attached services — resulting in quick, consistent and reliable iterating of applications. Cloud Foundry has a Lite plan that allows quick deployments for testing purposes.

Before you begin

- If your account doesn't have a Cloud Foundry org, you must create one. [Create org.](#)

Steps

- Select the number of instances, memory allocation, region, org, and space.
- Select the domain and provide a host name.

ASK A QUESTION

IBM Cloud Foundry Public is deprecated. [Learn more](#)

IBM Cloud API key

Number of instances

1

Memory allocation per instance

64 MB

2000 MB

256

Region

London

Organization

sandhiya160901

Space

NodeMCU123

Host

node-red-ioqux-2022-11-06


Domain

eu-gb.mybluemix.net

Cancel

Next

ASK A QUESTION



RESULT:

Thus node red service is created.