PUSH THE IMAGE IBM CLOUD RESISTRY

- 1. From your account dashboard, go to **IBM Cloud Kubernetes Service**.
- **2.** From the left navigation menu, select **Private Repositories**.



- 3. Install the Container Registry plug-in.
- 4. ibmcloud plugin install container-registry -r "IBM Cloud"
- **5.** Log in to your IBM Cloud account.
- 6. ibmcloud login -a <cloud_foundary_end_point_for_the_region>
- 7. Name and create your namespace. Use this namespace for the rest of the Quick Start.
- 8. ibmcloud cr namespace-add <namespace>
- **9.** Log your local Docker daemon into the IBM Cloud Container Registry.

PNT2022TMID13254

- 10. ibmcloud cr login
- **11.** Choose a repository and tag by which you can identify the image.
- 12. docker tag <image_name> <region_url>/<namespace>/<image_name>:<tag>
- **13.** Push the image.
- **14.** docker push <region_url>/<namespace>/<image_name>:<tag>

```
kunals-mbp:web kunalmalhotra$ docker push registry.ng.bluemix.net/flask-node/app:latest
The push refers to repository [registry.ng.bluemix.net/flask-node/app]
a965410b27.2: Pushed
b96de0509728: Pushed
b3788d4436434: Pushed
b0888d450644: Pushed
b9888d450644: Pushed
b9888d450644: Pushed
b9888d450644: Pushed
b1898a08f3739: Layer already exists
7bec9e49c283: Layer already exists
1172bcd1177f: Layer already exists
68045309664: Layer already exists
16787Reb779: Layer already exists
ce6466f43b11: Layer already exists
ce6466f43b11: Layer already exists
ce6466f43b11: Layer already exists
d10514d9550: Layer already exists
ce6466f43b11: Layer already exists
ce6466f43b11: Layer already exists
clest: digest: sha256:5015254c2159205ab08168707b74ddd763e97e80b59d9187afa2a80433b9d2ab size: 3061
kunals-mbp:web kunalmalhotra$
```