### **TEAM ID:PNT2022TMID43571**

## Import the necessary packages

import matplotlib.pyplot as plt

from keras.utils import np\_utils

from tensorflow.keras.datasets import mnist

#### Load the data

```
(X_train, y_train), (X_test, y_test) = mnist.load_data()
```

## **Data Analysis**

```
print(X_train.shape)
print(X_test.shape)
(60000, 28, 28)
```

X\_train[0]

(10000, 28, 28)

- [ 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 3, 18, 18, 18, 126, 136, 175, 26, 166, 255, 247, 127, 0, 0, 0, 0],

- 0, 0, 0, 0, 0, 0],


- [ 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 3, 241, 225, 160, 108, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0],

- [ 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 39, 148, 229, 253, 253, 253, 250, 182, 0, 0, 0, 0, 0, 0, 0, 0],
- [ 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 24, 114, 221, 253, 253, 253, 253, 253, 201, 78, 0, 0, 0, 0, 0, 0, 0, 0],

y\_train[0]

5

plt.imshow(X\_train[0])



# **Data Pre-Processing**

X\_train = X\_train.reshape(60000, 28, 28, 1).astype('float32')

X\_test = X\_test.reshape(10000, 28, 28, 1).astype('float32')

number\_of\_classes = 10

Y\_train = np\_utils.to\_categorical(y\_train, number\_of\_classes)

Y\_test = np\_utils.to\_categorical(y\_test, number\_of\_classes)

Y\_train[0]

array([0., 0., 0., 0., 0., 1., 0., 0., 0., 0.], dtype=float32)