PROJECT REPORT

On

REAL TIME RIVER WATER QUALITY MONITORING AND CONTROL SYSTEM

Domain: INTERNET OF THINGS

Submitted by

NAVEEN S

SARAN V

SHOBAN KUMAR J

KANNAN R

FROM

MUTHAYAMMAL COLLEGE OF ENGINEERING, RASIPURAM - 637 408

In fulfillment of project in IBM-NALAIYATHIRAN 2022

Team Id: PNT2022TMID41673

PROJECT GUIDES

Industry Mentor: Bharadwaj

Faculty Mentor: NAVANEEDHAN K

INDEX

1.INTRODUCTION

1.1 Project Overview:

River Water quality monitoring System

River water which is used as drinking water is a very precious commodity for all human beings. The system consists of several sensors which are used for measuring physical and chemical parameters of water. The parameters such as temperature, pH, and dissolved oxygen of the water can be measured. Using this system, a person can detect pollutants from a water body from anywhere in the world. Current water quality monitoring system is a manual system with a monotonous process and is very time-consuming This paper proposes a sensor-based water quality monitoring system. The main components of Wireless Sensor Network (WSN) include a micro-controller for processing the system, communication system for inter and intra node communication and several sensors Real-time data access can be done by using remote monitoring and Internet of Things (IoT) technology Data collected at the IBM cloud Server and verify them to trigger the actions to be performed.

1.2 Purpose:

Water quality refers to chemical, physical biological and radio logical characteristics of water. It is a measure of the condition of water relative to the necessities of one or more bio-tic species and or to any human need or purposes. Water quality monitoring is defined as a sampling and analysis of the water in lake, stream, ocean and river and conditions of the water body. Smart water quality monitoring is a process of real-time monitoring and the analysis of water to identify changes in parameters based on the physical, chemical and biological characteristics. Monitoring water quality is clearly important: in our seas, our rivers, on the surface and in our ports, for both companies and the public. It enables us to assess how they are changing, analyse trends and to inform plans and strategies that improve water quality and ensures that water meets its designated use. There are several indicators determining water quality. These include dissolved oxygen, turbidity, bio indicators, nitrates, pH scale and water temperature. Monitoring water quality helps to identify specific pollutants, a certain chemical, and the source of the pollution. There are many sources of water pollution: wastewater from sewage seeping into the water supply; agricultural practices (e.g., the use of pesticides and fertilizer); oil pollution, river and marine dumping, port, shipping and industrial activity. Monitoring water quality and a water quality assessment regularly provides a source of data identify immediate issues – and their source.

- Identifying trends, short and long-term, in water quality.
- Data collected over a period of time will show trends, for example identifying increasing concentrations of nitrogen pollution in a river or an inland waterway. The total data will then help to identify key water quality parameters.
- Environmental planning methods: water pollution prevention and management.
- Collecting, interpreting and using data is essential for the development of a sound and effective water quality strategy. The absence of real-time data will however hamper the development of strategies and limit the impact on pollution control. Using digital systems and programs for data collection and management is a solution to this challenge.
- Monitoring water quality is a global issue and concern: on land and at sea. Within the European Union, the European Green Deal sets out goals for restoring biological biodiversity and reducing water pollution, as well as publishing various directives to ensure standards of water quality. Individual nation states, for example France, have also clear regulatory frameworks requiring the effective monitoring of water quality. In the United States, the Environmental Protection Agency (EPA) enforces regulations to address water pollution in each state. Across the world, countries increasingly understand the importance of effective water quality monitoring parameters and methods.

2.LITERATURE SURVEY

2.1 Existing Problem:

Due to population growth, urbanization, and climatic change, competition for water resources is expected to increase, with a particular impact on agriculture, river water. Water will be suitableness to potable water monitoring compound spillage identification done rivers, remote estimation for swimming pools. It holds self-sufficient hubs that unite with the cloud to ongoing water control. The River water needed to be treated before it is used in agriculture fieldsmen the parameters affecting the quality of river-water need to be analysed and to be used for water treatment purpose.

2.2References:

1. K.S. Adu-Manu, C. Tapparello, W. Heinzelman, F.A. Katsriku, J.-D. Abdulai

Water quality monitoring using wireless sensor networks: Current trends and future research directions ACM Transactions on Sensor Networks (TOSN) (2017).

2. S. Thombre, R.U. Islam, K. Andersson, M.S. Hossain

IP based Wireless Sensor Networks: performance Analysis using Simulations and Experiments. Journal of Wireless Mobile Networks, Ubiquitous Computing, and Dependable Applications, 7 (2016).

3. Rushikesh Kshirsagar, R.Mudhalwadkar, Saish Kalaskar

Design and Development of IoT Based Water Quality Measurement System. The idea about low-cost IOT based portable approach for water quality measurements system. Because of its low-cost approach, everyone can afford to use it to determine quality of water(2019).

4. N. Vijayakumar, R. Ramya

The real time monitoring of water quality in IoT environment. The parameters such as temperature, PH, turbidity, conductivity, dissolved oxygen of the water can be measured. The measured values from the sensors can be processed by the core controller. The raspberry PI B+ model can be used as a core controller (2015).

5. M.Chitra, D. Sadhihskumar, R. Aravindh, M. Murali, R. Vaittilingame

IoT based Water Flood Detection and Early Warning System. The collected information (data) from the water level sensor and temperature and humidity sensor passed to Thingview Android application in order to find the flow graph level of the water level in the river and temperature, humidity values and sends SMS to the registered contact mobile numbers (2020).

6. Dr.Geetha

IoT based real time water quality monitoring system using smart sensor

WQM is a cost effective and efficient system designed to monitor drinking water quality with the help of IOT(2020).

2.3**Problem Statement:**

The reduce the river water pollution and to monitor the parameters of river water and control measures can impact vegetation,health. The Real time analysis of Indicators of River water (Ph,salinity,nutrients,etc..

IDEATION & PROPOSED SOLUTION

3.1Empathy Map Canvas:

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviours and attitudes. It is a useful tool to helps teams better understand their users.Creating an effective solution requires understanding the true problem and the person who is

experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.



3.2Ideation & Brainstorming:

Brainstorming provides a free and open environment that encourages everyone within a team to participate in the creative thinking process that leads to problem solving. Prioritizing over



value, out-of-the-box ideas are welcome and built upon, and all participants are encouraged to collaborate, helping each other develop a rich amount of creative solutions.Use this template in your own brainstorming sessions so your team can unleash their imagination and start shaping concepts even if you're not sitting in the same room.

3.3 Proposed Solution

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	Due to population growth,urbanization,and climatic change,competition for water resources is expected to increase,with a particular impact on agriculture,river water.
2.	Idea /Solution description	To monitor the water supply we implement IoT (Internet of Things)setup, for river water quality monitoring systems periodically checks,dust particles,temperature and PH level by sensors and notifies for public when the water quality vaires.
3.	Novelty / Uniqueness	We use water detection sensor has unique advantage.It consumes less time to monitor than a manual method for checking polluted levels,and notifies immediately to reduce affected rate of pollution in water.
4.	Social Impact / Customer Satisfaction	People who are living in rural areas near to the river will be very satisfied with our idea.It will be useful to monitor water pollution in specific area.So this system prevent people from water pollution.It will be used for farming purpose to check quality water,temperature and PH level.Our Impact of this project is also create a social satisfaction for farmers too.
5.	Business Model (Revenue Model)	It costs low compared to other model.Our real time quality monitoring model has sensors easily helps to monitor and predict the affected water scale easily in farming, drinking water,aquaculture,and other industries.It notifies by sending directly to the corporation and they can further notify the people to aware immediately.Quick actions can be taken.With the help of efficient use of mobile network,IoT and continuous monitoring it will be revolutionized model.

6.	Scalability of the Solution	Checking the river water quality for providing clean drinking water for the people, farming, promoting aquaculture, and other industries. It is the best replacement for checking water quality in laboratories and it is user-friendly.If we add more advanced sensors in future it can be used to monitor multiple levels in water.It will show continuous real time values in maintaining the quality of water.

3.4 PROBLEM SOLUTION:



4 REQUIREMENT ANALYSIS

4.1 *Functional Requirements:*

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form Registration through Gmail Registration through LinkedIN
FR-2	User Confirmation	Confirmation via Email Confirmation via OTP
FR-3	Ultrasonic generator	Periodically the waves are generated to destroy algae in the range of 25%,50%,100%
FR-4	Ph level detection	To observe the water quality, Ph sensor is used and the signals are conveyed to the Arduino.
FR-5	Turbidity detection	Turbidity sensor measures the purity of element or marshy utter in the water and the signals are delivered to Arduino

4.2 *Non-functional Requirements:*

Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	**Usability**	Monitors the flow and quality of ground water, and investigates surface- and ground-water interactions.
NFR-2	**Security**	The data and information are secured in the application by using the application firewall.
NFR-3	**Reliability**	The Real time sensor output values with future predicted data storage with output efficiency of 98%. It also gives certainty for aquaculture safety.
NFR-4	**Performance**	The performance of system has higher efficiency and environmental friendly.
NFR-5	**Availability**	It is available in the form of mobile UI 24 x 7 monitoring system.

NFR-6	**Scalability**	The system has high scalability. Able to be changed in size or scale to give the best output.
NFR-7	**Stability**	The ability of the system to bring itself back to its stable configuration. The stability is high.
NFR-8	**Efficiency**	The monitoring system is highly efficient,high mobility with consumption of power.

5 PROJECT DESIGN

5.1 Data Flow Diagrams:

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.



5.2SOLUTION AND TECHNICAL ARCHITECTURE

Summary

This code pattern explains how to build an IOT based river water monitoring and controlling system with some predefined values.

Flow

- Feed the data received from the Sensor unit which are placed in the river sides.
- The collected data will be displayed in the Web page to the user.
- Then the collected data is sent to the data base, where the collected data and the predefined data are checked and monitored.
- If any data exceed the predefined data then the control signal will send to the Admin.
- The collected data will be stored in the IBM cloud storage. Later the data will be controlled by the admin via Web UI.

Components & Technologies:

S.No	Component	Description	Technology
1.	Sensor Data	The data is collected form the various sensor placed in the river sides.	ESP32Wifi module Raspberry Pie.
2.	Database for Storage	The data/info need to be stored for accessing it in future	MySQL-Oracle
3.	File Storage	File storage requirements	IBM Block Storage or Other Storage Service or Local Filesystem
4.	Cloud Database	Database Service on Cloud	IBM cloud
5.	Data Storage	File storage requirements	IBM Block Storage

Application Characteristics:

S.No	Characteristics	Description	Technology
1.	PH level Monitoring	The PH level of river water can be monitoredvia placing sensors in rivers.	PH-sensor
2.	Air Quality Monitoring	The clarity and purity ofriver water can be monitored	Surface Mount Sensor
3.	Temperature Monitoring	The temperature of river water can be monitored	Temperature sensor
4.	Water Treatment	can be used as both a safety device in the water purification process as carbon dioxide, methane, and carbon monoxide are some of the key gases produced during the treatment process	NDIR gas sensors
4.	Soil Condition Monitoring	Soil condition monitoring sensors allow farmers to collect data about rainfall, temperature, and other metrics over time to track trends and predict irrigation needs.	Acoustic sensor

5.3 User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	Registration	USN-1	As a user, I can register for the application by entering my USER, password, and confirming my password.	I can access my account /dashboard	High	Sprint-1
		USN-2	As a user, I will receive confirmation USER once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
		USN-3	As a user, I can register for the application through Google	I can register & access the dashboard with Google Login	Low	Sprint-2
		USN-4	As a user, I can register for the application through G mail	I can access through Gmail	Medium	Sprint-1
	Login	USN-5	As a user, I can log into the application by entering USER & password	Login Details are received to me.	High	Sprint-1
	Interface	USN-6	As a user, I can log into the application by entering USER & password.	Easy Access application	High	Sprint-1
Customer (Web user)	Dashboard	WUSN-7	As a web User, I can get all information (data)(Temp etc..)	I can easily Understand how to use it.	High	Sprint-1
Customer Care Executive	View Perspective	CCE	As a Customer care, I can view the data in graph plots	Easy Understanding of Graphs	High	Sprint-1
Administrator	Risk factor	ADMIN-1	As a Admin, Update must be done at each step and take care of any errors	Heavy Monitoing is Required.	High	Sprint-2

6.PROJECT PLANNING AND SCHEDULING

6.1 SPRINT PLANNING & SCHEDULING:

TITLE	DESCRIPTION	DATE
Literature Survey & Information Gathering	Literature survey on the selected project is done by gathering information about related details on technical papers and web browsing.	17 SEPTEMBER 2022
Empathy Map	Prepared Empathy Map Canvas to combine thoughts and pains, gains of the project with all team members .	25 SEPTEMBER 2022
Ideation	Brainstorming session is conducted with all team members to list out all the ideas and prioritise the top 3 ideas.	16 OCTOBER 2022
Proposed Solution	Prepared the proposed solution document, which includes the novelty, feasibility of idea, business model, social impact, scalability of solution, etc.	19 OCTOBER 2022
Problem Solution Fit	Prepared problem - solution fit document.	20 OCTOBER 2022

6.2 SPRINT DELIVERY SCHEDULE

Product Backlog, Sprint Schedule, and Estimation

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password	2	High	Naveen, Saran.
Sprint-1		USN-2	As a user, I will receive confirmation emailonce I have registered for the application	1	High	Kannan, Shoban Kumar.
Sprint-2		USN-3	As a user, I can register for the application through Facebook	2	Low	Kannan, Shoban Kumar.
Sprint-1		USN-4	As a user, I can register for the application through Gmail	2	Medium	Kannan, Shoban Kumar.
Sprint-1		USN-5	As a user, I can log into the application by entering email & password	1	High	Naveen, Saran.

Project Tracker, Velocity & Burndown Charts

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (ason Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-3	20	6 Days	01 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

Velocity:

$$AV = \frac{sprint\ duration}{velocity} = \frac{20}{10} = 2$$

Burndown Chart:



7.CODING AND SOLUTIONING

7.1 NODE RED SERVICE ASSOCIATED WITH IBM CLOUD:





Node red Dashboard:





8.TESTING

8.1 Test Case Analysis

This report shows the number of test cases that have passed, failed, and untested

Section	Total Cases	Not Tested	Fail	Pass
Print Engine	15	0	0	15
Client Application	45	0	0	45
Security	1	0	0	1
Outsource Shipping	2	0	0	2
Exception Reporting	10	0	0	10
Final Report Output	4	0	0	4
Version Control	3	0	0	3

8.2 USER ACCEPTANCE TESTING:

1. Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the REAL TIME RIVER WATER QUALITY MONITORING AND CONTROL SYSTEMS project at the time of the release to User Acceptance Testing (UAT).

2. Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	9	5	4	3	21
Duplicate	2	0	2	0	4
External	3	4	1	2	10
Fixed	10	1	5	17	33
Not Reproduced	0	0	1	0	1
Skipped	0	0	1	2	3

Won't Fix	0	3	3	1	7
Totals	24	13	17	25	79

9.RESULT

9.1 PERFROMANCE METRICS:

	NFT - Risk Assessment								
S.No	Project Name	Scope/feature	Functional Changes	Hardware Changes	Software Changes	Impact of Downtime	Load/Voluem Changes	Risk Score	Justification
1	REAL TIME RIVER WATER QUALITY MONITORING AND CONTROL SYSTEM	New	Low	No Changes	Moderate	3days	>5 to 10%	ORANGE	As we have seen the changes

PERFORMANCE TABLE

PARAMETER	PERFORMANCE	DESCRIPTION
ADMIN TESTING	95%-100%	THE TESTING DONE BEFORE IT IS DEPLOYED AS AN APP
CUSTOMER SATISFACTION	75-85%	THE CUSTOMER NEED TO BE SATISFIED WITH THE MOBILE APPLICATION
USER INTERFACE	65-85%	THE APP CAN USED BY ANYONE.(EASE OF ACCESS)
SEVER RESPONSE	50-75%	URL- RESPONSE
DATA VALIDATION WITH NO. OF TEST CASE	60-80% (15-30 TESTCASE)	VALID DATA FROM THE APP
ERROR	3-5%	REAL-TIME DELAY MAY OCCUR

10.ADVANTAGES AND DISADVANTAGES

Advantages:

- User friendly application to get real-time data of water quality level.
- Helps both marine and water dependent lives by precaution.
- It can maintain high accuracy and is an efficient device.
- Users can easily access it anywhere.
- Users can monitor the river water's quality 24/7 hours.
- The data is more secured.
- When water is affected, the application sends an alert to the user through SMS services.
- The user can control the filters motors just by turning the ON / OFF button in the web UI or the Mobile App.

Disadvantages:

- As this project is based on the internet, latency in internet might cause some delay in the process of transfer. 5G might help the product to overcome the issue.
- While implementing in rivers, sometimes marine animals might enter the monitoring station along the flow of water. Setting up a special filter and route for the situation might help overcome the issue.
- Sensors might get faulty/ repaired and malfunction. Regular check-up and cleaning can be provided as a service to over the issues.

11.CONCLUSION

This Project could help the rightful authorities in time of abnormal readings in river water, alerting the authorities by both SMS services and UI alerts on the dashboard page. They can have this service, so that if there is any issue in the water quality, they could alert the people to be cautious and not to consume the water. They can also control the motor anytime to turn the filtering process.

This project is designed to improve water efficiency and control system. In addition, real-time monitoring and Operational enablement limits human error and Prototypes that collect data to test ideas and Analyse it.

Efficient Smart Water Quality Implementation Monitoring system aimed at reducing water costs Sample analysis in an autonomous laboratory. Also, it clearly shows the water quality. Factors to avoid disease have public health and cost implications. water quality management.

The system supports the concept of a smart city. It requires human interaction and reduces labour and work. security. We also use a variety of filters used to improve water quality.

Quality in an efficient way. Since the filter is used only once, it is necessary, but not always. In addition, limitations to keep the cost of this system low A model for broad dissemination in various fields of interest.

12.FUTURE SCOPE

This project is designed to improve water efficiency and control system. In addition, real-time monitoring and Operational enablement limits human error and Prototypes that collect data to test ideas and Analyse it.

This Project could help the rightful authorities in time of abnormal readings in river water, alerting the authorities by both SMS services and UI alerts on the dashboard page. They can have this service, so that if there is any issue in the water quality, they could alert the people to be cautious and not to consume the water. They can also control the motor anytime to turn the filtering process.

The system supports the concept of a smart city. It requires human interaction and reduces labour and work. security. We also use a variety of filters used to improve water quality.

Quality in an efficient way. Since the filter is used only once, it is necessary, but not always. In addition, limitations to keep the cost of this system low A model for broad dissemination in various fields of interest.

13.APPENDIX

13.1 SOURCE CODE:

PYTHON CODE TO PUBLISH DATA

```
import time import
sys
import ibmiotf.application
import ibmiotf.device import
random
#Provide your IBM Watson Device Credentials organization =
"hdn6z8"
deviceType = "Cloud" deviceId
= "IBMIOT" authMethod =
"token" authToken =
"12345678"
def myCommandCallback (cmd):
    print ("Command received: %s" % cmd.data['command'])
    status=cmd.data['command']
    if status== "motoron":
        print ("motor is on")
```

```
    elif status == "motoroff": print
        ("motor is off")
    else:
        print ("please send proper command")

try:
    deviceOptions = {"org": organization, "type": deviceType,  "id":
deviceId,
                    "auth-method":authMethod,"auth-  token":authToken}
    deviceCli= ibmiotf.device.Client (deviceOptions)

#..
except Exception as e:
    print ("Caught evention connecting device: %s" % str(e))
    sys.exit()


deviceCli.connect()
while True:
    temp=random.randint (90,110)
    Humid=random.randint (60,100)
    Ph=random.randint (0,14)
    Water_turbidity=random.randint    (15,60)
```

```
    data = {'temp': temp,'Humid': Humid,'Ph': Ph,'Water_turbidity':
Water_turbidity}
    def myonPublishCallback():
        print ("Published Temperature = %s C" % temp, "Humidity = %s
%%" % Humid,"Ph = %s" % Ph,"Water Turbidity = %s NTU" %
Water_turbidity, "to IBM Watson")
    success = deviceCli.publishEvent("IoTSensor", "json", data, qos=0,
on_publish=myonPublishCallback)
    if not success:
        print("Not connected to IOTF")
    time.sleep (10)
    deviceCli.commandCallback = myCommandCallback
deviceCli.disconnect()
```

OUTPUT



13.2 GIT-HUB LINK:

https://github.com/IBM-EPBL/IBM-Project-28933-1660119078

14.REFERENCES

[1] Herojeet R, Rishi MS, Lata R, Sharma R, "Application of environmetrics statistical models and water quality index for groundwater quality characterization of alluvial aquifer of Nalagarh Valley", Himachal Pradesh, India, 2016.

[2] Loganathan K, Ahamed AJ, "Multivariate statistical techniques for the evaluation of groundwater quality of Amaravathi River Basin", South India. Applied Water Science ,2017.

[3] Parmar KS, Bhardwaj R, "Water quality management using statistical analysis and time-series prediction model",Dwarka, Delhi, India, 2014.

[4] P, Mehmood MA, Somashekar RK, "Water quality index to determine the surface water quality of Sankey tank and Mallathahalli lake", Bangalore urban district, Karnataka, India, 2013.

[5] Seth R, Singh P, Mohan M, Singh R, Aswal RS, "Monitoring of phenolic compounds and surfactants in water of Ganga Canal", Haridwar, India, 2013.

[6] Tiri A, Lahbari N, Boudoukha A, "Assessment of the quality of water by hierarchical cluster and variance analyses of the Koudiat Medouar Watershed", East Algeria, 2015.

[7] Water N, Monitoring Q, Pradesh A, "Water quality status of river Krishna Water quality of river Krishna is monitored regularly on monthly basis under National Water Quality Monitoring project (NWMP)", Andhra Pradesh Pollution Control Board, Andhra Pradesh, 2000.

[8] Mohammad Salah Uddin Chowdurya, Talha Bin Emranb , "IoT Based Real-time River Water Quality Monitoring System" The 16th International Conference on Mobile Systems andPervasive Computing, 2019.