IBM - NALAIYATHIRAN PROJECT

INVENTORY MANAGEMENT SYSTEM FOR RETAILERS

PROJECT REPORT DOCUMENTATION

TEAM ID: PNT2022TMID35256

Sl. No	Name	Roll No
1	ASHWIN MENON (Leader)	2019103510
2	MORAREDDY RAHUL REDDY	2019103036
3	VIGNESH KUMAR	2019103594
4	KRISHNA TEJA	2019103032

PROJECT REPORT FORMAT:

1. Project Introduction

- 1.1 Project Overview
- 1.2 Purpose

2. Literature Survey

- 2.1 Existing Problem
- 2.2 References
- 2.3 Problem Statement Definition

3. Ideation and Proposed Solution

- 3.1 Empathy Map And Canvas
- 3.2 Ideation And Brainstorming
- 3.3 Proposed Solution
- 3.4 Problem Solution Fit

4. Requirement Analysis

- 4.1 Functional Requirement
- 4.2 Non Functional Requirement

5. Project Design

- 5.1 Data Flow Diagrams
- 5.2 Solution and Technical Architecture
- 5.3 User Stories

6. Project Planning & Scheduling

- 6.1 Sprint planning & Estimation
- 6.2 Sprint Delivery Schedule
- 6.3 Reports from JIRA

7. Coding and Solutioning(Features added along with code)

- 7.1 Feature 1
- 7.2 Feature 2

7.3 Database Schema

- 8. Testing
 - 8.1 Test Cases
 - 8.2 User Acceptance Testing
- 9. Results
 - 9.1 Performance Metrics
- 10. Advantages and Disadvantages
- 11. Conclusion
- 12. Future Scope
- 13. Appendix
 - 13.1 Source Code
 - 13.2 Github and Project Demo Link

1. INTRODUCTION

1.1 PROJECT OVERVIEW

A computerized application called an inventory management system (IMS) assists firms in keeping track of and managing their inventories. Businesses can lower their inventory expenses and increase supply accuracy and timeliness by using an IMS. Businesses use an IMS for a variety of things, including suppliers, finished goods, and raw materials. The majority of IMS applications have tools for shipping, receiving, and order management. Numerous systems additionally have reporting features including monthly business reviews and sales and operations planning reports (S&OP) (MBR). Some systems are also created for particular sectors of the economy, such industry and healthcare. Retail IMS systems can automate the ordering and tracking of goods and are designed for small enterprises with little funding and resources. producers and substantial wholesalers often purchase more robust IMS systems that are designed specifically for their needs.

An inventory management system is in charge of making sure that customers may purchase the appropriate product in the right amount at the right time and price. An effective IMS will assist increase productivity, save expenses, and lessen the chance of obsolescence or excess inventory. It can be difficult to implement an IMS since many firms find it difficult to manage their inventories effectively without a committed resource. However, a clear plan and effective implementation techniques can help to guarantee a positive result. Understanding the advantages and disadvantages of the system is the first step in putting a new inventory management system into place.

1.2 PURPOSE

An inventory management system's major objective is to assist businesses in keeping track of the number, location, and state of all goods. Decisions about resource allocation and when to place new product orders can then be determined to use this information. Systems for inventory management can also assist businesses in reducing the amount of inventory they have, which can save money and boost earnings.

Inventory needs will increase as your business expands. The complexity of your inventory will increase as products arrive from various vendors and warehouses. It will be tough and time-consuming to manage your inventory manually, which will make it impossible for you to keep enough stock on hand to meet client demand and expand your business.

2. LITERATURE SURVEY

2.1 EXISTING PROBLEM

The inability to track inventory in real time is one issue that plagued the majority of systems. This is due to a lack of integration between the systems and the point-of-sale system. This indicated that the inventory was not continuously updated. Sales and profits were lost as a result of this.

2.2 REFERENCES

- Research paper on Inventory management system
- Inventory management efficiency analysis: A case study of an SME company
- A Study of Inventory Management System Case Study
- <u>Informative Review on Inventory Control System</u>
- Improvement of Inventory Management System Processes by an Automated Warehouse Management
- Study of Smart Inventory Management System Based on the Internet of Things (IOT)
- Research and Design of the Intelligent Inventory ManagementSystem
 Based on RFID


2.3 PROBLEM STATEMENT DEFINITION

The main objective of this project is to provide a desktop-based application that allows retailers to monitor all Inventory related information, including stock management, sales data and purchase information. The application allows the retailers to manage their products flexibility and have complete insight into what is stored in their inventory, and request additional stock as and when needed.

I am	Retailers
I'm trying	Have more insights on stocks and their availability to increase
to	productivity
KIII	Manual management of the stocks are difficult and existing systems aren't much flexible
Because	Too much stock items cause bigger problems and current systems are obsolete
Which Want to create better inventory management system and incr	
makes me	the accuracy and flexibility of the vendors


3. IDEATION & PROPOSED SOLUTION

3.1 EMPATHY MAP AND CANVAS



3.2 IDEATION & BRAINSTORMING

Team Gathering, Collaboration and Select the Problem Statement





Brainstorm

Write down any ideas that come to mind that address your problem statement.

① 10 minutes

Ashwin

Send Mail when minimum stock limit is reached

Managing

customer

feedback

Enhanced user interface

Periodic Analysis of Sales Reports

Maintain categories

proper Tax product Calculations

Rahul

Analyze low and high selling products

Display graphs to show clear picture

Provide product insights

Enabling customer return policy

Monitor products for cost changes

Managing multiple orders

Krishna Teja

Avoid overstocking of products

Maintain

records for

the product

Enable remote access of software

Enabling

Multiple

Payment

Options

Managing customer account

Occasional discounts for the products

Vignesh

Data Privacy for Customers Maintaining a unique product number

Payment Status Tracking

Managing stock details

Display a dashboard containing stock details


Profit and Loss analysis

Group ideas

Take turns sharing your ideas while clustering similar or related notes as you go. Once all sticky notes have been grouped, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you and break it up into smaller sub-groups.










Prioritize

Your team should all be on the same page about what's important moving forward. Place your ideas on this grid to determine which ideas are important and which are feasible.





3.3 PROPOSED SOLUTION

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	How to provide a systematic system that not only records data but also allows for easier arrangement of the inventory mainly from the retailer's end?
2.	Idea / Solution description	The application mainly focuses on helping the retailers track and manage stocks of products. The System will ask the retailers to create their accounts by providing essential details. Retailers can access their accounts by logging into the application. After they login in, they can update the details of a stock that they possess and also add a product/stock with relevant details. They can view details of the current inventory. The System will automatically send an email alert to the retailers if there is no stock found in their accounts so that they can order new stock.

3.	Novelty / Uniqueness	Providing a user-friendly environment to maintain the stock by		
		-> Display of Dashboard containing stock details		
		->Report on weekly or monthly basis		
		Apart from the standard features of		
		the inventory management system		
		like handling products,		
		warehouses, locations we also plan		
		to include the feature of sales		
		prediction using regression and the		
		previous sales data within our		
		application.		

4.	Social Impact / Customer Satisfaction	This system can have a positive impact on social life. This system improves the Management of resources and reduces excess inventory and thus reduces the wastage of products. It is also easy to use and can arrange the inventory with efficiency. It also improves the relationship with vendors and suppliers and can negotiate better deals with the suppliers by knowing the demand beforehand.
5.	Business Model (Revenue Model)	Retailers can order the right amount and type of stock at the right time with the aid of an inventory management system. It eliminates the unnecessary expense for the retailers.


6.	Scalability of the Solution	A scalable cloud architecture is made possible through virtualization. Unlike physical machines whose resources and performance are relatively set, virtual machines virtual machines (VMs) that we use in IBM cloud are highly flexible and can be easily scaled up or down
		can be castly source up of down

3.4 PROBLEM SOLUTION FIT

Project Title: Inventory Management for Retailers

Project Design Phase-I - Solution Fit Template

Team ID: PNT2022TMID35256



4. REQUIREMENT ANALYSIS

4.1 SOLUTION & TECHNICAL REQUIREMENTS

Functional Requirements:

Following are the functional requirements of the proposed solution.

	Functional Requirement	Sub-Task
1	User Registration	Mail-in registration /Using a form to register
2	User Confirmation	Call/OTP/Email confirmation
3	Logging in	Enter the essential credentials to access the application (email ID and password)
4	Dashboard	View the products details (Name, description, quantity)
5	Adding items to the Inventory list	The inventory can be updated by users with items they want to purchase.
6	Updating of stock	Increasing the availability of a specific product


Non-functional Requirements: Following are the non-functional requirements of the proposed solution.

	Non-Functional Requirement	Description	
1	Usability	If the system has a steep learning curve, the organisation in need of an inventory management system is unlikely to purchase it. The user interface is straightforward and simple to use. The design and colours are consistent. The websites are mobile-friendly and responsive Email delivery must be quick.	
2	Security	Security refers to the safety and management of the inventory of a company such that only authorised personnel are allowed to access them. • Login system is used to provide authentication. • Users need to create account and verify it with their email OTP. • Cookie based security is user for authentication on client side.	

3	Reliability	 To ensure that the app functions properly even when mistakes occur during runtime, exception handling will be done at the code level. To ensure sustained operation, many instances of the App would be online.
4	Performance	The efficiency with which various tasks in an inventory management system can be completed determines its performance. • Reduces manpower, costs, and time. When stocks are unavailable, emails will be issued automatically. • Improves the efficiency of the business process. • Enhances the performance of organisations. • Even at minimal bandwidth, it will perform quickly and securely.
5	Availability	The use of IBM DB2 ensures high availability
6	Scalability	An inventory management system's scalability relates to the expansion of its activities. • DB2 is extremely scalable. • By reusing the code, the code is created effectively to allow for the addition of new features with few adjustments. Docker, which is very scalable, is utilised in the IBM Container Registry.


5. PROJECT DESIGN

5.1 DATA FLOW DIAGRAMS



5.2 TECHNICAL ARCHITECTURE

Solution Architecture Diagram:



5.3 USER STORIES

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Web user)	Registration	USN-1	By providing my email address, a password, and a password confirmation, I can register for the application as a user.	I can access my account / dashboard	High	Sprint-1
		USN-2	I can sign up for the application as a user by email.	I can access my account / dashboard	Medium	Sprint-1
	Confirmation	USN-3	confirmation email once I have	I can get a confirmation for my email and password and create an authenticated account.	Medium	Sprint-1
	Login	USN-4	By entering the registered email address and password, I can access the application as a user.	I can log onto the application with the verified email and password	High	Sprint-1

	Dashboard	USN-5	As a user, I can view the products which are available.	Once I log on to the application, I can view the inventory.	High	Sprint-2
	Stock Update	USN-6	I can add items to the stock list as a user that aren't listed in the dashboard.	If any of the products are not available, as a user I can update the inventory.	Medium	Sprint-2
Administrator	Request to Customer Care	USN-7	I can contact the Administrator as a user and request any assistance I need with services.	As a user, I can contact Customer Care and get support from them.	Low	Sprint-4
	Sales Insight	USN- 8	As a user, I can get some information about what products are selling well and which of them are performing poorly.	The sales insight must be clear and precise	Medium	Sprint-4
	Give feedback	USN-9	I should be able to report any difficulties I encounter.	As user, I can give my support in my possible ways to the administrator and to the administration.	Medium	Sprint-4

6. PROJECT PLANNING & SCHEDULING

6.1 SPRINT PLANNING & ESTIMATION

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email, password, and then confirming my password.	5	High	Ashwin Menon,Krishna Teja,Rahul Reddy Mora Reddy,Vignesh Kumar K
Sprint-1		USN-2	As a user, I can register for the application through email.	3	Medium	Ashwin Menon,Krishna Teja,Rahul Reddy Mora Reddy,Vignesh Kumar K
Sprint-1	Confirmation	USN-3	As a user, I will receive a confirmation email once I have registered for the application.	4	Medium	Ashwin Menon,Krishna Teja,Rahul Reddy Mora Reddy,Vignesh Kumar K


Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-2	Login	USN-4	As a user, I can log into the application by entering the registered email & password	8	High	Ashwin Menon,Krishna Teja,Rahul Reddy Mora Reddy,Vignesh Kumar K
Sprint-2	Dashboard	USN-5	As a user, I can view the products which are available.	10	High	Ashwin Menon,Krishna Teja,Rahul Reddy Mora Reddy,Vignesh Kumar K
Sprint-3	Stock Update	USN-6	As a user, I can add products which are not available in the dashboard to the stock list.	10	Medium	Ashwin Menon,Krishna Teja,Rahul Reddy Mora Reddy,Vignesh Kumar K
Sprint-3	Administration	USN-7	As a user, I am able to get in touch with the Administrator and ask for whatever services I require help with.	10	Low	Ashwin Menon,Krishna Teja,Rahul Reddy Mora Reddy,Vignesh Kumar K
Sprint-4		USN-8	I should be able to report any difficulties I experience to the administrator.	10	Medium	Ashwin Menon,Krishna Teja,Rahul Reddy MoraReddy,Vignes h Kumar K
Sprint-4		USN-9	I can get access to the sales insights which will help me to better identify which products are performing better	10	Medium	Ashwin Menon,Krishna Teja,Rahul Reddy MoraReddy,Vignes h Kumar K

6.2 SPRINT DELIVERY SCHEDULE


Sprint	Total Story Points	Durati on	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	12	6 Days	26 Oct 2022	29 Oct 2022	12	29 Oct 2022
Sprint-2	18	6 Days	31 Oct 2022	05 Nov 2022	18	5 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

6.3 REPORTS FROM JIRA

Creation of the backlog (issues) for the project:



Creation of the scrum boards for the project:




Burndown for the project:




7. CODING & SOLUTIONING

7.1 FEATURE-1

Users can register or login through this dashboard



Used flask web framework to create an interactive dashboard



7.2 FEATURE-2

Used sendgrid for autonomous mails

IBM Inventory Management Application ➤ Inbox × noreplyinvmgmnt@gmail.com via sendgrid.net to me ▼ Registered Successfully! Thank you for registering with us

→ Forward

7.3 DATABASE SCHEMA

← Reply

User Table

n				: ×						
USERS No statistics avail										
Data type	Nullable	Length	Scale							
VARCHAR	N	32	0	o						
VARCHAR	N	52	0	(
VARCHAR	N	52	0	o						
	VARCHAR	Data typeNullableVARCHARNVARCHARN	Data typeNullableLengthVARCHARN32VARCHARN52	Data typeNullableLengthScaleVARCHARN320VARCHARN520						

Inventory Stock Table

Table definition

STOCK

				No statistic	s available.
Name	Data type	Nullable	Length	Scale	
SID	INTEGER	N		0	©
STOCK_NAME	VARCHAR	Υ	350	0	(
QUANTITY	INTEGER	Υ		0	(
PRICE_PER_QUANTITY	DOUBLE	Υ		0	(
TOTAL_PRICE	DOUBLE	Υ		0	(

Orders Table

Table definition

ORDERS

No statistics available

: ×

: ×

Name	Data type	Nullable	Length	Scale	
OID	INTEGER	N		0	(
STOCK_ID	INTEGER	Υ		0	(
QUANTITY	INTEGER	Υ		0	(
ODATE	VARCHAR	Υ	30	0	(
DELIVERY_DATE	VARCHAR	Υ	30	0	(
PRICE	DOUBLE	Υ		0	(

Suppliers Table

Table definition									
Name	Data type	Nullable	Length	No statis	etics available.				
ORDER_ID	INTEGER	Υ		0	©				
SNAME	VARCHAR	Υ	80	0	©				
SLOCATION	VARCHAR	Υ	300	0	0				

8.TESTING

8.1 TEST CASES

Testing can be verification and validation or reliability estimation. The primary objective if testing includes:

- To identify defects in the application.
- The most important role of testing is simply to provide information.
- To check the proper working of the application while inserting updating and deleting the entry of the products.

Test case ID	Feature Type	Compo nent	Test Scenario	Pre-Requisite	Steps To Execute	Test Data	Expected Result	Actual Result	Stat	Comments	TC for Automation(Y/N)	BUG ID	Executed By
HomePage_TC _001	Functional	Home page	Verify user is able to move to the Register page to create a new account		1. Enter URL and click go 2. Click on the Register button # Click on the Register link in navbar	http:///27.0.0.1	User should be navigated to the Register page	Working as expected	Pass				Ashwin Menon
HomePage_TC _002	Functional	Home page	Verify user is able to move to the Login page to create a new account		1. Enter UPL and click go 2. Click on the Login button # Click on the Login link in navbar	http://127.0.0.1	User should be navigated to the Login page	Working as expected	Pass				Ashwin Menon
HomePage_TC _003	UI	Home Page	Verify the UI elements in the home page		IEnter URL and ollick go 2 Verify that below UI elements exist: a Register button b Login button	http://127.0.0.1	Page should show below UI elements: a. A blue Register button b. A green Login button	All mentioned elements exist	Pass				Ashwin Menon
LoginPage_TC_ 001	Functional	Login page	Verify user is able to log into application with their correct credentials	Account must exist	1. Enter URL and click go. 2. Click on the Login button 3. Enter Username and Password	http://127.0.0.1 Username: testusername Password: testpassword	Application should accept user credentials and user should be navigated to the dashboard	Working as expected	Pass				Rahul Reddy
LoginPage_TC_ OO2	Functional	Login page	Verify user is able to log into application with incorrect credentials	Incorrect account details must not exist	1. Enter UPL and click, go. 2. Click on the Login button 3. Enter Username and Password	http://127.0.0.1 Username: testuser Password: testpass	Application should show 'Incorrect email or password' validation message.	Working as expected	Pass				Rahul Reddy
LoginPage_TC_ 003	UI	Login page	Verify the UI elements in the login page	-	1. Enter URL and click go 2. Click on the Login button 3. Verify that below UI elements exist: a. Username filed b. Password field c. Login button d. 'Signup now' link	http:#/27.0.0.1	Page should show below UI elements: a. Username field b. Password field c. Login button d. 'Signup now' link	All mentioned elements exist	Pass				Vignesh Kumar

RegisterPage_T C_001	Functional	Register page	Verify user is able to register to create a new account and get redirected to the login page	Account must not already exist	1. Enter UPL, and click go 2. Click on the Register button / Register link in navban, 2. Enter Name, Email, Username, Password, and Confirm Password	http://i27.0.0.1 Name: testname Email: test@gmail.com Username: testusername Password: testpassword	New account should get created and user should be redirected to the login page	Working as expected	Pass	Vignesh Kumar
RegisterPage_T C_002	UI	Register page	Verify the UI elements in the login page		LEnter UPL and click go 2. Click on the Register button 3. Verity that below UI elements exist: a. Name field b. Email field c. Username button d. Password button e. Confirm Password button	http:///27.0.0.1	Page should show below UI elements: a. Name field b. Email field c. Username button d. Password button e. Confirm Password button f. Submit button	All mentioned elements exist	Pass	Vignesh Kumar
DashboardPage _TC_001	Functional	Dashboar d page	Verify if the user can update stock, add new stock, and remove stock	Table must exist	1. Enter URL and click go 2. Click on the Login button 3. Enter Username and Password 4. Stock Updation: a Enter item name, select a field and enter value. b. Click on Update' 5. New Stock Addition: a. Enter item name, quantitu, and price	http:///27.0.0.1 Item name: testitemname value:0 quantity:100 price:100	Stock gets updated, new stock gets added, and stock gets removed	Working as expected	Pass	Krishna Teja
DashboardPage _TC_002	Functional	Dashboar d page	Verify if the user cannot update non-existent stock, add already existing stock, or remove non-existent stock	Table must exist	I. Enter URL and eliok go 2. Click on the Login button 3. Enter Username and Password 4. Stook Updation: a Enter invalid item name, select a field and enter value. b. Click on 'Update' 5. New Stook Addition:	http://127.0.0.1 Item name: testitemname1 value:0 quantity:100 price:100	Respective error messages get shown	Working as expected	Pass	Krishna Teja
DashboardPage _TC_003	UI	Dashboar d page	Verify if the user is able to see a table of products along with functionality for updating, adding, and removing stock	Table must exist	1. Enter UPLL and click go 2. Click on the Login button 3. Enter Username and Password 4. Dashboard page is displayed along with UI elements	http://127.0.0.1	Page should show below UI elements: a. A table of products b. Three text fields and 'Update' button under Update Stock c. Three text fields and 'Add Stock' button under Add New Stock	All mentioned elements exist	Pass	Krishna Teja
ProfilePage_TC _001	Functional	Profile page	Verify if the user can update their details and password		1. Enter UPL and click go 2. Click on the Login button 3. Enter Username and Password 4. Click Profile in navbar 5. Update user details and password	http:///27.0.0.1 Username. Lestusername Password: testpassword	User details and password should get updated	Vorking as expected	Pass	Ashwin Menon
ProfilePage_TC _002	UI	Profile page	Verify if the user is able to see their ourrent details, and functionality to update thier details and password		LEnter UPL, and click go. 2. Click on the Login button 3. Enter Username and Password 4. Click Profile in navbar	http://127.0.0.1	Page should show below UI elements: a. Current user details with username, name, and email b. Two test fields and 'Update' button under 'Update user details' c. Three text fields and 'Update'.	All mentioned elements exist	Pass	Ashwin Menon
SuppliersPage_ TC_GO1	Functional	Suppliers page	Verify if the user can update supplier, add new supplier, and delete supplier	Table must exist	Enter UPIL and click go Click on the Login button Click on the Management of Password Click Supplier in navbar Supplier Updation: a Enter name, select a field and enter value, D. Click on 'Update'	http:///27.0.0.1 Supplier name: testsupplier location: abc Value: 100	Supplier details get updated, new supplier gets added, and a supplier is deleted	Working as expected	Pass	Rahul Reddy
SuppliersPage_ TC_002	Functional	Suppliers page	Verify if the user cannot update non-existent supplier, add already existing supplier, or remove non-existent supplier	Table must exist	Enter URL and click go Cick on the Login button Enter Usernme and Password Cick Suppliers in navbra Supplier Usdation: a Enter invalid name, select a field and enter value. b. Click on 'Update' New Supplier Addition:	http://i27.0.0.1 Supplier name: test:supplier1 location: abo Value: 100	Respective error messages get shown	Working as expected	Pass	Rahul Reddy
SuppliersPage_ TC_003	UI	Suppliers page	Verify if the user is able to see a table of suppliers along with functionality for updating, adding, and deleting suppliers	Table must exist	1. Enter UPL, and olick, go 2. Click on the Login button 3. Enter Username and Password 4. Click Suppliers in navbar	http://127.0.0.1	Page should show below UI elements: a. A table of suppliers b. Two text fields, a dropdown, and 'Update' button under Update Supplier c. Two text fields, a dropdown, and 'Add Supplier' button under	All mentioned elements exist	Pass	Rahul Reddy
OrdersPage_TC _OO1	Functional	Orders page	Verify if the user can create a new order, update an order, and cancel an order	Table must exist	1. Enter UPL and click go 2. Click on the Login button 3. Enter Username and Password 4. Click Orders in navbar 5. Order Creation: a Enter Stock ID, quantity b. Click on 'Create' 6. Order Updation:	http://27.0.0.1 Stook ID: 12345 Order ID: 123 Guanitip: 100 Value: 100	New order gets created, an order gets updated, and an order gets cancelled	Working as expected	Pass	Krishna Teja
OrdersPage_TC _OO2	Functional	Orders page	Verify if the user cannot update a non-existent order, or cancel a non-existent order	Table must exist	1. Enter UPL and click go 2. Click on the Login button 3. Enter Username and Password 4. Click Orders in navbar 5. Order Updation: a. Enter invalid Order ID, choose a field, and enter value b. Click on 'Update'	http://27.0.0.1 Stook ID: 12346 Order ID: 124 Quantity: 100 Value: 100	Respective error messages get shown	Working as expected	Pass	Vignesh Kumar
OrdersPage_TC _003	UI	Orders page	Verify if the user is able to see a table of orders along with functionality for creating, functionality for creating updating, and cancelling orders		1. Enter URL: and click go 2. Click on the Login button 3. Enter Username and Password 4. Click Orders in navbar	http://27.0.0.1	Page should show below UI elements: a. A table of orders b. Two test fields and 'Create' button under Create Order c. Two test fields, a dopdown, and 'Update' button under Update Order	All mentioned elements exist		Krishna Teja

8.2 USER ACCEPTANCE TESTING

Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved.

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	3	2	2	1	8
Duplicate	0	1	2	1	4
External	1	3	2	1	7
Fixed	4	2	3	15	24
Not Reproduced	0	0	1	1	2
Skipped	1	0	1	1	3
Won't Fix	2	3	2	1	8
Totals	11	11	13	21	56

Test Case Analysis

Section	Total Cases	Not Tested	Fail	Pass
Login	8	0	0	8
Dashboard	19	0	0	19
Db2 Database	9	0	0	9
Flask Application	4	0	0	4

9.RESULTS

9.1 PERFORMANCE METRICS

					NFT - Risk Asse	ssment			
S.No	Project Name	Scope/feature	Functional Changes	Hardware Changes	Software Changes	Impact of Downtime	Load/Volume Changes	Risk Score	Justification
1	Login Authentication	New	Moderate		Moderate		>30 to 50 %	ORANGE	Required feature
	Transaction Management	New	High		Moderate		>30 to 50 %	RED	Indispensable feature
	Containerization		Low		Moderate		>5 to 10%	ORANGE	Feature to make it deployable
					NFT - Detailed T	est Plan			
			S.No	Project Overview	NFT Test approach	Assumptions/Dependenci es/Risks	Approvals/SignOff		
				INVENTORY MANAGEMENT SYSTEM FOR RETAILERS	Stress Test	Proper internet Connection User Credentials	Approved		
S.No	Project Overview	NFT Test approach	NFR - Met	Test Outcome	GO/NO-GO decision	Recommendations	Identified Defects (Detected/Closed/Open)	Approvals/SignOff	

10.ADVANTAGES & DISADVANTAGES

10.1 Advantages

- Manage multiple warehouses.
- Reduce business cost.
- Greater productivity.
- Improve supply chain.
- Reduce cost overselling.

10.2 Disadvantages

- This application is not suitable for those organizations where there is a large quantity of product and different levels of warehouses.
- This software application is able to generate only simple reports.
- Single admin panel is only made. It is not suitable for large organizations.

11. CONCLUSION

In conclusion, the Inventory Management System for merchants is a straightforward web application ideal for SMEs. It has every component a fundamental inventory management system needs to function, and enterprises employ it. Our team has been successful in creating an application that allows us to update, insert, and delete items as needed. Our staff is adamant that, despite some restrictions, the adoption of this system will undoubtedly be advantageous to enterprises.

12.FUTURE SCOPE

A system for keeping track of inventory changes, valuing items, and planning for future inventory levels are some of the additional uses for an inventory system. The inventory value at the end of each period serves as the basis for the financial reporting on the balance sheet. By evaluating the change in inventory, the company can determine the cost of items sold during the period: As a result, the company can get ready for upcoming inventory needs.

13.APPENDIX

13.1 SOURCE CODE

app.py:

```
from flask import Flask, render template, flash, redirect, url for,
session, request, logging
     from wtforms import Form, StringField, TextAreaField, PasswordField,
validators, SelectField, IntegerField
     from functools import wraps
     from datetime import datetime, timedelta
     import sendgrid
     from sendgrid.helpers.mail import Mail, Email, To, Content
     from dotenv import load_dotenv
     load dotenv()
     app = Flask( name )
     app.secret key = 'ceg1234'
     dsn\ hostname = "98538591-7217-4024-b027-
     dsn pwd = "qUt0VtWTanLWm4bJ"
     dsn database = "bludb"
     dsn port = "30875"
     dsn protocol = "TCPIP"
     dsn security = "SSL"
         "DATABASE={1};"
         "PROTOCOL={4};"
```

```
"SECURITY={7};"
"SSLServerCerificate=DigiCertGlobalRootCA.crt").format(dsn driver,
dsn database, dsn hostname, dsn port, dsn protocol, dsn uid,
dsn pwd,dsn security)
         conn = ibm db.connect(dsn,"","")
     except:
          print("Unable to connect: ", ibm db.conn error())
     SUBJECT = "IBM Inventory Management Application"
     def sendgridmail(user,TEXT):
             message = Mail(
                  from email=os.environ.get('SENDGRID FROM EMAIL'),
                  subject=SUBJECT,
                  html content=content)
sendgrid.SendGridAPIClient(os.environ.get('SENDGRID API KEY'))
             print("Hello2")
              response = sg.send(message)
             print("Hello3")
             print(response.status code)
             print(response.body)
             print(response.headers)
             print("Hello4")
             print(e)
     @app.route('/')
```

```
def index():
          return render template('home.html')
     class RegisterForm(Form):
         name = StringField('Name', [validators.Length(min=1, max=50)])
         username = StringField('Username', [validators.Length(min=1,
max=25)])
         email = StringField('Email', [validators.length(min=6, max=50)])
         password = PasswordField('Password', [
             validators.DataRequired(),
             validators.EqualTo('confirm', message='Passwords do not
         confirm = PasswordField('Confirm Password')
     @app.route('/register', methods=['GET','POST'])
     def register():
         form = RegisterForm(request.form)
         if request.method == 'POST' and form.validate():
             email = form.email.data
             username = form.username.data
             password = str(form.password.data)
             sql = "SELECT * FROM users WHERE email=?"
             prep stmt = ibm db.prepare(conn, sql)
             ibm db.bind param(prep stmt, 1, email)
             ibm db.execute(prep stmt)
             account = ibm db.fetch assoc(prep stmt)
             print(account)
             if account:
             else:
                  insert sql = "INSERT INTO users
(email, username, password) values(?,?,?)"
                  prep stmt = ibm db.prepare(conn, insert sql)
                  ibm db.bind param(prep stmt, 1, email)
                  ibm db.bind param(prep stmt, 2, username)
                  ibm db.bind param(prep stmt, 3, password)
```

```
ibm db.execute(prep stmt)
            sendgridmail(email, "Registered Successfully! Thank you
            flash(" Registration successful. Log in to continue !")
        return redirect(url for('login'))
    return render template('register.html', form = form)
@app.route('/login', methods = ['GET', 'POST'])
def login():
    if request.method == 'GET':
        return render template('login.html')
    else:
        error = None
        username = request.form['username']
        password = request.form['password']
        print(username, password)
        sql = "SELECT * FROM users WHERE username=? AND password=?"
        stmt = ibm db.prepare(conn, sql)
        ibm db.bind param(stmt, 1, username)
        ibm db.bind param(stmt, 2, password)
        ibm db.execute(stmt)
        account = ibm db.fetch assoc(stmt)
        print(account)
    if account:
        session['logged in'] = True
        session['username'] = username
        flash("Logged in successfully", "success")
        return redirect(url for('dashboard'))
    else:
        return render template('login.html', error=error)
def is logged in(f):
    @wraps(f)
```

```
def wrap(*args, **kwargs):
             if 'logged in' in session:
             else:
                 flash('Unauthorized, Please login', 'danger')
                  return redirect(url for('login'))
         return wrap
     @app.route('/dashboard')
     @is logged in
     def dashboard():
         sql = "SELECT * FROM stock"
         stmt = ibm db.exec immediate(conn, sql)
         dictionary = ibm db.fetch assoc(stmt)
         stocks = []
         print(dictionary)
         headings = [*dictionary]
         while dictionary != False:
             stocks.append(dictionary)
             dictionary = ibm db.fetch assoc(stmt)
         return render template ('dashboard.html', headings=headings,
data=stocks)
     @app.route('/logout')
     @is logged in
     def logout():
         session.clear()
         flash("Logged out successfully", "success")
     @app.route('/inventoryUpdate', methods=['POST'])
     @is logged in
     def inventoryUpdate():
         if request.method == "POST":
             try:
                 item = request.form['item']
                  field = request.form['input-field']
```

```
value = request.form['input-value']
                  print(item, field, value)
                  insert sql = 'UPDATE stock SET ' + field + "= ?" + "
                  print(insert sql)
                  pstmt = ibm db.prepare(conn, insert sql)
                  ibm db.bind param(pstmt, 1, value)
                  ibm db.bind param(pstmt, 2, item)
                  ibm db.execute(pstmt)
                      insert sql = 'SELECT * FROM stocks WHERE STOCK NAME=
                      pstmt = ibm db.prepare(conn, insert sql)
                      ibm db.bind param(pstmt, 1, item)
                      ibm db.execute(pstmt)
                      dictonary = ibm db.fetch assoc(pstmt)
                      print(dictonary)
                      total = dictonary['QUANTITY'] *
dictonary['PRICE PER QUANTITY']
                      insert sql = 'UPDATE stocks SET TOTAL PRICE=? WHERE
                      pstmt = ibm db.prepare(conn, insert sql)
                      ibm db.bind param(pstmt, 1, total)
                      ibm db.bind param(pstmt, 2, item)
                      ibm db.execute(pstmt)
              except Exception as e:
                 msq = e
     @app.route('/addstocks', methods=['POST'])
     @is logged in
     def addStocks():
         if request.method == "POST":
             print(request.form['item'])
                  item = request.form['item']
```

```
quantity = request.form['quantity']
                 price = request.form['price']
                 total = int(price) * int(quantity)
                 insert sql = 'INSERT INTO stock
(STOCK NAME,QUANTITY,PRICE PER QUANTITY,TOTAL PRICE) VALUES (?,?,?,?)'
                 pstmt = ibm db.prepare(conn, insert sql)
                 ibm db.bind param(pstmt, 1, item)
                 ibm db.bind param(pstmt, 2, quantity)
                 ibm db.bind param(pstmt, 3, price)
                 ibm db.bind param(pstmt, 4, total)
                 ibm db.execute(pstmt)
             except Exception as e:
                 msq = e
     @app.route('/deletestocks', methods=['POST'])
     @is logged in
     def deleteStocks():
         if request.method == "POST":
             print(request.form['item'])
             try:
                 item = request.form['item']
                 insert sql = 'DELETE FROM stock WHERE STOCK NAME=?'
                 pstmt = ibm db.prepare(conn, insert sql)
                 ibm db.bind param(pstmt, 1, item)
                 ibm db.execute(pstmt)
             except Exception as e:
                 msg = e
             finally:
                 return redirect(url for('dashboard'))
     @app.route('/update-user', methods=['POST', 'GET'])
     @is logged in
```

```
def updateUser():
    if request.method == "POST":
            email = session['username']
            value = request.form['input-value']
            insert sql = 'UPDATE users SET username= ? WHERE
            pstmt = ibm db.prepare(conn, insert sql)
            ibm db.bind param(pstmt, 1, value)
            ibm db.bind param(pstmt, 2, email)
            print(pstmt)
            ibm db.execute(pstmt)
        except Exception as e:
            print(e)
            msq = e
        finally:
            session['username'] = value
            return redirect(url for('profile'))
@app.route('/update-password', methods=['POST', 'GET'])
@is logged in
def updatePassword():
    if request.method == "POST":
        try:
            email = session['username']
            password = request.form['prev-password']
            curPassword = request.form['cur-password']
            confirmPassword = request.form['confirm-password']
            insert sql = 'SELECT * FROM users WHERE username=? AND
            pstmt = ibm db.prepare(conn, insert sql)
            ibm db.bind param(pstmt, 1, email)
            ibm db.bind param(pstmt, 2, password)
            ibm db.execute(pstmt)
            dictionary = ibm db.fetch assoc(pstmt)
            print(dictionary)
            if curPassword == confirmPassword:
```

```
insert sql = 'UPDATE users SET PASSWORD=? WHERE
                      pstmt = ibm db.prepare(conn, insert sql)
                      ibm_db.bind_param(pstmt, 1, confirmPassword)
                      ibm db.bind param(pstmt, 2, email)
                      ibm db.execute(pstmt)
             except Exception as e:
                 msg = e
             finally:
                 return redirect(url for('profile'))
     @app.route('/orders', methods=['POST', 'GET'])
     @is logged in
     def orders():
         query = "SELECT * FROM orders"
         stmt = ibm db.exec immediate(conn, query)
         dictionary = ibm db.fetch assoc(stmt)
         headings = [*dictionary]
         while dictionary != False:
             orders.append(dictionary)
             dictionary = ibm db.fetch assoc(stmt)
         return render template("orders.html", headings=headings,
data=orders)
     @app.route('/createOrder', methods=['POST'])
     @is logged in
     def createOrder():
         if request.method == "POST":
                 stock id = request.form['stock id']
                 query = 'SELECT PRICE PER QUANTITY FROM stock WHERE SID=
                 stmt = ibm db.prepare(conn, query)
                 ibm db.bind param(stmt, 1, stock id)
                 ibm db.execute(stmt)
                 dictionary = ibm db.fetch assoc(stmt)
```

```
if dictionary:
                    quantity = request.form['quantity']
                    date = str(datetime.now().year) + "-" + str(
str(datetime.now().day)
                    delivery = datetime.now() + timedelta(days=7)
                    delivery date = str(delivery.year) + "-" + str(
                        delivery.month) + "-" + str(delivery.day)
                    price = float(quantity) * \
                        float(dictionary['PRICE PER QUANTITY'])
                    query = 'INSERT INTO orders
pstmt = ibm db.prepare(conn, query)
                    ibm db.bind param(pstmt, 1, stock id)
                    ibm db.bind param(pstmt, 2, quantity)
                    ibm db.bind param(pstmt, 3, date)
                    ibm db.bind param(pstmt, 4, delivery date)
                    ibm db.bind param(pstmt, 5, price)
                    ibm db.execute(pstmt)
            except Exception as e:
                print(e)
             finally:
                return redirect(url for('orders'))
     @app.route('/updateOrder', methods=['POST'])
     @is logged in
     def updateOrder():
         if request.method == "POST":
                item = request.form['item']
                field = request.form['input-field']
                value = request.form['input-value']
                query = 'UPDATE orders SET ' + field + "= ?" + " WHERE
                pstmt = ibm db.prepare(conn, query)
                ibm db.bind param(pstmt, 1, value)
                ibm db.bind param(pstmt, 2, item)
                 ibm db.execute(pstmt)
```

```
except Exception as e:
            print(e)
            return redirect(url for('orders'))
@app.route('/cancelOrder', methods=['POST'])
@is logged in
def cancelOrder():
    if request.method == "POST":
            order id = request.form['order id']
            query = 'DELETE FROM orders WHERE OID=?'
            pstmt = ibm db.prepare(conn, query)
            ibm db.bind param(pstmt, 1, order id)
            ibm db.execute(pstmt)
        except Exception as e:
            print(e)
        finally:
@app.route('/suppliers', methods=['POST', 'GET'])
@is logged in
def suppliers():
    sql = "SELECT * FROM suppliers"
    stmt = ibm db.exec immediate(conn, sql)
    dictionary = ibm db.fetch assoc(stmt)
    suppliers = []
    orders assigned = []
    headings = [*dictionary]
    while dictionary != False:
        suppliers.append(dictionary)
        orders assigned.append(dictionary['ORDER ID'])
        dictionary = ibm db.fetch assoc(stmt)
    sql = "SELECT OID FROM orders"
    stmt = ibm db.exec immediate(conn, sql)
```

```
dictionary = ibm db.fetch assoc(stmt)
         print("dictionary")
         print(dictionary)
         while dictionary != False:
              order ids.append(dictionary['OID'])
              dictionary = ibm db.fetch assoc(stmt)
         unassigned order ids=None
         return render template("suppliers.html", headings=headings,
data=suppliers, order ids=order ids)
     @app.route('/updatesupplier', methods=['POST'])
     @is logged in
     def UpdateSupplier():
         if request.method == "POST":
                 item = request.form['name']
                 field = request.form['input-field']
                 value = request.form['input-value']
                 print(item, field, value)
                  insert sql = 'UPDATE suppliers SET ' + field + "= ?" + "
                 print(insert sql)
                 pstmt = ibm db.prepare(conn, insert sql)
                  ibm db.bind param(pstmt, 1, value)
                  ibm db.bind param(pstmt, 2, item)
                  ibm db.execute(pstmt)
             except Exception as e:
                 msg = e
             finally:
                  return redirect(url for('suppliers'))
     @app.route('/addsupplier', methods=['POST'])
     @is logged in
     def addSupplier():
         if request.method == "POST":
              try:
```

```
name = request.form['name']
            order id = request.form.get('order-id-select')
            print(order id)
            location = request.form['location']
            insert sql = 'INSERT INTO suppliers
            pstmt = ibm db.prepare(conn, insert sql)
            ibm db.bind param(pstmt, 1, name)
            ibm db.bind param(pstmt, 2, order id)
            ibm db.bind param(pstmt, 3, location)
            ibm db.execute(pstmt)
        except Exception as e:
            msq = e
            return redirect(url for('suppliers'))
@app.route('/deletesupplier', methods=['POST'])
@is logged in
def deleteSupplier():
    if request.method == "POST":
        try:
            item = request.form['name']
            insert sql = 'DELETE FROM suppliers WHERE SNAME=?'
            pstmt = ibm db.prepare(conn, insert sql)
            ibm db.bind param(pstmt, 1, item)
            ibm db.execute(pstmt)
        except Exception as e:
            msg = e
            return redirect(url for('suppliers'))
@app.route('/profile', methods=['POST', 'GET'])
@is logged in
def profile():
    if request.method == "GET":
```

```
email = session['username']
    insert_sql = 'SELECT * FROM users WHERE username=?'
    pstmt = ibm_db.prepare(conn, insert_sql)
    ibm_db.bind_param(pstmt, 1, email)
    ibm_db.execute(pstmt)
    dictionary = ibm_db.fetch_assoc(pstmt)
    print(dictionary)
    return render_template("profile.html", data=dictionary)

if __name__ == '__main__':
    app.run(host="0.0.0.0",port=5000)
```

13.2 GITHUB & PROJECT DEMO LINK

GITHUB Link- https://github.com/IBM-EPBL/IBM-Project-29277-1660123060/tree/main

Application Demo Link - https://drive.google.com/file/d/1RLDUj-UFdYttbHJBOiBUwEUz7Ntt5RLq/view?usp=sharing

Live Application Deployed on Kubernetes Link - http://169.51.204.209:31617/