Assignment -3Python Programming

Assignment Date	7 OCTOBER 2022
Student Name	Venkata Vinay
Student Roll Number	110319106048
Maximum Marks	2 Marks

QUESTION:

Write python code for blinking LED and Traffic lights for Raspberry pi.Only python code is enough, no need to execute in raspberry pi.Note: you are allowed to use web search and complete the assignment.

```
import turtle
# Create a playground for turtles wn
= turtle.Screen()
wn.bgcolor('white')
# Create turtles tess =
turtle.Turtle() alex =
turtle.Turtle() henry =
turtle.Turtle()
def draw_housing():
    """ Draw a nice housing to hold the traffic lights"""
tess.pensize(3) tess.color('black', 'black')
tess.begin_fill()
                                          tess.left(90)
                    tess.forward(80)
tess.forward(157)
                    tess.circle(40, 180)
tess.forward(157) tess.left(90) tess.end_fill()
draw_housing()
def circle(t, ht, colr):
    """Position turtle onto the place where the lights should be, and
turn turtle into a big circle"""
   t.penup()
    t.forward(40)
   t.left(90)
   t.forward(ht)
   t.shape('circle')
   t.fillcolor(colr)
circle(tess, 40, 'green') circle(alex,
100, 'orange') circle(henry, 160,
'red')
# This variable holds the current state of the machine state_num
= 0
def
advance_state_machine():
```

```
global state_num # The global keyword tells Python not to create a new
local variable for state num
    if state_num == 0: # Transition from state 0 to state 1
henry.color('darkgrey') alex.color('darkgrey')
tess.color('green')
                       wn.ontimer(advance_state_machine, 3000) # set
the timer to explode in
                            state_num = 1
3000 milliseconds (3 seconds)
                                                 elif
state_num == 1: # Transition from state 1 to state 2
henry.color('darkgrey') alex.color('orange')
wn.ontimer(advance_state_machine, 1000)
                                          state num = 2
elif state_num == 2: # Transition from state 2 to state 3
tess.color('darkgrey')
wn.ontimer(advance_state_machine, 1000)
                                          state num = 3
else:
                   # Transition from state 3 to state 0
henry.color('red')
                       alex.color('darkgrey')
advance_state_machine()
wn.listen() # Listen for
events
wn.mainloop() # Wait for user to close
```

OUTPUT:

