MODEL BUILDING-IMPORTING MODEL BUILDING LIBRARIES

Team ID	PNT2022TMID13501
Project Name	Crude Oil Price Prediction

```
In [1]: import pandas as pd
            import numpy as np
import matplotlib.pyplot as plt
 In [2]: data=pd.read_excel("/content/Crude Oil Prices Daily.xlsx")
 In [3]: data.isnull().any()
 Out[3]: Date
Closing Value
           dtype: bool
 In [4]: data.isnull().sum()
 Out[4]: Date
Closing Value
           dtype: int64
 In [5]: data.dropna(axis=0,inplace=True)
 In [6]: data.isnull().sum()
 Out[6]: Date
Closing Value
dtype: int64
 In [7]: data_oil=data.reset_index()['Closing Value']
           data_oil
 Out[7]: 0 25.56
1 26.00
                 26.53
25.85
          4
                  25.87
         8211 73.89
8212 74.19
8213 73.05
          8214 73.78
8215 73.93
          Name: Closing Value, Length: 8216, dtype: float64
In [8]: from sklearn.preprocessing import MinMaxScaler
          scaler=MinMaxScaler(feature_range=(0,1))
data_oil=scaler.fit_transform(np.array(data_oil).reshape(-1,1))
In [9]: data_oil
Out[9]: array([[0.11335703],
                  [0.11661484],
                  [0.12053902],
                  [0.46497853],
                  [0.47038353],
                  [0.47149415]])
In [10]: plt.plot(data_oil)
```

```
Out[10]: []
                0.8
                0.6
                0.4
                0.2
                                                      4000
                                                                       6000
                                                                                       8000
                 training_size=int(len(data_oil)*0.65)
                test_size=len(data_oil)-training_size
train_data,test_data=data_oil[0:training_size,:],data_oil[training_size:len(data_oil),:1]
 In [12]: training_size,test_size
 Out[12]: (5340, 2876)
 Out[12]: (5340, 2876)
 In [13]: train_data.shape
 Out[13]: (5340, 1)
 In [14]: def create_dataset(dataset,time_step=1):
                     dataX,dataY=[],[]
for i in range(len(dataset)-time_step-1):
    a=dataset[i:(i+time_step),0]
                    dataX.append(a)
dataY.append(dataset[i+time_step,0])
return np.array(dataX),np.array(dataY)
 In [15]: time_step=10
                 x_train,y_train=create_dataset(train_data,time_step)
x_test,y_test=create_dataset(test_data,time_step)
 In [16]: print(x_train.shape),print(y_train.shape)
                (5329, 10)
(5329,)
 Out[16]: (None, None)
 In [17]: print(x_test.shape),print(y_test.shape)
                 (2865, 10)
                 (2865,)
 Out[17]: (None, None)
 In [18]: x_train
Out[18]: array([[0.11335703, 0.11661484, 0.12053902, ..., 0.10980305, 0.1089886, 0.11054346], [0.11661484, 0.12053902, 0.11550422, ..., 0.1089886, 0.11054346, 0.10165852],
                          0.1015002/)
[0.1263902, 0.11550422, 0.1156523 , ..., 0.11054346, 0.10165852, 0.09906708],
                          [0.36731823, 0.35176958, 0.36080261, ..., 0.36391234, 0.37042796,
                          [0.36731823, 0.35176958, 0.36080261, ..., 0.36391234, 0.37042796, 0.37042796], [0.35176958, 0.36080261, 0.35354657, ..., 0.37042796, 0.37042796, 0.37879461], [0.36080261, 0.35354657, 0.35295424, ..., 0.37042796, 0.37879461, 0.37916482]])
                  x\_train=x\_train.reshape(x\_train.shape[0],x\_train.shape[1],1)  x\_test=x\_test.reshape(x\_test.shape[0],x\_test.shape[1],1)  
In [20]:
                from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense
from tensorflow.keras.layers import LSTM
```