
Assignment -3

Assignment Date	9 October 2022
Student Name	Tharani Devi .R
Role	Team Member 3
Student Roll Number	130719104088
Maximum Marks	2 Marks
Team ID	PNT2022TMID07102

Question-1:

Create a Bucket in IBM object storage.


Solution:



Question-2:

Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

Solution:



CODE:

```
<!DOCTYPE html>
<html>
<head>
  <title>
     Display Images
  </title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <h2>Images From Cloud Object Storage</h2>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/cat.jpg" alt</pre>
= "cat" style="width:350px;height:450px;"></img>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/dog.jpg" alt</pre>
= "dog" style="width:350px;height:450px;"></img>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/tiger.jpg"</p>
alt = "tiger" style="width:450px;height:450px;"></img>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/lion.jpg"</pre>
alt = "lion" style="width:300px;height:400px;"></img>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/goat.jpg"</pre>
alt = "goat" style="width:300px;height:400px;"></img>
</body>
</html>
```

Question-3:

Upload a css page to the object storage and use the same page in your HTML code.

Solution:

```
<!DOCTYPE html>
<html>
<head>
<title>
```

```
Display Images
  </title>
  <link rel="stylesheet" href="https://bucket0289.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/style.css">
</head>
<body>
  <h2>Images and Style page From Cloud Object Storage </h2>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/cat.jpg" alt</pre>
= "cat" style="width:350px;height:450px;"></img>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/dog.jpg" alt</pre>
= "dog" style="width:350px;height:450px;"></img>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/tiger.jpg"</pre>
alt = "tiger" style="width:450px;height:450px;"></img>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/lion.jpg"</pre>
alt = "lion" style="width:300px;height:400px;"></img>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/goat.jpg"</pre>
alt = "goat" style="width:300px;height:400px;"></img>
</body>
</html>
```

Question-4:

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Solution:

```
"generic": [
    "values": [
      "text_expression": {
       "concat": [
          "scalar": "Thanks! What's your **last name**?"
   "response_type": "text",
   "selection_policy": "sequential"
 "generic": [
    "values": [
      "text_expression": {
       "concat": [
          "scalar": "Thanks!\n\nplease go through this link for more
details!\n\n[link](https://file:///C:/Users/priyanka/Desktop/sample.html)"
    "response_type": "text",
   "selection_policy": "sequential"
 "generic": [
    "values": [
```

```
"text_expression": {
       "concat": [
          "scalar": "The hospital Branches are
[link](https://file:///C:/Users/priyanka/Desktop/sample.html)"
   ],
   "response_type": "text",
   "selection_policy": "sequential"
 "generic": [
    "values": [
      "text_expression": {
       "concat": [
          "scalar": "Do you have any other questions?"
   "response_type": "text",
   "selection_policy": "sequential"
  },
    "options": [
      "label": "Yes",
      "value": {
       "input": {
         "text": "Yes"
      "label": "No",
      "value": {
       "input": {
         "text": "No"
```


```
"response_type": "option",
  "repeat_on_reprompt": true
"generic": [
   "values": [
     "text_expression": {
      "concat": [
         "scalar": "I would like to connect with Our Agent!"
   "response_type": "text",
  "selection_policy": "sequential"
"generic": [
  "values": [
     "text_expression": {
      "concat": [
         "scalar": "Thanks! It was great talking with you. Have a great Day ahead."
  "response_type": "text",
  "selection_policy": "sequential"
]
```

```
"generic": [
  "values": [
     "text_expression": {
      "concat": [
         "scalar": "I would like to connect to the Live agent! Just give me a sec!"
  "response_type": "text",
  "selection_policy": "sequential"
 },
 {
  "options": [
     "label": "Yes",
     "value": {
      "input": {
       "text": "Yes"
     "label": "No",
     "value": {
      "input": {
       "text": "No"
  "response_type": "option",
  "repeat_on_reprompt": true
"generic": [
  "values": [
     "text_expression": {
```

Question-5:

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

ChatBot Page



html code:

```
<!DOCTYPE html>
<html>
<head>
    <title>
        Display Images
        </title>
        link rel="stylesheet" href="style.css">
        <script>
        window.watsonAssistantChatOptions = {
```

```
integrationID: "35636669-cd5e-400e-a10e-4a7b22fa467c", // The ID of this
integration.
      region: "au-syd", // The region your integration is hosted in.
      serviceInstanceID: "72c42f57-ebec-41d0-8ea9-da4e33c8000a", // The ID of your
service instance.
      onLoad: function(instance) { instance.render(); }
     };
    setTimeout(function(){
      const t=document.createElement('script');
      t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
      document.head.appendChild(t);
     });
   </script>
</head>
<body>
  <h1>ChatBot Page </h1>
</body>
</html>
```