# ASSIGNMENT – 4 Python Programming

College Name	Karpagam College of Engineering		
Student Name	Mr . Bhanu Sagar K V		
Student Roll Number	19L205		

# Importing Model building libraries

### **Solution:**

```
import pandas as pd
import numpy as np
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import LabelEncoder
from keras.models import Model
from keras.layers import LSTM, Activation, Dense, Dropout, Input,
Embedding
from keras.optimizers import RMSprop
from keras.preprocessing.text import Tokenizer
from keras_preprocessing import sequence
from keras.utils import to_categorical
from keras.models import load model
```

# Importing NLTK libraries

### **Solution:**

```
import csv
import tensorflow as tf
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
from tensorflow.keras.preprocessing.text import Tokenizer
from tensorflow.keras.preprocessing.sequence import pad_sequences
import nltk
nltk.download('stopwords')
from nltk.corpus import stopwords
STOPWORDS = set(stopwords.words('english'))
```

# Reading dataset and preprocessing

### Solution:

```
from google.colab import drive
drive.mount('/content/drive')
cd/content/drive/MyDrive/Colab Notebooks
```

```
df =
pd.read_csv('/content/drive/MyDrive/AI_IBM/spam.csv',delimiter=',',encoding='la
tin-1')
df.head()
```

### **Output:**

	v1	v2	Unnamed: 2	Unnamed: 3	Unnamed: 4
0	ham	Go until jurong point, crazy Available only	NaN	NaN	NaN
1	ham	Ok lar Joking wif u oni	NaN	NaN	NaN
2	spam	Free entry in 2 a wkly comp to win FA Cup fina	NaN	NaN	NaN
3	ham	U dun say so early hor U c already then say	NaN	NaN	NaN
4	ham	Nah I don't think he goes to usf, he lives aro	NaN	NaN	NaN

### Solution:

```
df.drop(['Unnamed: 2','Unnamed: 3', 'Unnamed: 4'],axis=1,inplace=True)
df.info()
```

### **Output:**

```
RangeIndex: 5572 entries, 0 to 5571
Data columns (total 2 columns):

# Column Non-Null Count Dtype
--- 0 v1 5572 non-null object
1 v2 5572 non-null object
dtypes: object(2)
memory usage: 87.2+ KB
```

### Solution:

```
df.groupby(['v1']).size()
```

# **Output:**

```
v1
ham 4825
spam 747
dtype: int64
```

### Solution:

```
X = df.v2
Y = df.v1
le = LabelEncoder()
Y = le.fit_transform(Y)
Y = Y.reshape(-1,1)

# Test and train data split
X_train, X_test, Y_train, Y_test = train_test_split(X, Y, test_size=0.15)
```

```
max_words = 1000
max_len = 150
tok = Tokenizer(num_words=max_words)
tok.fit_on_texts(X_train)
sequences = tok.texts_to_sequences(X_train)
sequences matrix = sequence.pad sequences(sequences, maxlen=max len)
```

# Create Model Add layers (LSTM ,Dense-(HiddenLayers),Ouput)

### Solution:

```
#LSTM model
inputs = Input(name='InputLayer', shape=[max_len])
layer = Embedding(max_words,50,input_length=max_len) (inputs)
layer = LSTM(64) (layer)
layer = Dense(256,name='FullyConnectedLayer1') (layer)
layer = Activation('relu') (layer)
layer = Dropout(0.5) (layer)
layer = Dense(1,name='OutputLayer') (layer)
layer = Activation('sigmoid') (layer)

model = Model(inputs=inputs,outputs=layer)
model.summary()
model.compile(loss='binary_crossentropy',optimizer=RMSprop(),metrics=['accuracy'])
```

### **Output:**

Model: "model"

Layer (type)	Output Shape	Param #
InputLayer (InputLayer)	[(None, 150)]	0
embedding (Embedding)	(None, 150, 50)	50000
lstm (LSTM)	(None, 64)	29440
FullyConnectedLayer1 (Dense	(None, 256)	16640
activation (Activation)	(None, 256)	0
dropout (Dropout)	(None, 256)	0
OutputLayer (Dense)	(None, 1)	257
activation_1 (Activation)	(None, 1)	0

\_\_\_\_\_

Total params: 96,337 Trainable params: 96,337 Non-trainable params: 0

### Solution:

model.fit(sequences\_matrix,Y\_train,batch\_size=128,epochs=25,validation\_split=0.
2)

### **Output:**

```
Epoch 1/25
30/30 [===
            ========] - 28s 720ms/step - loss: 0.3323 - accuracy: 0.8772 - val_loss: 0.1085 - val_accuracy: 0.9715
Enoch 2/25
Epoch 3/25
          :========] - 12s 384ms/step - loss: 0.0421 - accuracy: 0.9884 - val_loss: 0.0518 - val_accuracy: 0.9842
Epoch 4/25
          :==========] - 9s 291ms/step - loss: 0.0293 - accuracy: 0.9921 - val_loss: 0.0461 - val_accuracy: 0.9884
30/30 [====
Epoch 5/25
         30/30 [====
Epoch 6/25
       30/30 [=====
Epoch 7/25
          Epoch 8/25
30/30 [====
        :============================= 1 - 11s 369ms/step - loss: 0.0087 - accuracy: 0.9974 - val loss: 0.0765 - val accuracy: 0.9863
Epoch 9/25
30/30 [=====
       Epoch 10/25
30/30 [=====
        Epoch 11/25
30/30 [=====
        Epoch 12/25
30/30 [=====
        Epoch 13/25
30/30 [====
           ==========] - 11s 363ms/step - loss: 0.0011 - accuracy: 0.9997 - val_loss: 0.1153 - val_accuracy: 0.9895
Epoch 14/25
30/30 [============] - 9s 294ms/step - loss: 6.9965e-04 - accuracy: 0.9997 - val loss: 0.1322 - val accuracy: 0.9873
Epoch 15/25
            ========] - 9s 292ms/step - loss: 0.7710 - accuracy: 0.9739 - val loss: 0.1286 - val accuracy: 0.9884
Epoch 16/25
30/30 [=====
       Epoch 17/25
            ========] - 9s 296ms/step - loss: 2.4364e-04 - accuracy: 1.0000 - val_loss: 0.1362 - val_accuracy: 0.9895
Epoch 18/25
30/30 [=====
           Epoch 19/25
30/30 [====
        Epoch 20/25
30/30 [=====
          ==========] - 9s 310ms/step - loss: 3.0667e-05 - accuracy: 1.0000 - val_loss: 0.1735 - val_accuracy: 0.9863
Epoch 21/25
30/30 [====
         ==========] - 9s 316ms/step - loss: 1.8201e-05 - accuracy: 1.0000 - val_loss: 0.1857 - val_accuracy: 0.9852
Epoch 22/25
        30/30 [=====
Epoch 23/25
            =========] - 9s 295ms/step - loss: 7.4443e-06 - accuracy: 1.0000 - val_loss: 0.2257 - val_accuracy: 0.9873
30/30 [====
Epoch 24/25
        ========== ] - 9s 298ms/step - loss: 1.8775e-04 - accuracy: 1.0000 - val loss: 0.2443 - val accuracy: 0.9810
30/30 [=====
Epoch 25/25
```

### **Solution:**

```
model.fit_generator(xtrain,
test_sequences = tok.texts_to_sequences(X_test)
test_sequences_matrix = sequence.pad_sequences(test_sequences,maxlen=max_len)
accuracy = model.evaluate(test_sequences_matrix,Y_test)
print('Accuracy: {:0.3f}'.format(accuracy[1]))
```

### **Output:**

### **Solution:**

```
y_pred = model.predict(test_sequences_matrix)
print(y pred[25:40].round(3))
```

## **Output:**

```
27/27 [======] - 1s 25ms/step
[0.]
[0.]
[0.]
[0.]
[0.]
[0.]
[1.]
[0.]
[0.]
[0.]
[1.]
[0.]
[0.]
[0.]]
```

## **Solution:**

print(Y\_test[25:40])

# **Output:**

[[0]] [0]

[0] [0]

[0] [1]

[0]

[0]

[1]

[0] [0] [0]]