IMPORTING NECESSARY LIBRARIES

```
import os
import cv2
import numpy as np
import matplotlib.pyplot as plt
from keras.preprocessing.image import ImageDataGeneratorRENAMING
DATA FILES
def rename_imgs(file_name):
  folder_path = r'test_dataset/'+file_name
  num = 0
  for file in os.listdir(folder_path):#
    if num%10 == 0:
        print(f'Renamed {num} files...')
    # os.rename(folder_path+'\\'+file, folder_path+'\\'+file_name+'_'+str(num)+'.jpeg')
    num += 1
fn = 'Space'
rename_imgs(fn)
file_names = '0123456789'+'ABCDEFGHIJKLMNOPQRSTUVWXYZ'
for fn in file_names:
  rename_imgs(fn)
DISPLAYING SAMPLE IMAGES FROM DATASET
```

```
train_data_path = 'train_dataset/'
test_data_path = 'test_dataset/'
def display(img,sign=None):
  img = cv2.cvtColor(img,cv2.COLOR_BGR2RGB)fig
  = plt.figure(figsize=(7,7))
  ax = fig.add_subplot(111)
  plt.title(sign)
  ax.imshow(img)
Training Data Images
sign_img = cv2.imread(train_data_path+'O/O_234.jpeg')
display(sign_img,'a')
Training Data Images
sign_img = cv2.imread(train_data_path+'O/O_234.jpeg')
display(sign_img,'a')
sign_img = cv2.imread(train_data_path+'A/A_204.jpeg')
display(sign_img,'A')
sign_img = cv2.imread(train_data_path+'3/3_340.jpeg')
display(sign_img,'3')
sign_img = cv2.imread(train_data_path+'M/M_100.jpeg')
display(sign_img,'M')
```

```
sign_img = cv2.imread(train_data_path+'S/S_10.jpeg'
Test Data Images
sign_img = cv2.imread(test_data_path+'S/S_15.jpeg')
display(sign_img,'S')
sign_img = cv2.imread(test_data_path+'Z/Z_1.jpeg')
display(sign_img,'Z')
sign_img = cv2.imread(test_data_path+'7/7_8.jpeg')
display(sign_img,'7')
AUGMENTATION AND PREPROCESSING THE DATASET
Creating ImageDataGenerator
image_gen = ImageDataGenerator(rotation_range=30,
                width_shift_range=0.1,
                height_shift_range=0.1,
                shear_range=0.2,
                zoom_range=0.2,
                rescale=1/255,
                horizontal_flip=True,
                fill_mode='nearest',
                validation_split=0.25)
Original Image
sign_img = cv2.imread(train_data_path+'3/3_100.jpeg')
display(sign_img,'3')
```

```
Augmented Images
display(image_gen.random_transform(sign_img))
display(image_gen.random_transform(sign_img))
```

SPLITING INTO TRAIN AND VALIDATION DATASET

Train Data Generator

train_data_gen = image_gen.flow_from_directory(train_data_path,

target_size=(250,250),

batch_size=16,

shuffle=True,

class_mode='binary',

subset='training')

Found 41625 images belonging to 37 classes.

Validation Data Generator

validation_data_gen = image_gen.flow_from_directory(train_data_path,

target_size=(250,250),

batch_size=16,

shuffle=True,

class_mode='binary',

subset='validation')

Found 13875 images belonging to 37 classes.

Test Data Generator

test_data_gen = image_gen.flow_from_directory(test_data_path,

```
target_size=(250,250),
batch_size=8, shuffle=True,
class_mode='categorical',
)
```

Found 2586 images belonging to 37 classes.

train_data_gen.class_indices

- {'0':0,
- '1': 1,
- '2': 2,
- '3': 3,
- '4': 4,
- '5': 5,
- '6': 6,
- '7': 7,
- '8': 8,
- '9': 9,
- 'A': 10,
- 'B': 11,
- 'C': 12,
- 'D': 13,
- 'E': 14,
- 'F': 15,
- 'G': 16,
- 'H': 17,

- 'l': 18,
- 'J': 19,
- 'K': 20,
- 'L': 21,
- 'M': 22,
- 'N': 23,
- 'O': 24,
- 'P': 25,
- 'Q': 26,
- 'R': 27,
- 'S': 28,
- 'Space': 29,
- 'T': 30,
- 'U': 31,
- 'V':32,
- 'W': 33,
- 'X': 34,
- 'Y': 35,
- 'Z':36}

test_data_gen.classes array([

- 0, 0, 0, ..., 36, 36, 36])
- len(train_data_gen.classes)
- 41625
- len(test_data_gen.classes)
- 2586