

Assignment- 3

AssignmentDate	30 th October2022
StudentName	RagasruthiJ
TeamID	PNT2022TMID23145
MaximumMarks	2Marks


Question:

1. Create a Bucket in IBM object storage

The screenshot displays the IBM Cloud Object Storage console. The left sidebar shows the navigation menu with 'Storage instances' selected. The main content area is titled 'Buckets' and includes a search bar, a 'Create bucket' button, and a table of existing buckets. The table has columns for Name, Public access, Location, Storage class, and Created. One bucket named 'raga' is listed with public access disabled, located in 'us-south', using 'Smart Tier' storage class, and created on '2022-11-08 9:41 PM'. A 'Show all' button is located at the bottom right of the console.

Name	Public access	Location	Storage class	Created
raga	No	us-south	Smart Tier	2022-11-08 9:41 PM

2. Upload an 5 images to ibm object storage and make it public. Write html code to displaying all the 5 images



3. Upload a css page to the object storage and use the same page in your HTML code.



```
<!DOCTYPEhtml>
```

```
<title>CanadianScenario</title>
```

```
<head>
```

```
<style
```

```
>img{display:
```

```
block;margin-
```

```
left:auto;
```

margin-right:

auto;border:

aqua;width:50%;

}

</style>

</head>

<bodystyle="background-color:aqua;">

<h1>CANADIANSCENARIO</h1>

<imgsrc="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/scene1.jpeg"alt="amazon"style="width:50%">

<imgsrc="http://s3.jp-tok.cloud-object-

storage.appdomain.cloud/scene2.jpeg"alt="google"width="600"height="600">

<imgsrc="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/scene6.jpeg"alt="box"width="600"height="600">

<imgsrc="http://s3.jp-tok.cloud-object-

storage.appdomain.cloud/scene7.jpeg"alt="microsoft"width="600"height="600">

</body>

</html>

4. Design a chatbot using IBM watson assistant for hospital. Ex: user comes with query to know the branches for that hospital in your city . Submit the web URL of that chat bot as a assignment



Canadianscenariostyling.html:

```
<!DOCTYPEhtml>
```

```
<title>Canadianscenario</title>
```

```
<head>
```

```
<style
```

```
>img{di
```

```
splay:
```

```
block;margin-left:
```

```
auto;margin-right:
```

```
auto;border:
```

```
aqua;width:50%;
```

```
}
```

```
Body{style="border:rgb(15,15,1
```

```
5);border-width:5px;
```

```
border-style:double;text-align:center;font-family:Arial,Helvetica,sans-serif;
```

background-color:powderblue"

}

</style>

</head>

<bodystyle="background-color:aqua;">

<h1>CANADIANSCEENARIO</h1>

<imgsrc="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/img1.jpg"alt="amazon"style="width:50%">

<imgsrc="http://s3.jp-tok.cloud-object-

storage.appdomain.cloud/img2.jpg"alt="google"width="600"height

= "600">

<imgsrc="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/img3.jpg"alt="ibm"width="600"height="600"

>

<imgsrc="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/img4.jpg"alt="box"width="600"height="600">

<imgsrc="http://s3.jp-tok.cloud-object-

storage.appdomain.cloud/img5.jpg"alt="microsoft"width="600"height="600">

</body>

</html>

Style.cs

sBody{

style="border:rgb(15,15,15);b


order-width:5px;

```
border-style:double;text-align:center;font-family:Arial,Helvetica,sans-serif;

background-color:powderblue"

}
```

<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-f983893e-f570-488a-85be-a88e5583f7de%3A%3A5ce2ca6a-dcae-478e-a90c-e6fa0ec864e9&integrationID=3b20919b-747d-4417-b793-13e5240616e1®ion=au-syd&serviceInstanceID=f983893e-f570-488a-85be-a88e5583f7de>



5. Create Watson assistant service with 10 steps and use 3 condition in it. Load that script in HTML page

```
<!DOCTYPEhtml>
```

```
<title>abchospital</title>
```

```
<style
```

```
>body
```

```
{
```

```
background:url(https://wallpaperaccess.com/full/1282794.jpg)no-repeatcentercenterfixed;
```

```
-webkit-background-size:cover;
```

```
-moz-background-size:cover;
```

```
-o-background-size:cover;background-size:cover
```

```
}
```

```
</style>
```

```
<body>
```

```
<script>
```

```
<script>>window.watsonAssistantChatOptions={int
```

```
egrationID:"2f598fa3-d76d-4766-b86f-
```

```
92a28d85dae9",//TheIDofthisintegration.region:"au-
```

```
syd",//Therregionyourintegrationishostedin.serviceI
```

```
nstanceID:"dd023609-f951-4da6-a246-
```

```
92943dc5e937",//TheIDofyourserviceinstance.onLoad:function(instance){instance.render();}
```

```
};
```

```
setTimeout(function(){constt=document.createElement('script');t.src="https:/
```

```
/web-chat.global.assistant.watson.appdomain.cloud/versions/"
```

```
+(window.watsonAssistantChatOptions.clientVersion||'latest')+"/WatsonAssistantChatEntry.js";document.head.appen
```

```
dChild(t);
```

```
});
```

</script></script>

</body>

</html>

