#### Assignment -4

# **SMS SPAM Classification**

Assignment Date	22 October 2022
Student Name	Dhanvarshini.R
Student Roll Number	211419104060
Maximum Marks	2 Marks

# **Question-1:**

Download the dataset

## **Question-2:**

Import required library

#### **Solution**

import nltk

import pandas as

pdimport re

from nltk.corpus import stopwords

from nltk.stem.porter import PorterStemmer

from sklearn.feature\_extraction.text import

CountVectorizerfrom sklearn.model\_selection import

train test split

from tensorflow.keras.models import

Sequentialfrom tensorflow.keras.layers

import Dense



# **Question-3:**

Read dataset and do pre-processing

## **Solution**

data=pd.read\_csv('/content/drive/MyDrive/assignment 4/spam.csv',encoding='latin')

```
nltk.download('stopword
s')ps=PorterStemmer()
input=[]
for i in range(0,5572):
  review=data['v2'][i]
  review=re.sub('[^a-zA-Z]','
  ',review)review=review.lower()
  review=review.split()
  review=[ps.stem(word) for word in review if not word in
  set(stopwords.words('english'))]review=' '.join(review)
  input.append(review)
cv=CountVectorizer(max features=70
00)
x=cv.fit_transform(input).toarray()
y=data['v1'].values
x_train,x_test,y_train,y_test= train_test_split(x,y,test_size=0.2)
Read dataset
[ ] data=pd.read_csv('/content/drive/MyDrive/assignment 4/spam.csv',encoding='latin')
Preprocessing
[ ] nltk.download('stopwords')
    [nltk_data] Downloading package stopwords to /root/nltk_data...
[nltk_data] Package stopwords is already up-to-date!
True
[ ] ps=PorterStemmer()
    input=[]
[ ] for i in range(0,5572):
      review=data['v2'][i]
      review=re.sub('[^a-zA-Z]',' ',review)
      review=review.lower()
      review=review.split()
      review=[ps.stem(word) for word in review if not word in set(stopwords.words('english'))]
review=' '.join(review)
      input.append(review)
                                                          Os completed at 8:54 PM
   [ ] cv=CountVectorizer(max_features=7000)
    [ ] x=cv.fit_transform(input).toarray()
        \begin{array}{c} \mathsf{array}([[0,\ 0,\ 0,\ \dots,\ 0,\ 0,\ 0],\\ [0,\ 0,\ 0,\ \dots,\ 0,\ 0,\ 0],\\ [0,\ 0,\ 0,\ \dots,\ 0,\ 0,\ 0], \end{array}
              [0, 0, 0, ..., 0, 0, 0], [0, 0, 0, ..., 0, 0, 0], [0, 0, 0, ..., 0, 0, 0]])
    [ ] y=data['v1'].values
        array(['ham', 'ham', 'spam', ..., 'ham', 'ham', 'ham'], dtype=object)
                                                                                                                              ↑ ↓ © 目 ‡ 🖟 🗎 :
    x.shape
        (5572, 6221)
    [ ] x_train,x_test,y_train,y_test= train_test_split(x,y,test_size=0.2)
```

## **Question-4:**

#### **Solution**

model=Sequential()

## **Question-5:**

```
Add Layers (LSTM, Dense-(Hidden Layers),
Output)Solution
model.add(Dense(units=6221,activation='relu'
))
model.add(Dense(units=7000,activation='relu'
))
model.add(Dense(units=1,activation='sigmoid'
))
```



## **Question-6:**

Compile The Model

# **Solution**

model.compile(optimizer='adam',loss='binary\_crossentropy',metrics=['accuracy'])

Compile the model



## **Question-7:**

Fit The Model

#### **Solution**

model.fit(x\_train,y\_train,epochs=5)



# **Question-7:**

Save The Model

# **Solution**

model.save("Flowers.h5")

Fit the model

[] model.save('spam.h5')