## Assignment - 4


Assignment Date	18/10/2022
Student Name	VIKRAM SIVA K V
Student Roll Number	61072012912
Maximum Marks	2 Marks

### **Question:**

Write code and connections in WokWi for Ultrasonic Sensor. Whenever the distance is less 100cm, send "Alert" to IBM cloud and display in device recent events.

### **Solution:**

# **Circuit Diagram:**



#### Code:

```
sketch.ino
                                           libraries.txt
                                                                Library Manager 🔻
            #include <WiFi.h>
#include <PubSubClient.h>
            void callback(char* subscribetopic, byte* payload, unsigned int payloadLength);
           #define ORG "um5y3e"//IBM ORGANITION ID
#define DEVICE_TYPE "ESP32" //Device type mentioned in ibm watson IOT Platform
#define DEVICE_ID "ESP3240P"//Device ID mentioned in ibm watson IOT Platform
#define TOKEN "Sv*Ygwum-RMJXiOBy?"//Token
            String data3;
           //----Customise the above values-----
char server[] = ORG ".messaging.internetofthings.ibmcloud.com"; // Server Name
char publishTopic[] = "iot-2/evt/Data/fat/json";// topic name and type of event perform and format in which data to be send
char subscribetopic[] = "iot-2/cmd/test/fmt/String";// cmd REPRESENT command type AND COMMAND IS TEST OF FORMAT STRING
           char authMethod[] = "use-token-auth"; // authentication method
           char token[] = TOKEN;
char clientid[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;//client id
            PubSubClient client(server, 1883, callback,wificlient); //calling the predefined client id by passing parameter like server id, portand wificredential
            int LED = 4;
            int trig = 5;
            int echo = 18:
               Serial.begin(115200);
              pinMode(trig, OUTPUT);
pinMode(echo, INPUT);
pinMode(LED, OUTPUT);
              wificonnect();
```

```
wificonnect();
mqttconnect();

pvid lose()// Recursive Function

{
    digitalWrite(trig, LOW);
    float dur - pulseIn(echo, HIGW);
    float dur - pulseIn(echo, HIGW);
    float dist - (ur - 0.0343)/2;
    serial.printl ("Distance in ce");
    serial.println(dist);
    delay(1000);
    if ([client.looy()) {
        mqttconnect();
    }

    //..retrieving to cloud...

    void PublishData(float dist) {
        mqttconnect();//function call for connecting to ibm
        //creating the string in the form of Json to update the data to ibm cloud

    string object;
    if (dist clobe)
    digitalWrite(LED, HIGW);
    serial.println("object is near");
    serial.println("object is near");
}
```

```
| InitManagedDevice();
| Serial.println();
| Serial.println();
| Serial.println();
| Serial.println();
| Serial.println();
| Serial.println();
| Serial.print("Connecting to ");
| Wifi.begin("Wokai-GUEST", "", 6);//passing the wifi credentials to establish the connection while (Wifi.status() != Mu_CONNECTED) {
| delay(500);
| delay(500);
| delay(500);
| delay(500);
| Serial.println(");
| Serial.println("Wifi connected");
| Serial.println(Wifi connected");
| Serial.println(Wifi.localIP());
| Serial.println(Wifi.localIP());
| Serial.println("subscribetopic)) {
| Serial.println("subscribetopic));
| Serial.println("subscribetopic);
| Serial.println("subscribe to cnd OK");
| Serial.println("subscribe to cnd KTLED");
| Serial.println("subscribe to cnd FAILED");
| Serial.println("subscribetopic, byte* payload, unsigned int payloadLength)(
| Serial.print("calback invoked for topic: ");
| Serial.println("subscribetopic);
| Serial.print("calback invoked for topic: ");
| Serial.print("chalback invoked for topic: ");
```

```
void callback(char* subscribetopic, byte* payload, unsigned int payloadLength){

Serial.print("callback invoked for topic: ");

Serial.println(subscribetopic);

for (int i=0; i < payloadLength; i++) {

//serial.print((char)payload[1]);

data3 += (char)payload[1];

data3 = "";


data3 = "";

//serial.print((char)payload[1]);

//serial.print((char)payload[1]);
```

### **OUTPUT:**

## When the Object is Far:



## When the Object is Near:

