


Assignment-3

Team id	PNT2022TMID49572
PROJECT NAME	PERSONAL EXPENSE TRACKER
NAME	SAFEER ALI S
ROLL NO	950019104039

1.Create a Bucket in IBM object storage.



2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

index.html:

```
<html>
```

```
<head>
```

```
<title>
```

```
Images
```

```
</title>
```

```
<link rel="stylesheet" href="https://safeer.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css">

</head>

<body>

<div class="box">

<div class="img1">

<h1 class="word">Bike</h1>



</div>

<div class="img2">

<h1 class="word">Car</h1>



</div>

<div class="img3">

<h1 class="word">Cristiano</h1>



</div>

<div class="img4">

<h1 class="word"> Me </h1>



</div>

<div class="img5">

<h1 class="word"> Taj</h1>




</div>

</div>
```

</body>

</html>

Output:



3.Upload a css page to the object storage and use the same page in your HTML code.

```
@import url('https://fonts.googleapis.com/css2?family=Alkalami&display=swap');
```

```
body{
```

```
top: 0;
```

```
left: 0;
```

```
width: 100vw;
```

```
height: 100vh;
```

```
margin: 0;
```

```
padding: 0;
```

```
font-size: 1vmin;
```

```
font-family: 'Alkalami', serif;
```

```
color: white;
```

```
background: linear-gradient(90deg, #fc466aad 0%, #3f5efbb6 100%);
```

```
}
```



```
.word{
  text-align: center;
  text-transform: uppercase;
  color: rgb(231, 226, 225);
}

img{
  border-radius: 3px;
  position: relative;
  top: 34%;
  left: 50%;
  transform: translate(-50%, -50%);
  width: 99%;
  height: 70%;
}

.box{
  border-radius: 3px;
  height: 500px;
  width: 700px;
  background: linear-gradient(90deg, #38010c 0%, #08ad2c 100%);
  display: flex;
  flex-wrap: wrap;
  flex-direction: row;
  position: relative;
  top: 50%;
  left: 50%;
  transform: translate(-50%, -50%);
}

.img1 ,.img2 ,.img3, .img4, .img5{
  border-radius: 10px;
```

```
height: 220px;
width: 150px;
margin: 15px;
border: 1px solid rgb(224, 23, 23);
background: linear-gradient(90deg, #010c25 0%, #03df83 100%);
}
.img1{
margin-left: 60px;
}
.img2{
margin-left: 50px;
}
.img3{
margin-left: 50px;
}
.img4{
margin-left: 170px;
}
.img5{
margin-left: 50px;
}Output:
```



4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-4cf98762-ba2d-4f22-9bea-bce8af0aeffc%3A%3A48c63d32-8b76-407e-99ed-eb30322f4328&integrationID=f6ec76da-c481-4c43-b7b1-88f4990f4b50®ion=au-syd&serviceInstanceID=4cf98762-ba2d-4f22-9bea-bce8af0aeffc>

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Index.html:

```
<html>

<head>

  <script>

    window.watsonAssistantChatOptions = {

      integrationID: "f6ec76da-c481-4c43-b7b1-88f4990f4b50", // The ID of this integration.

      region: "au-syd", // The region your integration is hosted in.

      serviceInstanceID: "4cf98762-ba2d-4f22-9bea-bce8af0aeffc", // The ID of your service
instance.

      onLoad: function(instance) { instance.render(); }

    };

    setTimeout(function(){

      const t=document.createElement('script');

      t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";

      document.head.appendChild(t);

    });

  </script>

  <meta charset="UTF-8">

  <title> Index </title>

  <link rel="stylesheet" href="style.css">

</head>

<body></br></br></br></br></br>

  <img src="" alt="">
```

```

<div align="center">
<div align="center" class="border">
<div class="header">
<h1 class="word">Index</h1>
</div></br></br></br>
<h1 class="bottom">
Hi I am Safeer</br></br> Welcome to Our page...
</h1></br></br></br>
<a href="login.html" class="btn">Logout</a>
</div>
</div>
</body>
</html>

```

Output:

The screenshot displays the IBM Watson Assistant interface. The top navigation bar includes 'IBM Watson Assistant Lite', 'Upgrade', 'Hospital Bot', and 'Learning center'. The left sidebar shows a menu with 'Actions' selected. The main content area displays a table of actions created by the user.

Name	Last edited	Examples Count	Status
Hello,Hai	a day ago	1	✓
I am having these symptoms for past few days.	25 minutes ago	1	✓
Thank You for your help and assist	20 minutes ago	1	✓
Can I have a appointment for a doctor?	22 minutes ago	1	✓
Do I need to have any test done before seeing the doctor?	21 minutes ago	1	✓

At the bottom of the table, it shows 'Items per page: 50' and 'Showing 1-5 of 5 actions'. The right side of the table has a 'New action +' button and a '1 of 1 pages' indicator.

Index

Hi I am Safeer

Welcome to Our page...

[Logout](#)

