## **ASSIGNMENT - 1**

Project Name : SmartFarmer - IoT Enabled Smart Farming Application

Batch Number : B4-4M6E

Assignment Topic : Build a smart home using sensor LED and Buzzer


Name : SathiyaNarayanan V

```
CODE:
int t=2;
int e=3;
void setup()
 Serial.begin(9600);
 pinMode(t,OUTPUT);
 pinMode(e,INPUT);
 pinMode(12,OUTPUT);
void loop()
{
 //ultrasonic sensor
 digitalWrite(t,LOW);
 digitalWrite(t,HIGH);
 delayMicroseconds(10);
 digitalWrite(t,LOW);
 float dur=pulseIn(e,HIGH);
 float dis=(dur*0.0343)/2;
 Serial.print("Distance is: ");
 Serial.println(dis);
//LED ON
 if(dis>=100)
 {
  digitalWrite(8,HIGH);
  digitalWrite(7,HIGH);
//Buzzer For ultrasonic Sensor
```

```
if(dis > = 100)
for(int i=0; i<=30000; i=i+10)
tone(12,i);
 delay(1000);
 noTone(12);
 delay(1000);
}
}
//Temperate Sensor
 double a= analogRead(A0);
 double t=(((a/1024)*5)-0.5)*100;
 Serial.print("Temp Value: ");
 Serial.println(t);
 delay(1000);
//LED ON
 if(t>=100)
 {
  digitalWrite(8,HIGH);
  digitalWrite(7,HIGH);
}
//Buzzer for Temperature Sensor
 if(t>=100)
for(int i=0; i<=30000; i=i+10)
tone(12,i);
 delay(1000);
 noTone(12);
 delay(1000);
```

```
//LED OFF
if(t<100)
{
    digitalWrite(8,LOW);
    digitalWrite(7,LOW);
}</pre>
```

## **BLOCK DIAGRAM:**



OUTPUT:

Distance is: 112.88