

TEST THE MODEL

```
In [ ]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
```

```
In [ ]: data=pd.read_excel("/content/Crude Oil Prices Daily.xlsx")
```

```
In [ ]: data.isnull().any()
```

```
Out[ ]: Date          False
Closing Value      True
dtype: bool
```

```
In [ ]: data.isnull().sum()
```

```
Out[ ]: Date          0
Closing Value      7
dtype: int64
```

```
In [ ]: data.dropna(axis=0,inplace=True)
```

```
In [ ]: data.isnull().sum()
```

```
Out[ ]: Date          0
Closing Value      0
dtype: int64
```

```
In [ ]: data_oil=data.reset_index()['Closing Value']
data_oil
```


```
Out[ ]: 0      25.56
1      26.00
2      26.53
3      25.85
4      25.87
...
8211   73.89
8212   74.19
8213   73.05
8214   73.78
8215   73.93
Name: Closing Value, Length: 8216, dtype: float64
```

```
In [ ]: from sklearn.preprocessing import MinMaxScaler
scaler=MinMaxScaler(feature_range=(0,1))
data_oil=scaler.fit_transform(np.array(data_oil).reshape(-1,1))
```

```
In [ ]: data_oil
```


```
Out[ ]: array([[0.11335703],
 [0.11661484],
 [0.12053902],
 ...,
 [0.46497853],
 [0.47038353],
 [0.47149415]])
```

```
In [ ]: plt.plot(data_oil)
```



```
In [ ]: plt.plot(data_oil)
```

```
Out[ ]: []
```



```
In [ ]: training_size=int(len(data_oil)*0.65)
test_size=len(data_oil)-training_size
train_data,test_data=data_oil[0:training_size:],data_oil[training_size:len(data_oil),:]
```

```
In [ ]: training_size,test_size
```

```
Out[ ]: (5340, 2876)
```

```
In [ ]: train_data.shape
```

```
Out[ ]: (5340, 1)
```

```
In [ ]: def create_dataset(dataset,time_step=1):
        dataX,dataY=[],[]
```

```
In [ ]: def create_dataset(dataset,time_step=1):
        dataX,dataY=[],[]
        for i in range(len(dataset)-time_step-1):
            a=dataset[i:(i+time_step),0]
            dataX.append(a)
            dataY.append(dataset[i+time_step,0])
        return np.array(dataX),np.array(dataY)
```

```
In [ ]: time_step=10
x_train,y_train=create_dataset(train_data,time_step)
x_test,y_test=create_dataset(test_data,time_step)
```

```
In [ ]: print(x_train.shape),print(y_train.shape)
```

```
(5329, 10)
(5329,)
```

```
Out[ ]: (None, None)
```

```
In [ ]: print(x_test.shape),print(y_test.shape)
```

```
(2865, 10)
(2865,)
```

```
Out[ ]: (None, None)
```

```
In [ ]: x_train
```

```
Out[ ]: array([[0.11335703, 0.11661484, 0.12053902, ..., 0.10980305, 0.1089886 ,
               0.11054346],
               [0.11661484, 0.12053902, 0.11550422, ..., 0.1089886 , 0.11054346,
               0.10165852],
               [0.12053902, 0.11550422, 0.1156523 , ..., 0.11054346, 0.10165852,
               0.09906708],
               ...,
               ...])
```

```

In [ ]: x_train

Out[ ]: array([[0.11335703, 0.11661484, 0.12053902, ..., 0.10980305, 0.1089886 ,
               0.11054346],
               [0.11661484, 0.12053902, 0.11550422, ..., 0.1089886 , 0.11054346,
               0.10165852],
               [0.12053902, 0.11550422, 0.1156523 , ..., 0.11054346, 0.10165852,
               0.09906708],
               ...,
               [0.36731823, 0.35176958, 0.36080261, ..., 0.36391234, 0.37042796,
               0.37042796],
               [0.35176958, 0.36080261, 0.35354657, ..., 0.37042796, 0.37042796,
               0.37879461],
               [0.36080261, 0.35354657, 0.35295424, ..., 0.37042796, 0.37879461,
               0.37916482]])

In [ ]: x_train=x_train.reshape(x_train.shape[0],x_train.shape[1],1)
        x_test=x_test.reshape(x_test.shape[0],x_test.shape[1],1)

In [ ]: from tensorflow.keras.models import Sequential
        from tensorflow.keras.layers import Dense
        from tensorflow.keras.layers import LSTM

In [ ]: model=Sequential()

In [ ]: model.add(LSTM(50,return_sequences=True,input_shape=(10,1)))
        model.add(LSTM(50,return_sequences=True))
        model.add(LSTM(50))

In [ ]: model.add(Dense(1))

In [ ]: model.compile(loss='mean_squared_error',optimizer='adam')

In [ ]: model.summary()

Model: "sequential"
_____
Layer (type)                Output Shape          Param #
-----
lstm (LSTM)                  (None, 10, 50)        10400
lstm_1 (LSTM)                (None, 10, 50)        20200
lstm_2 (LSTM)                (None, 50)            20200
dense (Dense)                (None, 1)              51
-----
Total params: 50,851
Trainable params: 50,851
Non-trainable params: 0

In [ ]: model.compile(loss='mean_squared_error',optimizer='adam')

In [ ]: model.fit(x_train,y_train,validation_data=(x_test,y_test),epochs=3,batch_size=64,verbose=1)

Epoch 1/3
84/84 [=====] - 6s 25ms/step - loss: 0.0017 - val_loss: 0.0011
Epoch 2/3
84/84 [=====] - 1s 16ms/step - loss: 1.2375e-04 - val_loss: 7.8338e-04
Epoch 3/3
84/84 [=====] - 1s 16ms/step - loss: 1.2058e-04 - val_loss: 7.5010e-04

Out[ ]:

In [ ]: ##Transformback to original form
        train_predict=scaler.inverse_transform(train_data)

```

Out[]:

```
In [ ]: ##Transformback to original form
train_predict=scaler.inverse_transform(train_data)
test_predict=scaler.inverse_transform(test_data)
### Calculate RMSE performance metrics
import math
from sklearn.metrics import mean_squared_error
math.sqrt(mean_squared_error(train_data,train_predict))
```

Out[]: 29.347830443269938

```
In [ ]: from tensorflow.keras.models import load_model
```

```
In [ ]: model.save("crude_oil.hs")
```

WARNING:absl:Found untraced functions such as lstm_cell_layer_cell_fn, lstm_cell_layer_cell_and_return_conditional_losses, lstm_cell_1_layer_cell_fn, lstm_cell_1_layer_cell_and_return_conditional_losses, lstm_cell_2_layer_cell_fn while saving (showing 5 of 6). These functions will not be directly callable after loading.


WARNING:absl:has the same name 'LSTMCell' as a built-in Keras object. Consider renaming to avoid naming conflicts when loading with 'tf.keras.model s.load_model'. If renaming is not possible, pass the object in the 'custom_objects' parameter of the load function.

WARNING:absl:has the same name 'LSTMCell' as a built-in Keras object. Consider renaming to avoid naming conflicts when loading with 'tf.keras.model s.load_model'. If renaming is not possible, pass the object in the 'custom_objects' parameter of the load function.

WARNING:absl:has the same name 'LSTMCell' as a built-in Keras object. Consider renaming to avoid naming conflicts when loading with 'tf.keras.model s.load_model'. If renaming is not possible, pass the object in the 'custom_objects' parameter of the load function.

```
In [ ]: ### Plotting
look_back=10
trainpredictPlot = np.empty_like(data_oil)
trainpredictPlot[:, :]= np.nan
trainpredictPlot[look_back:len(train_predict)+look_back, :] = train_predict
# shift test predictions for plotting
testPredictplot = np.empty_like(data_oil)
testPredictplot[:, :]= np.nan
testPredictplot[look_back:len(test_predict)+look_back, :] = test_predict
```

```
In [ ]: ### Plotting
look_back=10
trainpredictPlot = np.empty_like(data_oil)
trainpredictPlot[:, :]= np.nan
trainpredictPlot[look_back:len(train_predict)+look_back, :] = train_predict
# shift test predictions for plotting
testPredictplot = np.empty_like(data_oil)
testPredictplot[:, :]= np.nan
testPredictplot[look_back:len(test_predict)+look_back, :] = test_predict
# plot baseline and predictions
plt.plot(scaler.inverse_transform(data_oil))
plt.show()
```



```
In [ ]: len(test_data)
```

Out[]: 2876

```
In [ ]: x_input=test_data[2866:].reshape(1,-1)
x_input.shape
```

```
In [ ]: len(test_data)
```

```
Out[ ]: 2876
```

```
In [ ]: x_input=test_data[2866:].reshape(1,-1)
        x_input.shape
```

```
Out[ ]: (1, 10)
```

```
In [ ]: temp_input=list(x_input)
        temp_input=temp_input[0].tolist()
```

```
In [ ]: temp_input
```

```
Out[ ]: [0.44172960165852215,
         0.48111950244335855,
         0.49726047682511476,
         0.4679401747371539,
         0.4729749740855915,
         0.47119798608026064,
         0.47341922108692425,
         0.4649785280616022,
         0.4703835332444839,
         0.47149415074781587]
```

```
In [ ]: lst_output=[]
        n_steps=10
        i=0
        while(i<10):
            if(len(temp_input)>10):
                #print(temp_input)
                x_input=np.array(temp_input[1:])
                print("{} day input {}".format(i,x_input))
```

```
In [ ]: lst_output=[]
        n_steps=10
        i=0
        while(i<10):
            if(len(temp_input)>10):
                #print(temp_input)
                x_input=np.array(temp_input[1:])
                print("{} day input {}".format(i,x_input))
                x_input=x_input.reshape(1,-1)
                x_input = x_input.reshape((1, n_steps, 1)) #print(x_input)
                yhat = model.predict(x_input, verbose=0)
                print("{} day output {}".format(i,yhat))
                temp_input.extend(yhat[0].tolist())
                temp_input=temp_input[1:] #print(temp_input)
                lst_output.extend(yhat.tolist())
                i=i+1
            else:
                x_input = x_input.reshape((1, n_steps,1))
                yhat = model.predict(x_input, verbose=0)
                print(yhat[0])
                temp_input.extend(yhat[0].tolist())
                print(len(temp_input))
                lst_output.extend(yhat.tolist())
                i=i+1
```

```
[0.47442466]
```

```
11
```

```
1 day input [0.4811195 0.49726048 0.46794017 0.47297497 0.47119799 0.47341922
0.46497853 0.47038353 0.47149415 0.47442466]
1 day output [[0.47781762]]
2 day input [0.49726048 0.46794017 0.47297497 0.47119799 0.47341922 0.46497853
0.47038353 0.47149415 0.47442466 0.47781762]
2 day output [[0.47653615]]
3 day input [0.46794017 0.47297497 0.47119799 0.47341922 0.46497853 0.47038353
0.47149415 0.47442466 0.47781762 0.47653615]
3 day output [[0.47364426]]
4 day input [0.47297497 0.47119799 0.47341922 0.46497853 0.47038353 0.47149415
0.47442466 0.47781762 0.47653615 0.47364426]
4 day output [[0.4744274811]
```

```

[0.47442466]
11
1 day input [0.4811195 0.49726048 0.46794017 0.47297497 0.47119799 0.47341922
0.46497853 0.47038353 0.47149415 0.47442466]
1 day output [[0.47781762]]
2 day input [0.49726048 0.46794017 0.47297497 0.47119799 0.47341922 0.46497853
0.47038353 0.47149415 0.47442466 0.47781762]
2 day output [[0.47653615]]
3 day input [0.46794017 0.47297497 0.47119799 0.47341922 0.46497853 0.47038353
0.47149415 0.47442466 0.47781762 0.47653615]
3 day output [[0.47364426]]
4 day input [0.47297497 0.47119799 0.47341922 0.46497853 0.47038353 0.47149415
0.47442466 0.47781762 0.47653615 0.47364426]
4 day output [[0.47442248]]
5 day input [0.47119799 0.47341922 0.46497853 0.47038353 0.47149415 0.47442466
0.47781762 0.47653615 0.47364426 0.47442248]
5 day output [[0.47467044]]
6 day input [0.47341922 0.46497853 0.47038353 0.47149415 0.47442466 0.47781762
0.47653615 0.47364426 0.47442248 0.47467044]
6 day output [[0.47518066]]
7 day input [0.46497853 0.47038353 0.47149415 0.47442466 0.47781762 0.47653615
0.47364426 0.47442248 0.47467044 0.47518066]
7 day output [[0.47546706]]
8 day input [0.47038353 0.47149415 0.47442466 0.47781762 0.47653615 0.47364426
0.47442248 0.47467044 0.47518066 0.47546706]
8 day output [[0.4767432]]
9 day input [0.47149415 0.47442466 0.47781762 0.47653615 0.47364426 0.47442248
0.47467044 0.47518066 0.47546706 0.47674319]
9 day output [[0.47736228]]

```

```


In [ ]:
day_new=np.arange(1,11)
day_pred=np.arange(11,21)
len(data_oil)
plt.plot(day_new, scaler.inverse_transform(data_oil[8206:]))
plt.plot(day_pred, scaler.inverse_transform(lst_output))

```

```

Out[ ]: []


```





```

In [ ]:
df3=data_oil.tolist()
df3.extend(lst_output)
plt.plot(df3[8100:])

```





```
In [ ]: df3=scaler.inverse_transform(df3).tolist()
```

```
In [ ]: plt.plot(scaler.inverse_transform(data_oil))
```

```
Out[ ]: []
```

