Acceptance Testing
UAT Execution & Report Submission

Date	18 November 2022
Team ID	PNT2022TMID23131
Project Name	IOT Enabled Smart Farming Application
Maximum Marks	4 Marks

DOMAIN: IoT

Project Title: Smart Farmer – IOT Enabled Smart Farming
Application

Team Members:
1) Jeeva Getzie Cynthia A (913119106038)
2)Afrin Jumana M (913119106005)
3)Srinithi A(913119106109)
4)Priya M(913119106079)

1. Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the [ProductName] project at the time of the release to User Acceptance Testing (UAT).

Acceptance Testing (UAT)

Weather plays a very significant role when it comes to the Agriculture sector. In agriculture, there is almost everything dependable upon the climate condition. In smart Farming, temperature humidity, and soil moisture can be monitored through various sensors. These are again used by the reactive system to trigger alerts or automate the process such as water and air control.

Farmers usually use a sampling method to calculate soil fertility, moisture content. Fortunately, this sampling doesn't give accurate results as chemical decomposition varies from location to location. Meanwhile, this not much helpful. To resolve this thing, it plays an essential role in Farming. Sensors can be installed at a uniform distance across the length and breadth of the farmland to collect the accurate soil data, which can be further used in the dashboard or mobile application for the farm monitoring.

Farmers can benefit greatly from an IoT-based smart agriculture system. As a result of the lack of irrigation, agriculture suffers. Climate factors such as humidity, temperature, and moisture can be adjusted dependent on the local environmental variables. This technology aids in the scheduling of irrigation based on present data from the field and records from a climate source. It helps in deciding the farmer to whether to do irrigation or not to do. Continuous internet connectivity is required for continuous monitoring of data from sensors.

2. Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	8	3	2	3	16
Duplicate	1	0	2	0	3
External	2	3	0	1	6
Fixed	10	2	3	18	33
Not Reproduced	0	0	1	0	1
Skipped	0	0	1	1	2

Won't Fix	0	4	2	1	7
Totals	21	12	11	24	68

3. Test Case Analysis

This report shows the number of test cases that have passed, failed, and untested

Section	Total Cases	Not Tested	Fail	Pass
Print Engine	6	0	0	6
Client Application	45	0	0	45
Security	2	0	0	2
Outsource Shipping	3	0	0	3
Exception Reporting	9	0	0	9
Final Report Output	4	0	0	4
Version Control	2	0	0	2