
Assignment-3

Create a bucket in IBM object storage and upload 5 images in it.



Write a html code to display that images.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Bucket</title>
</head>
<body>
<img src="https://abdhkb123.s3.au-syd.cloud-object-storage.appdomain.cloud/falls.jpg">
<img src="https://abdhkb123.s3.au-syd.cloud-object-storage.appdomain.cloud/mountain.jpg">
<img src="https://abdhkb123.s3.au-syd.cloud-object-storage.appdomain.cloud/mountain.jpg">
<img src="https://abdhkb123.s3.au-syd.cloud-object-storage.appdomain.cloud/naturesun.jpg">
<img src="https://abdhkb123.s3.au-syd.cloud-object-storage.appdomain.cloud/naturesun.jpg">
<img src="https://abdhkb123.s3.au-syd.cloud-object-storage.appdomain.cloud/tree.jpg">
```

```
<img src="https://abdhkb123.s3.au-syd.cloud-object-
storage.appdomain.cloud/lake.jpg">
</body>
</html>
```



Using css and html code, design a login page.

```
<form action="\result" method="post">
        <h2>LOGIN</h2>
        <div class="form-group">
        <div class="input-group">
        <span class="input-group-addon"><i class="fa fa-envelope"></i></span>
        <input type="email" name="email" class=" form-control"</pre>
placeholder="Email" required>
        </div>
        </div>
        <div class="form-group">
        <div class="input-group">
        <span class="input-group-addon"><i class="fa fa-lock"></i></span>
        <input type="password" name="password" class=" form-control"</pre>
placeholder="password" required>
        </div>
        </div>
        <div class="form-group">
        <button type="submit" class="btn btn-primary btn-lg</pre>
btnblock">Login
        </div>
        </div>
```

Chat bot using Watson assistant:

```
https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-9035c848-9bf3-4a09-8bad-4cb7d6b237ab%3A%3A50172128-bee1-47ad-a011-481f5e7cc594&integrationID=d7548a3a-b79b-446e-b63b-aea407987c8b&region=au-syd&serviceInstanceID=9035c848-9bf3-4a09-8bad-4cb7d6b237ab
```

Create Watson assistant using html code.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Document</title>
</head>
<body>
<script>
    window.watsonAssistantChatOptions = {
        integrationID: "e691c086-912a-4c07-8df8-d3740422976a", // The ID of this integration.
        region: "au-syd", // The region your integration is hosted in.
        serviceInstanceID: "e72e2a7f-c2c6-436d-9ddc-be262b392912", // The ID of your service instance.
        onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
```

Result:

