Assignment -4

SmartFarmer - IoT Enabled Smart Farming Application

Student Name	Thangakavin D
Student Register Number	922519106167

Question-1:

Write code and connections in wokwi for the ultrasonic sensor. Whenever the distance is less than 100 cms send an "alert" to the IBM cloud and display in the device recent events. Upload document with wokwi share link and images of IBM cloud


CODE 1:

```
#include <WiFi.h>
 #include <PubSubClient.h> void callback(char* subscribetopic, byte* payload,
unsigned int payloadLength);
  #define ORG "ocknc6"
 #define DEVICE_TYPE "esp32"
 #define DEVICE_ID "12345"
 #define TOKEN "12345678" String data3; char server[] = ORG
 ".messaging.internetofthings.ibmcloud.com"; char publishTopic[]
 = "iot-2/evt/Data/fmt/json"; char subscribetopic[] = "iot-
 2/cmd/test/fmt/String"; char authMethod[] = "use-token-auth";
 char token[] = TOKEN; char clientId[] = "d:" ORG ":"
 DEVICE TYPE ":" DEVICE ID;
 WiFiClient wifiClient;
 PubSubClient client(server, 1883, callback ,wifiClient);
 const int trigPin = 5; const int echoPin = 18; #define
 SOUND_SPEED 0.034 long duration; float distance; void
 setup() { Serial.begin(115200); pinMode(trigPin,
 OUTPUT); pinMode(echoPin, INPUT); wificonnect();
 mqttconnect();
 }
 void loop()
 digitalWrite(trigPin,
                                LOW);
 delayMicroseconds(2);
 digitalWrite(trigPin,
                                HIGH);
 delayMicroseconds(10);
 digitalWrite(trigPin, LOW); duration
 = pulseIn(echoPin, HIGH); distance =
 duration * SOUND_SPEED/2;
 Serial.print("Distance (cm): ");
 Serial.println(distance); if(distance<100)</pre>
 Serial.println("ALERT!!"); delay(1000);
 PublishData(distance);
 delay(1000); if
 (!client.loop()) {
 mqttconnect();
 } }
 delay(1000);
 void PublishData(float dist) {
 mqttconnect();
 String payload = "{\"Distance\":"; payload += dist;
 payload += ",\"ALERT!!\":""\"Distance less than 100cms\"";
 payload += "}";
```

```
Serial.print("Sending payload: ");
Serial.println(payload);
if (client.publish(publishTopic, (char*) payload.c_str())) {
Serial.println("Publish ok");
} else {
Serial.println("Publish failed");
} }
void mqttconnect() { if
(!client.connected()) {
Serial.print("Reconnecting client to ");
Serial.println(server);
while (!!!client.connect(clientId, authMethod, token))
{ Serial.print("."); delay(500);
initManagedDevice();
Serial.println();
} }
void wificonnect()
Serial.println();
Serial.print("Connecting
                            to
WiFi.begin("Wokwi-GUEST", "", 6); while
                != WL_CONNECTED)
(WiFi.status()
delay(500); Serial.print(".");
Serial.println("");
Serial.println("WiFi connected");
Serial.println("IP address: ");
Serial.println(WiFi.localIP());
}
void initManagedDevice() {
if (client.subscribe(subscribetopic)) {
Serial.println((subscribetopic));
Serial.println("subscribe to cmd OK");
} else {
Serial.println("subscribe to cmd FAILED");
void callback(char* subscribetopic, byte* payload, unsigned int payloadLength)
Serial.print("callback invoked for topic:
"); Serial.println(subscribetopic); for (int
i = 0; i < payloadLength; i++)</pre>
data3 += (char)payload[i];
Serial.println("data: "+ data3); data3="";
Wokwi
                    Link
```

https://wokwi.com/projects/347204840687927891

Output and Simulation:



Whenever the distance is less than 100 cms send an "alert" to the IBM cloud and display in the device recent events.

